T389 $1.1

A SHORT HISTORY OF ANATOMY & PHYSIOLOGY FROM THE GREEKS TO HARVEY

by Charles Singer



TECHNOLOGY.

STACK

Reference Department

R611.09
S164S

1792661

67


V
S


A
A
A



Title page of the first edition of Vesalius *De Fabrica corporis humani* ; Basel 1543.

[*Frontispiece*


a short history
of anatomy
from
the greeks to harvey
CHARLES SINGER
INTVS
QVOD FORIS
VIDES


The historiated Title page of this volume is taken from the work of GIULIO CASSERIO, *De vocis auditusque organis, historia anatomica*, first printed at Ferrara in the year 1601.

a short history of anatomy from the greeks to harvey

TECHNOLOGY

For out of olde feldes, as men seith
Cometh al this new corn fro yeer to yere;
And out of olde bokes, in good feith,
Cometh al this new science that men lere.

CHAUCER: *The Parlement of Foules,* lines 22-25.



a short history of anatomy from the greeks to harvey

(THE EVOLUTION OF ANATOMY)

CHARLES SINGER

dover publications inc. new york

Copyright © 1957 by Dover Publications, Inc.
This new Dover edition first published in 1957, is an unabridged republication of the first edition with a new Preface by the author, originally published under the title (THE EVOLUTION OF ANATOMY).

R611.09
Si645

Manufactured in the United States of America.

SEP 21 1959

PREFACE TO SECOND EDITION

This work has been out of print for many years. I long hoped that someone more competent than I would cover the ground more completely. This has not happened and, since the demand for the book has continued, it is here revised with a number of minor adjustments. I would express the hope that this new edition may rouse sufficient practical interest in the subject to induce someone to undertake a more comprehensive work. The literature in English is now more copious than it was when the first edition was published over thirty years ago. Works by some of the leading figures in the history of anatomy — Vesalius, Galen, Coiter, Mondino, Leonardo — are now available in English translation, and I am in hope that this new edition may turn my readers' attention at least to these.

CHARLES SINGER

"Kilmarth"
Par, Cornwall
26th.May 1956

TECHNOLOGY
179266i

PREFACE

I HAVE to return thanks first to the College of Physicians and its President who invited me to give the Fitzpatrick Lectures and next to three colleagues who helped me in their preparation.

Association with Professor Platt has been a very great stimulus ; to him I owe inestimable help in acquiring such knowledge of ancient Medicine as I may possess ; his great sympathy with Science and with its History has been a source of inspiration to many, but I have been unusually privileged in being permitted to draw on that store of exact knowledge of Greek on which his varied learning was based as on a rock. He read this book in manuscript and it is a very great grief to me that he has not lived to see it printed. The first two Chapters owe a debt to him on almost every page. For the last two chapters I have received similar generous help from Emeritus Professor Sir George Thane, whose unrivalled knowledge of every department of Anatomy and of its literature, has been unweariedly placed at my disposal. I have enjoyed every advantage afforded by the magnificent Anatomical Institute of Professor Elliot Smith from the time that it was built, and especially I have had the fullest use of its very fine collection of old anatomical books deposited there. This collection was bequeathed to University College by William Sharpey, who once held the chair that has since been occupied by Professors Sir George Thane and Elliot Smith. My Fitzpatrick Lectures were themselves based on a course given to some of Professor Elliot Smith's more advanced pupils, and I have to thank him for help at many points and for sympathy and understanding throughout.

A number of other colleagues have aided me in various directions. Mr. T. L. Poulton, artist to the Anatomical Department at University College, has made drawings for me which are reproduced in Figs. 24, 26, and 28. The other drawings, maps, and tracings are the work of my secretary, Miss E. Biden, or of myself. Dr. H. H. Woollard, Assistant Professor of Anatomy at University College, London, has read the book in proof and corrected points of nomenclature. Dr. H. A. Harris, Senior Demonstrator of Anatomy at

University College, London, has advised me on certain other anatomical matters. Dr. C. F. Sonntag, Demonstrator of Anatomy at University College, London, has helped me with information on simian Anatomy. He has also provided me with the hand of a Barbary ape, the dissection of which (Fig. 27) has been the work of Dr. Kozinski, of the University of Wilna, who is at present engaged in research at University College. Miss Margaret Murray, Reader in Egyptology at University College, London, drew my attention to the Egyptian material reproduced in Figs. 5, 6, 7, and 8.

Mr. W. G. Spencer, O.B.E., has most generously placed at my disposal the blocks from which are printed the full page figures from Vesalius. I have also to thank Messrs. Bell & Son, the Oxford University Press, and Messrs. John Wright, of Bristol, for the use of a number of clichées. Sir Arthur Evans drew my attention to the arm of Cretan origin shown in Fig. 4 ; he also kindly gave me the photograph from which that figure has been drawn. Professor K. Sudhoff has been good enough to supply me with the photographs from which Plate XIV is taken.

Lastly, I have to thank the Honorary Librarians of the Royal College of Physicians of London and the Royal Society of Medicine for unusual facilities for the study and photography of some of the treasures under their charge.

The main task in preparing this account of the History of Anatomy has been the investigation of sources. I do not think I have referred to any book or manuscript without having myself examined either the original or a direct photograph or facsimile. Suggestions, however, have been derived from the few general accounts of the History of Anatomy that have so far appeared. Of these the most useful are still the detailed but somewhat confused work of Baron Portal, which appeared as long ago as 1770, and the unfinished but very creditable attempt of Lauth in 1815. There is also the fine bibliography of Albrecht von Haller dating from the years 1774–7. The inaccurate treatise of Burggraeve, which had run through three editions by 1880, I have found to be the source of many errors that have since gained currency. I have found it useless for practical purposes. A great number of facts concerning the History of Anatomy are conveniently catalogued by von Töply in the second volume of Puschmann, Neuburger, and Pagel's *Handbuch der*

Geschichte der Medizin, which appeared in 1903. There are naturally many memoirs dealing with special aspects of Anatomy or on special periods of anatomical study, which I have read for the purpose of this book. Among such works are those of Albertotti, F. Baker, Cervetto, Choulant, F. J. Cole, Corner, Corradi, Del Gaizo, Daremberg, Duhem, Duval, Ferckel, Fonahn, A. Forster, M. Foster, Garrison, Hirschberg, Holländer, Holl, Holma, Hyrtl, Ilberg, Jackschath, Jastrow, Klebs, Locy, Littré, Macalister, MacMurrich, Martinotti, Marx, Medici, Milne, Moores-Ball, Miss M. Murray, Neuberger, Nicaise, Pagel, Petrie, Pilcher, Piumati, D'Arcy Power, Puschmann, Redeker, Regnault, Roth, Schöne, Seailles, Seidel, C. G. Seligmann, W. G. Spencer, Spielmann, Stieda, Streeter, Sudhoff, Tarrasch, De Toni, von Töply, Walsh, Walston, Washburn, Wegener, Wellmann, Weindler, Weyermann, Wickersheimer, W. Wright, and many others. There are also a few sketches of the subject as a whole, either in the form of Introductions to anatomical treatises or short independent pamphlets or lectures. Perhaps the best of the latter class was one printed just a century ago. It was delivered by Matthew Baillie in 1785 as an *Introductory Lecture* to the course in Anatomy at the Great Windmill Street School founded by Baillie's uncle, William Hunter. This lecture will be found in a rare little book entitled *Lectures and Observations on Medicine by the late Matthew Baillie, M.D.*, published posthumously by Baillie's executors and privately issued in 1825 in a very small edition.

In composing this short History of Anatomy I have been concerned to keep it within compassable limits. Unprogressive anatomical movements and periods are therefore but lightly touched upon, attention being concentrated on the line of definite advance. It appeared both unnecessary and undesirable to make any division between Physiology and Anatomy, at least in the period under consideration. As the narrative of the little book ends early in the seventeenth century, no mention has been made of the beginnings of Iatrochemistry in the persons of Paracelsus, van Helmont, and their followers, since the movement they represent did not become important until the second part of the seventeenth century. The volume closes with Harvey. The new physiological movement, together with later anatomical developments will be treated in a separate work.

In discussing individual writers I have made no attempt at consistence in the treatment of names. I have sometimes spoken of a man by the name his mother called him, as with *Mondino*; sometimes I have used the Latinized form as with *Vesalius*; sometimes I have used the conventional title as with *Galen*. In all this I have been guided by what I conceive to be the reader's ease.

"Vivitur ingenio, caetera mortis erunt," *It is his genius that yet walks the earth; all else of him may go down into silence*, is the motto which Vesalius himself has chosen for the most beautiful of all his figures (Fig. 103). Let him be taken at his word! I have sought to treat him and the great men who went before and after him as they would be treated. Prompted alike by personal inclination, by necessity for brevity, and by the suggestion of Vesalius I have considered only the actual contributions to knowledge that these men have made, seeking to treat the History of Anatomy as a secular conversation between great minds, a debate of men of genius continued through the ages. If the writing of History cannot establish such continuity of ideas it can work nothing effectual. The reader who seeks information concerning the ancestry after the flesh or the details of the domestic life of these anatomical heroes, should turn to one of the several large dictionaries of medical biography.

With a view to the greatest possible compression, references, quotations, and bibliography are omitted from this preliminary sketch. They must await a more extensive work on the *History of Anatomy*. It has, however, been necessary to deal with a number of contentious matters, especially in Chapters I and III. On such points I have often ventured to take my own line. This is done not in any dogmatic spirit but simply for the sake of brevity. I trust, especially, the reader will not regard me as too arbitrary in my dating and treatment of the documents of the Hippocratic Collection. Such topics need lengthy discussion of a kind that appeals to few. It therefore seemed best to leave aside all documentation from such a work as this. It may be that there are readers who will be not ungrateful for the postponement.

CHARLES SINGER.

ANATOMICAL INSTITUTE,
UNIVERSITY COLLEGE, LONDON.

May 26, 1925.

CONTENTS

PAGE

PREFACE v

LIST OF PLATES xi

I. THE GREEKS TO 50 B.C.

§ 1. The Prescientific Stage . . . 3

§ 2. The Schools of Sicily, Ionia, and Cos. 550 B.C.–400 B.C. . . . 9

§ 3. The Early Athenian Period. Plato, Diocles, 400 B.C.–350 B.C. . . 15

§ 4. The Later Athenian Period. Aristotle, Theophrastus. 350 B.C.–290 B.C. 17

§ 5. Aristotelian Philosophy in its bearing on anatomical thought . . 23

§ 6. The Great Alexandrians, 300 B.C.–250 B.C.

(*a*) Herophilus, Father of Anatomy 28

(*b*) Erasistratus, Father of Physiology 31

§ 7. Decline of the Alexandrian School, 250 B.C.–50 B.C. . . . 33

§ 8. Human Vivisection at Alexandria . 34

§ 9. The Alexandrian Anatomists and the Wisdom Literature . . . 35

II. THE EMPIRE AND THE DARK AGES. 50 B.C.–A.D. 1050.

§ 1. The Beginnings of Anatomy at Rome. 50 B.C.–A.D. 50 . . . 37

§ 2. Latin Anatomical Literature . . 38

§ 3. Greek Anatomical Writers of the Early Empire. Rufus, Soranus. A.D. 50–150 42

§ 4. Galen the "Prince of Physicians". 150–200 46

§ 5. Galen's Anatomical Philosophy . . 49

§ 6. Galen's Anatomical Achievement . 52

§ 7. Galen's Physiological System . . 58

§ 8. The Dark Ages. 200–1050 . . 62

III. THE MIDDLE AGES AND RENAISSANCE. 1050–1543.

§ 1. The Translators from the Arabic. 1050–1250 66

PAGE

§ 2. The Rise of the Universities. The Bologna School . . . 69
§ 3. The Beginnings of Dissection. 1250–1300 71
§ 4. Mondino, The Restorer of Anatomy. 1300–1325 74
§ 5. Mediæval Medical Nomenclature . 78
§ 6. Anatomical Knowledge of Mondino . 81
§ 7. The Later Middle Ages. 1325–1500 87
§ 8. Naturalism in Art. Leonardo da Vinci. 1450–1550 90
§ 9. The First Anatomies printed with figures. Berengar, Dryander, Estienne, Canano. 1490–1545 . 95
§ 10. The Humanists. Benedetti, Linacre, Montanus, Günther, Sylvius. 1450–1550 103

IV. Modern Times to Harvey. 1543–1628.

§ 1. Vesalius, the Reformer of Anatomy. 1514–1564 111
§ 2. Threefold Character of Vesalius: Artist, Humanist, Naturalist . . . 115
§ 3. The Supply of Anatomical Material in the Fifteenth and Sixteenth Centuries 119
§ 4. The Seven Books of the *Fabrica* of Vesalius. 1543 122
§ 5. Eustachius, Rival of Vesalius. 1550–1574 135
§ 6. The Followers of Vesalius. Columbus, Fallopius, Arantius, 1550–1590 . 140
§ 7. The Early Comparative Anatomists. Vesalius, Belon, Rondelet, Coiter, Ruini. 1540–1600 145
§ 8. Fabricius. 1590–1610 153
§ 9. The Last Great Paduans. Casserius, Spigelius. 1600–1630 . . 158
§ 10. Anatomy beyond the Alps, Switzerland, Holland, Denmark, France, Germany. 1590–1630 . . 166
§ 11. The Beginnings of Anatomy in England.
(*a*) The Middle Ages . . 170
(*b*) The Renaissance . . . 171
§ 12. The Work of William Harvey. 1628 . 174
§ 13. Epilogue 184

A Vesalian Atlas 187

Index of Personal Names 207

LIST OF PLATES

facing page

HISTORIATED TITLE PAGE.

FRONTISPIECE.

I. THE DYING LIONESS. Bas-relief from Palace of Assurbanipal about 650 B.C. British Museum 8

II. (*a*) HEAD OF PLATO from Statue in Vatican. Work of first century A.D., copied from original of about 380 B.C.

(*b*) HEAD OF HERACLITUS, from Statue in Museum at Candia. Work of second century A.D., copied from original of fifth century B.C. 12

III. GREEK CLINIC of about 400 B.C., from a vase in a private collection at Paris . . 16

IV. (*a*) METROLOGICAL RELIEF FROM SAMOS of about 440 B.C. in Ashmolean Museum at Oxford.

(*b*) HEAD OF ARISTOTLE from bronze bust in in Naples Museum from Herculaneum. Work of first century A.D. from original of fourth century B.C. 22

V. (*a*) HEAD OF PTOLEMY SOTER, founder of Alexandrian Medical School, original in Louvre. Work of third century B.C.

(*b*) HEAD OF HIPPOCRATES in British Museum. Work of second or third century B.C. . 28

VI. (*a*) and (*b*) from LAURENTIAN GREEK MS. of APOLLONIUS OF CITIUM of ninth century A.D., copied from pre-Christian original.

(*c*) HEAD OF COMMODUS from Statue in Capitoline Museum 34

facing page

VII. THE EMPEROR MARCUS AURELIUS, a Panel from a Triumphal Arch erected on the Capital in 176 now in the Palace of the Conservatori at Rome 50

VIII. PAINTED WOOD GRAECO-EGYPTIAN SARCOPHAGUS of about the time of Christ in the British Museum 64

IX. HENRI DE MONDEVILLE lecturing. From a MS. in the *Bibliothèque nationale* written in 1314 74

X. HENRI DE MONDEVILLE. Anatomical diagrams from the same MS. as IX . 80

XI. ANATOMICAL DIAGRAMS from the same MS. as X 90

XII. (*a*) DIAGRAM OF THE EYE from a thirteenth century MS. of Roger Bacon in the British Museum.
(*b*) DIAGRAM OF THE EYE from the *Fabrica* of Vesalius, 1543 92

XIII. PORTRAIT OF LEONARDO DA VINCI by himself from a Pastel in the Royal Library, Turin 94

XIV. MUSCLES OF ARM, from Canano, 1543 . . 102

XV. SERVETUS IN PRISON, from a statue by Clothilde Roche at Annemasse, Haute Savoie 140

XVI. ZODIACAL MAN of about 1450 from the Guild Book of the Barber Surgeons at York in the British Museum . . 170

XVII. DRAWING OF THE SKELETON by John Bannister from a MS. of about 1580 in the Hunterian Library at Glasgow 174

XVIII. WILLIAM HARVEY, from a painting by Janssen in the Royal College of Physicians of London 180

XIX. THE DEAD CHRIST by Andrea Mantegna in the Brera Palace at Milan . . 185

XX. DISSECTION SCENE by Rembrandt at Amsterdam 184

a short history of anatomy from the greeks to harvey




FIG. 1.




FIG. 2.

FIG. 1.—Palæolithic drawing of elephant showing heart, from the cavern of Pindal, Asturias, N.W. Spain. E. Cartailhac, *Cavernes palæolithiques*, iii, pl. xliv, Paris, 1912.

FIG. 2.—Magdalenian drawings of bison with arrows embedded in the heart, from the cavern of Niaux on the Ariège, S. France. E. Cartailhac and H. Breuil, *L'Anthropologie*, xix, p. 15, Paris, 1908.

THE EVOLUTION OF ANATOMY

I

THE GREEKS TO 50 B.C.

§1 *The Prescientific Stage*

THERE is, in a sense, an *anatomical instinct.* To reach its first beginnings we should have to carry our search far back indeed. Nor could we safely stop even with humankind. We might discern rudiments of it in the neck-breaking clutch of the tiger or in the accurate puncturing by the



FIG. 3.—Late Magdalenian carving of three horse heads in reindeer horn from the great cavern of Mas d'Azil, Department of Ariège, S. France. The head below is carved from life. From the head above the tissues have been removed and hardly more than the skull is left. The head that projects to the left has been skinned and the contours of the muscles are seen. *Revue anthropologique,* 1909, p. 396.

ichneumon-fly of the ventral ganglia of its victim. Or, if we turn from such acts to the conscious achievements of our own species, we may yet discern in the lore of the hunter or the craft of the butcher an accurate grasp of anatomical fact, albeit adapted only to certain ends and confined within a restricted field. The palæolithic bowman well knew where to find the

heart of his victim (Fig. 1), and he has portrayed it transfixed with arrows on the walls of his shelter (Fig. 2). The artist who worked in the cavern at Mas d'Azil has left us many memorials of his skill and knowledge. Among them are carvings of the skulls of horses and even a representation of a dissection of the horse's head exhibiting the contour of the surface muscles (Fig. 3).




FIG. 4.—Clay model of forearm from Cnossus in Crete of about A.D. 1500. (Late Minoan I). The contours of the muscles are so well shown as to suggest anatomical knowledge. From a photograph kindly supplied by Sir Arthur Evans. A modern dissection has been placed by it for comparison. The drawings are the work of Mr. T. L. Poulton, artist to the Anatomical Department at University College.

We shall not, however, begin on such levels as these. We shall turn rather to Anatomy in the scientific stage when definite anatomical conceptions of a more generalized character are consciously formulated and consciously accumulated. At a certain level in human development such knowledge or such tradition comes to be set forth for its own sake. It begins to be expounded for the satisfaction of human curiosity, and

thus a new motive is added to the mere desire to meet the needs of some art or craft. Then, and then only, can we truly say that we have to do with Science. The scientific stage is reached very late in human development. As we stand before the vista of Human History, we shall not have to look back very far if we seek only the origin of Anatomy as a Science.

Our anatomical tradition, like that of every other department of rational investigation, goes back to the Greeks. From them the methods, the applications, and even the very nomenclature of our anatomical discipline are more or less directly derived.

It must not be too hastily assumed, however, that the Greeks themselves had no anatomical forerunners. Before the coming of the Greeks the Ægean area was inhabited by the so-called Minoan peoples. Their culture has been revealed during the last generation at its metropolis in Crete. There many characteristic works of art of a high order have come to light. Not a few present us with a close study of surface contours of the body of man (Fig. 4), comparable to those by the cave artist of the creatures on which he preyed. Judgment must, however, be suspended as to whether this knowledge of the Minoan artist was controlled by any anatomical tradition.

The Greeks, however, were little dependent on their Ægean predecessors. Between the ages in which the Minoan culture flourished and that in which the Hellenic civilization came to flower there yawns a chasm of many centuries. On the ancient civilization of the Euphrates and the Nile the Greeks could more readily draw. From an early date Greek travellers and traders penetrated into Egypt and could there peruse written records of great antiquity. We find, in fact, that certain Egyptian medical papyri set forth surgical procedure demanding considerable anatomical knowledge. Other Egyptian documents give accounts of the structure of the human body, which, however bizarre they may be, yet show the conviction that the human body has a definite and ascertainable structure. We are perhaps unfortunate in the character of the medical material that Egypt has so far yielded. There is, indeed, evidence that Egyptian knowledge

of anatomy may have been less incomplete and unscientific than the discovered documents have as yet suggested. Thus the traditional form of the womb, as it appears in mythological contexts (Figs. 5 and 6), suggests some genuine access to




FIG. 5.



FIG. 6.

Figures representing Taurt, an Egyptian goddess associated with childbirth, redrawn from C. G. Seligmann and M. A. Murray, *Man*, xi, 113, London, 1911.

FIG. 5.—An Alabaster vase of the XVIIIth dynasty showing the human-headed form of the goddess. She clasps an object resembling the hieroglyphic *sa* sign (see Fig. 7), holding it in a position which suggests the uterus.

FIG. 6.—The usual hippopotamus-headed form of the goddess holding a *sa*-like object in each hand.

anatomical sources. Taurt, the Egyptian hippopotamus-headed goddess of childbirth, is almost invariably represented as carrying this sign either in front (Fig. 5) or at the side (Fig. 6). It occurs as a hieroglyphic from the

3rd Dynasty (about 2900 B.C.) onward (Fig. 7). Even in this conventionalized form it is, in fact, more like the real object than the representations of the mediæval anatomists, prepared at a period when dissection was regularly practised. Again the heart and trachea are frequently represented in



FIG. 7.—A series of representations of the *sa* sign derived from the form of the uterus. From C. G. Seligmann and M. A. Murray, *Man*, xi, 115, London, 1911.
a, Dynasty III. *b*, Dynasty XII. *c*, Dynasty XVIII. *d*, Ptolemaic.

Egyptian amulets and a conventionalized representation of these organs has passed into the hieroglyphic system (Fig. 8). Thus there was certainly some anatomical tradition in Egypt when that country began to be penetrated by the Greeks. There are points in the history of Anatomy among the Greeks which suggest contact with Egyptian ideas.




FIG. 8.—Egyptian conventional representations of the heart (*a*, *b*, *c*, and *e*) and of the trachea and lungs (*d* and *f*). *a*, *b*, and *c* are amulets and are from W. M. F. Petrie, *Amulets*, London, 1914. *d*, *e*, and *f* are hieroglyphs. *d* and *e* are from F. Ll. Griffith, *A collection of Hieroglyphics, a contribution to the History of Egyptian writing*, London, 1898. *f* is from N. de G. Davies, *The Mastaba of Ptahhetep and Akhethetep at Saqquareh*, London, 1900.

Similarly, from the early Mesopotamian civilization, accounts of surgical procedure have reached us that seem to involve anatomical knowledge. The code of Hammurabi (*c.* 1950 B.C.), perhaps the Amraphel of Scripture history (Genesis xiv, 1), tells of a complex surgical tradition. There springs also to the mind that masterpiece of Assyrian art, the dying lioness, from the palace of Assurbanipal (reigned 668–626 B.C.).

The stricken creature, with her spinal cord severed, crawls upon her tormentors, snarling furiously, dragging her paralysed hind limbs (Plate I). We recall the experiments on the spinal cord made by Galen (see p. 60) eight hundred years later in which such observations were brought at last under




FIG. 9.—Clay model of sheep's liver used for instruction in liver divination in a Babylonian temple school. The model is covered with cuneiform writing which, for the sake of simplicity, has been omitted here. The inscription, which fixes the date of the object at about 2000 B.C., furnishes the prognostications for peculiarities noted at the parts of the liver indicated by holes. The model is therefore a diagram to explain an omen text in which the peculiarities in question were registered together with the interpretation to be attached to them. The lobes of the liver, the portal fissure, the gall bladder, and the cystic and part of the hepatic duct are shown. Technical names are given to these and other parts. The lines indicate conventionally the markings due to the tracing on the surface of the subsidiary ducts that collect bile into the main duct. (British Museum.) See M. Jastrow, *Proceedings of the Royal Society of Medicine* (*Historical Section*), vii, p. 109, London, 1914.

more scientific control. From Mesopotamia we have, moreover, clay models of the liver of the sheep used for divination (Fig. 9) at an early date. These suggest a knowledge of animal anatomy not inferior to the earlier Greek material.



THE DYING LIONESS

Palace of Assurbanipal about 650 B.C. (British Museum).

[*face p. 8*

The Greeks certainly drew some of their medical lore from Mesopotamia, deriving therefrom, for instance, the names of certain drugs. It is thus not unlikely that they may also have taken anatomical hints from the same source. Their scientific debt to Egypt they were ready—perhaps too ready—to acknowledge. The relation of the Minoan culture to that of Hellas is not yet clear, but there must have been much Minoan blood among the mixed peoples whom we call Greeks. Crete, Babylon, and Egypt, however, yield us but broken lights, and for practical purposes our knowledge begins with the Greeks themselves.

§ 2 *The Schools of Sicily, Ionia, and Cos.* 550 B.C.–400 B.C.

We need not delay with the pre-scientific stage of Greek civilization. Material of medical and even of anatomical interest has been elicited from the writings of Homer (about c900 B.C.) and of Hesiod (about 750 B.C.), and from the early Greek monuments. These, however, are on a cultural level below those of Egypt and Babylon. We shall begin with the earliest records of actual anatomical observations, and these are to be found in the fragments of the writings of Alcmæon (about 500 B.C.), a native of the Greek colony of Croton, in southern Italy. Alcmaeon began to construct a positive basis for medical science by the practice of dissection of animals. He discovered the optic nerves, and the tubes called in after ages by the name of Eustachius (p. 135). He even extended his researches to Embryology, describing the head of the fœtus as the first part to be developed—a justifiable deduction from the appearances. Curiosity excited by him as to the distribution of the vessels led his followers, Acron (about 480 B.C.), Pausanias (about 480 B.C.), and later Philistion of Locroi (about 390 B.C.), the contemporary of Plato, to make anatomical investigations.

Very important among these early Greek writers for his influence on later thought was Empedocles (about 480 B.C.) of Acragas in Sicily. His view that the blood is the seat of the *innate heat* he took from folk belief—" the blood is the life." It recurs in many later authors. His

teaching led to a belief in the heart as the centre of the vascular system, and the chief organ of the *pneuma* which was distributed by blood-vessels. This pneuma was equivalent to both soul and life, but it was something more. It was identified with air and breath, and the pneuma could be seen to rise as a shimmering steam from the shed blood of the sacrificial victim—for was not the blood its natural home ? There was a pneuma, too, that interpenetrated the Universe around us and gave it those qualities of life that it was felt to possess. Anaximenes (about 560 B.C.), an Ionian predecessor of Empedocles, had defined these functions of pneuma with his phrase : " As our soul, being air, sustains us, so pneuma and air pervade the whole World." It was, however, the speculations of Empedocles himself that came to be regarded as the basis of the Pneumatic School in Medicine, which had later very important developments.

The views of Empedocles, and especially his doctrine that regarded the heart as the main site of the pneuma, were rejected by the Coan school—a group of medical writers who came into prominence in Western Asia Minor during the fifth century—whose works have since been fathered on Hippocrates of Cos (Plate IV). Empedoclean doctrine, however, was not without influence on Ionia, which at this time led the van of Greek thought. Thus Diogenes of Apollonia, a late fifth century writer who was approximately contemporary with Hippocrates himself, was profoundly influenced by the Pneumatic School. Diogenes made an investigation of the blood vessels (Fig. 10), and it is clear that the interest in the subject had become widespread at this time.

Another work of the late fifth century and contemporary with this Diogenes is the peculiar treatise *On regimen*, which finds a place in the Hippocratic Collection. It is strongly under the influence of the thought of Heracleitus (about 540–475, Plate II), and contains many points of view which reappear in later philosophy. All animals according to it are formed of fire and water, nothing is born and nothing dies, but there is a perpetual and eternal revolution of things, so that change itself is the only reality. Man's nature is but a parallel to that of the universal nature, and the arts of man are but an

imitation or reflex of the natural arts, or, again, of the bodily functions. The soul, a mixture of fire and water, consumes




FIG. 10.—The vascular system as described by Diogenes of Apollonia about 400 B.C., slightly modified from E. Krause, *Diogenes von Apollonia*, Posen, 1909.


itself in infancy and old age and increases during adult life. Here, too, we meet with that strange doctrine, not without

bearing on the course of later biological thought, that in the fœtus all parts are formed simultaneously. On the proportion of fire and water in the body all depends—sex, temper, temperament, intellect.

We shall not dwell on the shadowy and elusive figure of Hippocrates of Cos (about 400 B.C., Plate V). There is no satisfactory evidence as to which works, if any, in the so-called "Hippocratic Collection" are really from his hand, though there is abundant evidence that the works in that Collection are by *many* hands. Among the sections of the Hippocratic Collection that are anatomically more interesting, however, is the treatise *On the sacred disease* which may be referred with reasonable confidence to about the year 400 B.C. This work is of very great importance for the history of Philosophy as an early attempt to set forth a rational view of the Universe based on the conception of Natural Law.

The brain of man is represented in the *Sacred disease* as resembling that of all other animals in being cleft into two symmetrical halves by a vertical membrane. To the brain there come many blood-vessels, some slender, but two stout. One of these stouter vessels is said to come from the liver and the other from the spleen. This extraordinary statement may be an alteration of an original which said that one came from *the side corresponding to* the liver and the other *from the side of* the spleen. The description of the vessels is indeed confused. We read, however, of a great blood-vessel that passes upward under the collar bone by the side of the neck, is visible there beneath the skin, and finally buries itself as it reaches the ear, where it divides into branches. In the course of the discussion, the writer tells us that he has cut open the skulls of goats to examine the brain. The arteries are said to contain air, an idea gained from their emptiness in dead animals. At certain points the work bears a resemblance to passages in one of the Egyptian medical papyri.

A work kindred to the *Sacred disease*, and one belonging to the same school, of similar date, and not improbably by the same author, is the famous treatise *On airs, waters, and places*. That work contains a crude but not unscientific attempt to classify the races of men by their physical characteristics and



PLATO (427-347 B.C.)

Statue in Vatican. Work of First Century A.D. copied from original of about 380 B.C.



HERACLEITUS OF EPHESUS (c. 540-475 B.C.)

Statue in Museum at Candia from Agora at Gortyna. Work of Second Century A.D. copied from original of Fifth Century B.C.

Inset: Ephesian coin of Fifth Century B.C. showing similar figure.

[*face p.* **12**

the lands in which they dwell. Its author thus ranks along with Herodotus (about 484–425 B.C.) as one of the fathers of the science of Anthropology. The view of the inhabited world that we encounter in the *Airs, waters, and places* is confined to Greece and its islands, Southern Russia, Asia Minor, and Egypt, and is more limited than that of Herodotus (Fig. 11). There is no knowledge of Italy.

A very different work is the *Wounds of the head*, also of about 400 B.C., and also included in the Hippocratic Collection. The operation of trephining is admirably described, and the general tone is entirely scientific. The operation itself was well known from an extremely early date. It was frequently




FIG. 11.—The world according to Herodotus.

practised with stone implements in prehistoric times and is still resorted to by many savage tribes. In the Hippocratic work, however, we have both a technique and, above all, a scientific interest that is vastly in advance of the powers of Neolithic man. Thus the different types of skull are described, and variations in the sutures are pointed out in some detail though without exactness. Some of the errors may be due to changes and dislocations of the text, for the work is manifestly from the hand of a practical surgeon, well accustomed to treat cases of cranial injury. It is the source of the doctrine of *fracture by contrecoup*, which held an

important place in Surgery until the present generation. This composition bears distinct analogies at some points to an Egyptian medical papyrus that has recently come to light.

Little later than the *Wounds of the head* is the work of Polybus (about 390), the son-in-law of Hippocrates, *On the nature of man*. It contains a clear statement of that doctrine of the four humours which was to play a paramount rôle in medical thought for the next two millennia. These humours—Blood, Phlegm (*pituita*), Black Bile (*melancholia*) and Yellow Bile (*cholē*)—together make up the living body in the same way as the four elements with which they correspond—Fire, Water, Earth, and Air—make up non-living matter. The four elements themselves are related to the four qualities in later literature (Fig. 16).

The question has sometimes been raised whether the great masterpieces of Greek sculpture, with their very close study of surface musculature, do not imply some anatomical knowledge. The answer must be given in the negative. During the great period of Greek art, the fifth century, there is no evidence that dissection of the human body had yet been practised. There can be no doubt that the muscular contours, as represented in works of the period, were studied from the living and not from the dead model. Occasionally the contour of a muscle is represented to which modern works on Anatomy for artists have failed to draw attention. An interesting case is that of the *Pectineus* muscle, shown in a statue from the Argive Heræum of about 450 B.C. Since the statue was discovered fifty years ago it has been demonstrated that in certain positions and under certain conditions this muscle can, in fact, be detected in the living subject. In later Greek sculpture, from about 200 B.C. onward, it is, however, possible that the artists were working on a real anatomical tradition derived from dissection. At that period, however, we have, as we shall see, independent records of the practice of dissection.

A few vase paintings have come down to us in which medical scenes are represented. In these we might expect a specially exact study of surface anatomy. One, of the early fifth century, is the work of a known and admirable artist,

Euphronius. The treatment of the hands is very fine, but the anatomy as a whole is disappointing. Another is of a clinic of the end of the fifth century. It shows a physician in the act of bleeding from a vein at the bend of the elbow. Behind him stands an achondroplastic dwarf admirably portrayed (Plate III). Here, too, we may mention the interesting Samian metrological relief of the middle of the fifth century. It represents an exact study of human proportions (Plate IV), and shows that the "Canon of Proportion" was already fixed, as we should expect, at a time when Greek art was at its zenith.

§ 3 *The Early Athenian Period, about* 400 B.C.–350 B.C.
Plato, Diocles

From about 400 B.C. Athens becomes the main centre of anatomical activity. The controlling factor in the development of thought in this period is the great intellectual revolution instituted by Socrates (471–399 B.C.) and by his pupil Plato (427–367 B.C., Plate). The teaching of these great thinkers was not favourable to the development of physical investigation. This comes out notably in connexion with Anatomy. In the *Timaeus*, Plato sets forth an entirely fanciful scheme of the human body. The work was early translated into Latin and deeply influenced the Middle Ages. It is interesting as exhibiting a tendency to trace a parallel between the outer world, or, as it was afterwards called, the *Macrocosm* [i.e. *Great World*], and man's body, afterwards called by contrast the *Microcosm* [i.e. *Small World*]. The world itself is represented as a living being, and all matter is endowed with life (*Hylozoism*). The doctrine of Macrocosm and Microcosm influenced the subsequent development of anatomical thought both profoundly and unfavourably (p. 65 and Plates VIII and XVI).

Scientifically more important than the *Timaeus* is a work in the Hippocratic Collection of about 370 B.C., *On generation*. The treatise is peculiarly interesting as propounding a doctrine of *pangenesis* to account for the phenomena of heredity. That doctrine bears most striking analogy to the theory enunciated

by Charles Darwin (1809–82) in his *Variations of Animals and Plants under Domestication* (1868). The writer of the work *On generation* believes that channels pass from all organs to the brain, thence to the spinal marrow, thence to the kidney, and finally to the generative organs. According to this work, acquired characters are inherited. The embryo develops and breathes by material transmitted through the umbilical cord. There is a noteworthy description of the *membrana mucosa uteri*. The human embryo is compared with that of the chick.

Diocles of Carystus in Euboea practised in Athens about the middle of the fourth pre-Christian century. He knew of some, at least, of the writings that are to be found in the Hippocratic Collection, but derived his inspiration from the West—Sicily and Italy—rather than from Ionia or Cos. Diocles was, however, an eclectic, and drew his opinions from many sources. Thus he adopted both the doctrine of the humours (cf. Polybus of the school of Cos, *On the nature of man*, p. 14) and of the innate heat (cf. Empedocles of the Sicilian school, pp. 9–10). He regarded the heart as the principal organ and seat of intelligence (cf. Aristotle, p. 19), and accepted " pneumatic " views (cf. Empedocles, p. 10). He developed embryological theory, holding, contrary to Aristotle, that the seed came from both sexes. Diocles claimed to have examined a fœtus of twenty-seven days and to have found traces of the head and of the spinal column. At forty days he was able to distinguish the form as human. His anatomical conclusions were based, to some slight extent, on human material, but it was chiefly animals that he actually dissected. He described the cotyledonous placenta. He wrote a book *On anatomy*, which has unfortunately disappeared, like his other writings.

The tract *On anatomy* that finds a place in the Hippocratic Collection is, perhaps, the earliest treatise devoted to the subject that we possess. In it is represented the standard of knowledge of the middle of the fourth pre-Christian century. It is unfortunately, however, only the merest sketch, and its text is corrupt.

Slightly later—perhaps of about 340 B.C.—is another member of the Hippocratic Collection, the treatise *On the heart*. This is our best representative of Athenian Anatomy



A GREEK CLINIC OF ABOUT 400 B.C.

From a vase in private possession at Paris. E. Pottier,
Fondation Eugène Piot, Monuments et Mémoires XIII, 149 Paris, 1906.

[*face* **p. 16**

of the period. It was produced under the influence of such "Western" writers as Alcmæon and Empedocles, and it seems to be complete. We cannot be certain whether or no it is based on human dissection, but its author refers to the anatomical similarity of man and animals. The treatise *On the heart* displays the doctrine of the *innate heat*, rejects the idea that this mysterious entity resides in the blood, and elects for the heart as its site. Air, it is suggested, enters the heart direct, and in the left ventricle of that organ some subtle change of blood into spirit takes place. It is there that the intellect resides. The work contains a description of the auricles, of the auriculo-ventricular and semi-lunar valves, of the *columnæ carneæ* and of the *chordæ tendineæ*. An account is given of an experiment for testing the competence of the cardiac valves. Very extraordinary to our modern ideas is the statement—verified by experiment!—that, in drinking, some of the fluid passes to the lungs; yet this view is also expressed in Plato's *Timaeus* and other early writings.

§ 4 *The Later Athenian Period, about* 350 B.C.–290 B.C.

Aristotle, Theophrastus

Aristotle (384–322 B.C., Plate IV), who was the son of a physician, was the great codifier of ancient Science, and on him all subsequent biological development, including that of modern times, is surely based. In his three great biological works, the *History of animals*, the *Parts of animals*, and the *Generation of animals*, he discusses many biological problems current to this very day. He laid the basis of the doctrine of Organic Evolution in his teaching concerning the *scala naturæ* (Fig. 12), he developed coherent theories of generation and heredity, and he founded Comparative Anatomy. It may be taken as tolerably certain, however, that he never dissected the human body.

Aristotle gave good descriptions of some organs regarded from the standpoint of Comparative Anatomy. These descriptions he sometimes illustrated by drawings, the first anatomical figures of which we have a record. In some

cases these drawings can be restored with confidence, as, for instance, his representation of the male organs of generation (Fig. 13). He gave a description of the uterus the nomenclature of which has been retained, in more or less modified form, to our own time (Fig. 14). Among the best anatomical descriptions given by Aristotle is that of the stomach of the ruminant. Perhaps his most extraordinary anatomical feat is his account of the placental development of the dogfish *Mustelus lævis* (Fig. 15). This raised the admiration of the greatest modern morphologist, Johannes Müller (1807–58), and would in itself be sufficient to establish




FIG. 12.—Scala naturæ of Aristotle.

the claim of Aristotle to a place in the front rank of observing naturalists.

Aristotle had paid special attention to the habits and structure and especially the breeding of fish. He knew that they were mainly oviparous, but occasionally viviparous, and he knew also of one instance among the Elasmobranch fishes (which he called *Selachia*), in which the development bore an analogy to that of placental mammals. This fact remained almost unnoticed until the nineteenth century, and it was its rediscovery that drew the attention of naturalists

to the great value and interest of the Aristotelian biological masterpieces.

Something should be said of the anatomical errors of Aristotle. Most remarkable is his refusal to attach great




FIG. 13.—The Mammalian Urino-genital system as described by Aristotle. The part framed in a dotted rectangle is a restoration of a lost diagram prepared by Aristotle himself and described in his *Historia animalium*. The legends in capitals give the terms employed by Aristotle. Below these the modern equivalents are written in *italics*.

importance to the brain. Primacy he placed with the heart, where also was the seat of the intelligence. This was contrary to the view of the Hippocratic work *On the sacred disease* (about 400 B.C.), and contrary, too, to the view of most medical

writers of his day. It was contrary also to the popular view voiced, for instance, by Aristophanes in his play *The clouds* (about 400 B.C.), where we read of a man who had *concussion of the brain.* Plato, too, in the *Timaeus* (about 380 B.C.), placed the seat of thought and feeling in the brain. It is not improbable that Aristotle had made experiments on the brain and found it devoid of sensation. Hence his view, in opposition to current belief, that the brain is not associated with sensation or with thought. Aristotle regarded the brain simply as an agent for cooling the heart, and preventing it from being overheated. This cooling process, he considered, was effected by the secretion of Phlegm (*pituita*), an idea still preserved in our anatomical term *pituitary body*. Aristotle was, in general, much weaker in Physiology than in Morphology. Thus he made no proper distinction between arteries and veins,




FIG. 14.—The mammalian uterus reconstructed from descriptions of Aristotle. The terms *hystera* and *metra* persist in modern anatomical nomenclature as does *keration* in its Latin form *cornu*.

and he believed that the arteries contained air as well as blood. He failed, too, to trace any adequate relations between the sense organs, the nerves, and the brain.

On the other hand, Aristotle gave fairly good descriptions of the branches of the *vena cava*, of the superficial vessels of the arm, of the generative and digestive organs of cephalopod molluscs, and of many other parts of many other animals. His general description of the vascular system is, however, difficult. Thus he describes the heart as consisting of only three chambers, though he perhaps has a reference—certainly the first in history—to the *ductus arteriosus*. He realized that the arteries are usually accompanied by veins.




FIG. 15.—Illustrating development of placental dogfish. Redrawn from Johannes Müller, *Ueber den glatten Hai des Aristoteles*, Berlin, 1842.

A. Embryo of *Mustelus lævis* linked to uterus.
B. Embryo of *M. lævis* with placental yolk sac separated from uterus.
C. Egg of *M. vulgaris*.
D. Young free swimming form of *M. vulgaris*.

It will be seen that in the two closely allied forms, one develops in its mother's womb attached by a placenta (A, B) while the other develops external to the mother's body in an egg case (C, D).

Many of the minor works in the *Corpus Aristotelicum* are doubtless not by Aristotle himself but by later members of the *Peripatetic School*, as the followers of Aristotle were called. Parts even of the great Aristotelian biological works are the work of these Peripatetic philosophers. The additions supplement the genuine works of the master in some points. Menon, a pupil of Aristotle and a physician by profession, deserves some mention in this connexion. He prepared a *History of Medicine*. This work is now lost, but lectures on it appear to have been given at Alexandria to a late date. A record of these lectures has survived in the form of a papyrus fragment of a student's notebook written about A.D. 150. It contains hints of anatomical and physiological developments and notably of actual experiments not recorded elsewhere. Among them is a feeding experiment, which seeks to account for loss and gain of weight of a living animal. It is the first recorded attempt to apply exact measurement in tracing known physical laws in biological phenomena.


The greatest pupil of Aristotle, Theophrastus of Eresus (370–287 B.C.), was his successor as head of his school, the Lyceum. The chief surviving scientific treatises of Theophrastus deal with plants. We have, however, fragments of certain other works by him. These show that he dealt also with animal topics and departed from his master's view that the heart is the seat of the intellect. We have a large portion of an important work by Theophrastus, *On the senses*, that is of a psychological character, but has important physiological implications.

It is appropriate to mention here the Hippocratic treatise *On fractures and dislocations*. The main part of this work is not later than about 350 B.C., and it was known to Diocles. It contains clear and accurate, but very elementary, anatomical ideas. There are, however, anatomical passages in it which are much more advanced and appear to be of considerably later date. These interpolated passages may either represent the standard of Athenian anatomy in its latest stage—say about 290 B.C.—or they may be of early Alexandrian origin. One such paragraph describes the structures around the shoulder-joint. This is peculiarly interesting and important



METROLOGICAL RELIEF OF FIFTH CENTURY B.C.

Recording conquest of Samos by the Athenians under Pericles in 440. It gives the measure of the Fathom and the Foot. Original in Ashmolean Museum at Oxford.



HEAD OF A PHILOSOPHER, ONCE THOUGHT TO BE ARISTOTLE

Bronze in Naples Museum from Herculaneum. Work of First Century A.D. from an earlier original.

[*face p. 22*

as the first clear description of the surgical application of knowledge admittedly derived from dissection of the human body. The dating of the work and of the parts thereof therefore deserve more intensive investigation than they have yet received.

We should here refer also to a series of fanciful and corrupt anatomical treatises which probably date from the very end of the Athenian period, perhaps about 300 B.C. Among the minor works of the Hippocratic Collection are those *On the Nature of bones*, *On fleshes*, *On glands*, and *On the Humours*. The titles bear but little relation to their contents. Thus that *On the bones* deals chiefly with an imaginary scheme of distribution of the veins, that *On fleshes* is a confused and difficult work describing the development of the fœtus and endeavouring thereby to support the philosophy of Heracleitus (see p. 10). These treatises contain little positive observation, and had no influence on the course of anatomical history. Their character shows why the future of Anatomy did not lie in Athens. We can afford to pass them by.

§ 5 *Aristotelian Philosophy in its bearing on anatomical thought*

Before we pass to the events of anatomical history in the period that succeeded the death of Aristotle, it is reasonable to pass in review the elements in the Aristotelian philosophy which affected later anatomical thought. For more than two thousand years Aristotelian philosophy, in more or less corrupted form, constituted the main intellectual pabulum of mankind. Without, therefore, some knowledge of the biological verdicts of Aristotle it is impossible to understand the subsequent history of anatomical thought.

The problem of the nature of generation is one in which Aristotle never ceased to take an interest. Among the methods by which he sought to solve it was embryological investigation. In his ideas on the methods of reproduction we must seek also the main bases of such classification of animals as he exhibits. His most important embryological researches were made upon the chick. He asserts that the first signs of development are noticeable on the third day,

the heart being visible as a palpitating blood-spot. As it develops two meandering blood-vessels extend to the surrounding tunics. A little later he observed that the body had become distinguishable, and was at first very small and white, the head being clearly distinguished and the eyes very large. To follow the main features of the later stages was a comparatively easy task.

Aristotle was greatly impressed by these phenomena. He lays great stress on the early appearance of the heart in the embryo. Corresponding to the general gradational view that he had formed of Nature, he held that the most primitive and fundamentally important organs make their appearance before the others. Among the organs all give place to the heart, which he considered the first to live and the last to die. There, as we have seen, he placed the seat of the intelligence.

Thus, not only in his account of the "Ladder of Nature" (Fig. 12) but also in his theories of individual development, Aristotle exhibits some approach to evolutionary doctrine. This is somewhat obscured, however, by his peculiar vein of the nature of procreation. On this topic his general conclusion is that the material substance of the embryo is contributed by the female, but that this is mere passive formable material, almost as though it were the soil in which the embryo grows. The male, by giving the principle of life, the *soul* (*psyche*), contributes the essential generative agency. But this *soul* is not material, and it is, therefore, not theoretically necessary for anything material to pass from male to female. The material which does in fact pass with the semen of the male is, as the older philosophers would have said, an *accident*, not an *essential*. The essential contribution of the male is not matter but *form* and *principle*.

The female then only provides the *material*, the male the *soul*, the form, the principle, that which makes life. Aristotle was thus prepared to accept instances of fertilization without material contact, i.e., in effect, parthenogenesis. In the centuries that came after him such instances were not infrequently adduced, and this doctrine was given a special turn by Christian theologians. Belief in the "accidental" character of the material contribution of the male was common

among men of science till the nineteenth century. The general attitude as to the nature of fertilization as set forth, for instance, by Harvey in his book, *On the generation of animals*, published in London in 1651, is practically identical with the views of Aristotle just 2,000 years earlier.

We must say something concerning Aristotle's conceptions of the nature of Life itself. He was before all things a "vitalist". For him the distinction between living and not-living substance is to be sought not in its material constitution, but in the presence or absence of something that he calls *psyche*, which we translate *soul*. His teaching on this topic had the profoundest influence on subsequent anatomical and physiological thought. That teaching is to be found in his great book *On soul* (*De anima*). He does not there regard matter as organic or inorganic—that is a distinction of the seventeenth century physiologists—nor does he think of things as animal, vegetable, or mineral—that is a distinction of the mediæval alchemists—but he thinks of things as either *with soul* or *without soul* (*empsycha* or *apsycha*).

Aristotle's theory as to the relation of this *soul* to material things is a difficult and complicated subject. Its adequate discussion would take us far beyond our theme. He holds, however, that the soul is related to the idea of *form*. Matter is for him identical with potentiality, form with actuality. In living things, then, the soul is that which gives the form or actuality. He defines life existing in matter as "the power of self-nourishment and of independent growth and decay". Of the soul, the principle of life, he distinguishes three orders or types, the *vegetative* or nutritive and reproductive, the *animal* or sensitive, and the *rational* or intellectual soul. The last he at first held was peculiar to man, but later he modified this view.

Aristotle does not make any formal classification of animals. Scattered through his works are many terms employed in a way which suggests that they might be developed for classificatory purposes. By examining his definitions of these terms we are enabled to draw up this arrangement of animal forms which we may reasonably regard as the Aristotelian classificatory scheme :—

ENAIMA (*Sanguineous and either viviparous or oviparous*) = *vertebrates.*

- Viviparous in the internal sense.
  1. Man.
  2. Cetaceans.
  3. Viviparous quadrupeds.
     - (*a*) Ruminants with incisor in lower jaw only, and with cloven hoofs.
     - (*b*) Solid-hoofed animals.
       - (i) Equidae.
       - (ii) Other solid-hoofed animals.
     - (*c*) Other viviparous quadrupeds.
- Oviparous though sometimes *externally* viviparous.
  - With perfect ovum.
    4. Birds—
       - (*a*) Birds of prey with talons.
       - (*b*) Swimmers with webbed feet.
       - (*c*) Pigeons, doves, etc.
       - (*d*) Swifts, martins, etc.
       - (*e*) Other birds.
    5. Oviparous quadrupeds = Amphibians and most reptiles.
    6. Serpents.
  - With imperfect ovum.
    7. Fishes—
       - (*a*) Selachians = Cartilaginous fishes and, doubtfully, the "fishing frog" (*Lophius piscatorius*).
       - (*b*) Other fishes.

ANAIMA (*Non-sanguineous and either viviparous, vermiparous, or budding*) = *invertebrates.*

- With perfect ovum.
  8. Cephalopods.
  9. Crustaceans.
- With "scolex".
  10. Insects, spiders, scorpions, etc.
- With generative slime, buds or spontaneous generation.
  11. Molluscs (except Cephalopods), Echinoderms, etc.
- With spontaneous generation only.
  12. Sponges, Coelenterates, etc.

Some of the elements in this classification are fundamentally unsatisfactory in that they are based on negative characters. Such is the group of *Anaima* which is paralleled by our own equally convenient and negative though morphologically meaningless equivalent *Invertebrata*. Others, such as the subdivisions of the viviparous quadrupeds, can only be somewhat forcibly extracted out of Aristotle's text. But there are yet others, such as the separation of the cartilaginous from the bony fishes, that exhibit true genius and betray a knowledge that can only have been reached by careful investigation. Remarkably brilliant too, is his treatment of Molluscs.

We note that the modern terms *species* and *genus* are Latin translations of terms that Aristotle employs. The *species* of the Aristotelian works are substantially the same as ours, but the Aristotelian employment of the word *genus* is much looser.

Among the most enduring of all the Aristotelian conceptions were not his finely thought out biological theories, but a doctrine of the constitution of matter, of which the modern student hears nothing (Fig. 16). He held, following more ancient writers, that there were four primary and opposite fundamental qualities, the *hot* and the *cold* ; the *wet* and the




FIG. 16.—Scheme of the four qualities and the four elements as exhibited in the Aristotelian writings and of the four humours as exhibited in the Hippocratic and Aristotelian writings.

dry. These met in binary combination to constitute the four essences or existences which enter in varying proportions into the constitution of all matter. The four essences, or to give them their usual name, *elements*, were *earth*, *air*, *fire*, and *water* (Fig. 16). Thus water was wet and cold, fire hot and dry, and so forth. With this theory, later writers combined the Hippocratic doctrine of the four humours—*blood*, *phlegm*, *black bile* (melancholy), and *yellow bile* (choler). The idea, now departed altogether from our scientific discipline, still persists embedded in our language. In the authorized version of the Bible, St. Paul speaks of being " in bondage under the

elements " which he calls " weak and beggarly " (Galatians iv, 3 and 9), and again, St. Peter, describing the end of the world, pictures that " the elements shall melt with fervent heat ". Poetry still uses such ideas as the " raging of the elements " and " elemental forces ". We may yet speak of a " fiery nature " or an " aerial spirit ", while terms derived from the doctrine of the four humours remain to this day in popular, if not in scientific, medicine. Thus we speak even now of a *sanguine*, a *phlegmatic*, a *melancholy*, or a *choleric* disposition, and such words conjure up real pictures in our minds. Until it began to be undermined by Robert Boyle (1627–1691), in the seventeenth century, the doctrine of the four elements persisted in its entirety, while ideas and terms derived from the old humoral pathology can, in fact, be traced in the medicine of the twentieth century.

§ 6 *The Great Alexandrians, about* 300 B.C.–250 B.C.

(*a*) *Herophilus, the Father of Anatomy*


The Athenian scientific school came to an end in the generation after the loss of Athenian liberty. The important terminal events are the death of Alexander in 323, with the consequent break up of the Alexandrian Empire, the death of Aristotle in 322, and the death of Theophrastus in 287.

From now on for several centuries the centre of the scientific world was the city of Alexandria in Egypt, where the Ptolemaic kings established a library and museum. It was at Alexandria that Anatomy first became a recognized discipline. The two earliest and greatest Alexandrian anatomical teachers of whom we hear are Herophilus and Erasistratus, who were both Asiatics and who both flourished in the first half of the third century B.C. They inaugurated what we may call the " Alexandrian period " of Anatomy. The works of both these men are lost, but we gain a good idea of them from passages gleaned from Galen.

Herophilus of Chalcedon (about 300 B.C.) was, so Galen assures us, *the first to dissect both human and animal bodies.* This remark must surely refer to *public* dissection, since, as we have seen, we have considerable evidence of dissection,



PTOLEMEY I SOTER (reigned 306-283 B.C.)
Founder of the Alexandrian Medical School. Head in Louvre from Greece. Work of early Third Century, B.C.



HIPPOCRATES (c. 460-c. 370 B.C.)
Bust in British Museum. Work of Second or Third Century, B.C.

[*face p. 28*

and even of human dissection, at an earlier date, notably in the case of Diocles. Herophilus was a very successful teacher, and wrote a work *On anatomy*, a special treatise *Of the eyes*, and a popular handbook for midwives. Despite the loss of his works, we know that the anatomical achievements of Herophilus were very numerous. He definitely recognized the brain as the central organ of the nervous system, and he regarded it as the seat of intelligence, thus reversing the views of Aristotle on the primacy of the heart. He was the first to grasp the nature of nerves other than those of the special senses. He divided nerves into motor and sensory, but continued to use the word *neuron* (Latin, *nervus*) for sinews and ligaments. He described the meninges and the *torcular Herophili*, which is named after him. The term *rete mirabile* is a Latin translation of the title which he gave to that structure, and the fact that he described it shows that he worked on animals, since it does not exist in man. He greatly extended the knowledge of other parts of the brain, distinguishing the cerebrum and cerebellum, the fourth ventricle, and, above all, the *calamus scriptorius*, which he named. The terms *prostrate* and *duodenum* are derived from those which he used. We owe to him also the first description of the lacteals. The observations of Herophilus on the lacteals were extended by Erasistratus (see p. 31), but were not subsequently improved upon until the publication of the work of Gasparo Aselli (1581–1626, see p. 160) nearly two thousand years later.

Herophilus made the first clear distinction between arteries and veins. Pulsation he regarded as an active process in the arteries themselves. He extended the study of the pulse. In his book for midwives, he gave an elementary account of the anatomy of the uterus. In this connexion we may observe that he is the first medical teacher recorded to have had a woman pupil, one Agnodice. The story, it must be admitted, is of more than doubtful authenticity. There has survived a considerable fragment of an anatomical treatise by Herophilus, containing a section describing the liver. His description of this organ shows that, at times at least, he did really work on the human subject.



FIG. 17.—Map of the Greek world with sites important for the History of Anatomy.

(*b*) *Erasistratus, the Father of Physiology*

Erasistratus of Chios (about 290 B.C.), the rival and younger contemporary of Herophilus, was a physiologist rather than a pure anatomist. He may be said to have founded Physiology as a formal discipline in the same way as Herophilus founded Anatomy. Erasistratus was essentially a " rationalist ", and professed himself a foe to all mysticism. In the last resort, however, he had to invoke the idea of Nature as a great artist acting as an *external* power shaping the ends to which the body acts. This is in contrast with Aristotle's view of " soul " as an *innate* and not external nor even merely an internal force. The reader may be reminded that this is a statement of a problem still canvassed among biologists. Erasistratus accepted the *atomism* and the consequent " materialism " of the earlier philosopher Democritus (about 470–380 B.C.). He combined it, however, as we shall see, with a very definite pneumatic theory.

The physiology of Erasistratus was based on the observation that every organ is equipped with a threefold system of " vessels ", vein, artery, and nerve. He observed that these divide to the very limits of vision, and he considered that the process of division goes on beyond those limits. The minute divisions of these vessels, plaited together, make up the tissues. Veins, arteries, and nerves even are made of minute tubes of the same nature as themselves, through which they are nourished. Blood and two kinds of pneuma are the essential sources of nourishment and movement. The blood is carried by veins. Air, on the other hand, is taken in by the lungs and passes to the heart, where it becomes changed into a peculiar pneuma, the *vital spirit*, which is sent to the various parts of the body by the arteries. This spirit is carried to the brain, where it is further changed, apparently in the ventricles, to a second kind of pneuma, the *animal spirit*. The animal spirit is conveyed to different parts of the body by the nerves, which are hollow. The physiological system of Erasistratus was further developed by Galen (p. 58), although the " Prince of Physicians " professed great opposition to the views of his forerunner.

In the brain Erasistratus, like Herophilus, distinguished between cerebrum and cerebellum. He gave a detailed description of the cerebral ventricles and of the meninges. He particularly observed the convolutions and noted that they were more elaborate in man than in animals, and he associated this complexity with the higher intelligence of man. He considered that the cerebral ventricles were filled with *animal spirit*. He traced the nerves towards the brain, and at first regarded the *dura* as their effective termination. This conclusion was based on animal experiments, which seemed to prove that cutting the *dura* gave rise to movements. Later, as a result of further experiments, he altered his view, and traced the nerves into brain substance. He distinguished between the categories of nerves, separating sensory from motor. Nerves he regarded as conveying *animal spirit* from the brain through their supposed lumina, though later he perceived difficulties in this theory. He attained to a clear view of the action of muscles in producing movement. He regarded the shortening of muscles as due to their distension by *animal spirit*. We here note that similar theories as to the nature of muscular action were again set forth, on theoretical grounds, in the seventeenth century by Descartes (1596–1650) and Borelli (1608–79), but were rebutted by the experiments of Swammerdam (1637–80). In this connexion we may remind ourselves that we are still in the dark as to the mechanism of contraction of muscle fibre.

Erasistratus anatomized newly born goats and saw and described lacteals more clearly than Herophilus. His special investigations of heart and blood vessels led to considerable advances, so that he came very near discovering the circulation of the blood. He regarded the heart as the source of both arteries and veins, a matter in which he was not only ahead of his time, but was ahead of all opinion until Harvey.

Erasistratus perceived that, although arteries were empty in dead bodies, yet when incised during life they manifestly contain blood. He explained this as due to escape of pneuma through the wound leading to a vacuum. As a result of the formation of this vacuum he considered that *blood was sucked into the arteries from the veins through very fine inter-*

communications between the two types of vessel. In other words, he realized the existence of the capillary system. The view that the arteries contained air was disproved by an experiment of Galen, about four hundred and fifty years later, but the fact that Erasistratus realized that communication existed between the veins and arteries is very remarkable and greatly to his credit.

Erasistratus regarded the right ventricle of the heart as filled with blood and the left ventricle with vital spirit. During diastole blood was drawn into the right ventricle and pneuma into the left ventricle, and these were expelled during systole. The return of blood and vital spirit was prevented, so Erasistratus considered, by the semi-lunar valves. He hit on the function of the tricuspid valve, which owes its name to him. The office of the bicuspid, he considered, was to prevent vital spirit from leaving the heart save by the aorta, in the same way as the tricuspid prevented regurgitation of the blood. It will thus be seen that he was only hindered from reaching the idea of the circulation of the blood by his pneumatic theory. The auricles were regarded by him as part of the pulmonary vessels. He knew and described the following vessels, among others, Aorta, Aorta descendens, Pulmonary artery, Intercostal arteries, Hepatic arteries, Renal arteries, Gastric arteries, Pulmonary veins, Vena cava, Azygos vein, and Hepatic veins.

§ 7 *Decline of the Alexandrian School, about* 250–50 B.C.

Anatomical research at Alexandria flagged after the first generation, but the city long remained a great teaching centre, and minor advances were made. The stagnation in medical matters at Alexandria is in sharp contrast to the continued activity there in Mathematics, Astronomy, Mechanics, and Geography.

Of the later Alexandrian medical writers we know little. Of one, Hegetor, however, who lived about 130 B.C., we have a fragment from which we learn that he knew of the *ligamentum teres* of the hip joint. Another was Apollonius

of Citium, an Empiric physician who studied at Alexandria in the first century B.C. He wrote a commentary on the Hippocratic work *Fractures and Dislocations*. There is in the library of Lorenzo de Medici at Florence an illustrated manuscript of the ninth century A.D. containing this commentary. The manuscript is copied from an exceedingly ancient original, perhaps even contemporary with Apollonius himself. The figures in this most interesting document must have exhibited considerable anatomical knowledge, as can be seen even from the inferior drawings of the copy. (Plate VI.) The Florence manuscript was studied in the sixteenth century by the artist Primaticcio (1490–1570), and by the anatomist Vidus Vidius (died 1569, see p. 144), the friend of Benvenuto Cellini (1500–71). The figures of Vidius reproduce those of this codex, and were influential in the development of surgical procedure in the sixteenth century.


§ 8 *Human Vivisection at Alexandria*

The names of Herophilus and Erasistratus are linked with the charge of dissecting living men. The evidence rests on Celsus (about 30 B.C.) and Tertullian (about A.D. 155–222). The charge was repeated by St. Augustine (A.D. 354–430), at a much later date. Tertullian was violently anti-pagan and accuses Herophilus of being a butcher who dissected six hundred (living ?) persons. In another passage in which he reprobates embryotomy he accuses Herophilus of the death not only of fœtuses, but of adults. The *odium theologicum* which colours the work of Tertullian cannot be ascribed to Celsus, who was a pre-Christian writer (see p. 39) and who twice refers to the charge of vivisection. Celsus utterly reprobates such practice, though he is in favour of the dissection of the dead.

Medical critics have occupied themselves in answering this charge. Their chief rebutting arguments are :—

(*a*) Neither Tertullian nor Celsus were medical men.

(*b*) The practice of dissection at Alexandria, being an innovation, was likely to excite adverse criticism.



A



C

COMMODUS 161-192 A.D.
From the villa of Antoninus Pius at Genzano. Now in the Capitoline Museum.
Contemporary Roman work.



B

A and B from Laurentian Greek manuscript of APOLLONIUS OF CITIUM of Ninth Century A.D. copied from pre-Christian original. The figures show operations for reduction of dislocated jaw and shoulder.

[*face p. 34*

(*c*) Prejudice against dissection exists always and everywhere, and even in modern times excites rumours and calumnies. The charge of human vivisection has often been falsely made in modern times, e.g. against Berengar of Carpi, Vesalius, and Fallopius.

(*d*) All later physicians, including the garrulous Galen, are silent on the point.

The last argument is much more convincing than might, perhaps, at first be thought. Galen had to rely on animals for his anatomical investigations. He habitually experimented on living animals, and records his results and experiences in many places. He wrote a work on the technique of physiological investigation. That work is now lost, but Galen very often repeats himself and we have very numerous references to vivisection experiments in his other writings. Galen was extremely antagonistic to the views of Erasistratus and his followers, and devotes two books, which still exist, to their denunciation. If therefore Galen *disapproved* of human vivisection, he would certainly have cast it up against Erasistratus, for he was far from adverse to violent criticism of those from whom he differed. Had he *approved* of human vivisection—as he did of human dissection—he would surely have referred to the practice by the Alexandrian anatomists had he regarded the rumours as more than mere vulgar reports. The complete silence of Galen through the hundred and twenty-seven separate works ascribed to him is thus a very impressive rebutting argument.

§ 9 *The Alexandrian Anatomists and the Wisdom Literature*

During the third century B.C. Alexandria became an important Jewish centre. Parts of the Old Testament were rendered into Greek about 250 B.C. The contact between Hellenic and Hebraic culture had very important effects on the Hebrew view of Nature. Thus, while the earlier Biblical literature contains many references to divine intervention, the later so-called " Wisdom Literature " practically ignores the supernatural in physical matters. Hellenism in this literature

has affected the Hebrew views as to the physical constitution of the world, and this effect occasionally passes into the domain of Anatomy. The seat of the understanding in the Wisdom Literature is usually placed in the heart (e.g. *Ecclesiasticus* xvii, 5–6 and 16–18), following the Aristotelian tradition and contrary to the view of Herophilus and Erasistratus ; contrary too, to an earlier Hebrew view which places it in the liver (*Psalms* xvi, 7, *Proverbs* xxiii, 16, and again later in Revelation ii, 23). In several places in this Wisdom Literature there are also traces of the doctrine of the four elements (e.g. *Wisdom of Solomon* vii, 17, and xix, 18–21). Again, in Aristotle's *Generation of animals* there is a theory that the substance of the embryo is formed out of the catamenia which are not discharged during pregnancy. This view was adopted by the Alexandrian school and reappears in the *Wisdom of Solomon* (vii, 2). In *Ecclesiasticus* (xlii, 24, and xxiii, 13–15), too, we encounter the " doctrine of opposites ", as set forth by Empedocles and popularized by Aristotle.

With the absorption of Egypt into the Roman Empire, and with the final extinction of the Ptolemaic dynasty by the death of Cleopatra in 30 B.C., Alexandria ceased to have great scientific importance. The Alexandrian school continued for centuries with restricted activity and devoid of all originality. Intellectually, however, it became subordinate to the Metropolis. The future of Anatomy must be considered from the point of view of the Roman Empire.

II

THE EMPIRE AND THE DARK AGES

50 B.C.–A.D. 1050.

§ 1 *The Beginnings of Anatomy at Rome,* 50 B.C.–A.D. 50

WITH the advent of the Empire and of Imperial ideas, the tone of Science changes. There is a waning in enthusiasm for all save "useful" knowledge. The so-called "practical" outlook has been and is a great obstacle to the advance of Medicine. The plaintive cry for what is "useful" as against "theoretical knowledge" echoes down the ages. We hear it still. But when and where that cry swells into a chorus, then and there Science dies. So it was of old in Rome. Greek curiosity as to the causes of things had long been fading. Thus the activities of those interested in phenomena became at last devoted to the task of compilation from approved authors. During the century and a half between 200 B.C. and 50 B.C. Rome had been steadily fastening her hold on the Eastern Mediterranean, and there was a corresponding depression in the activity of the Alexandrian and other Eastern Schools.

In Rome itself a medical school was founded about 60 B.C. by Asclepiades of Bythinia. Asclepiades introduced the atomic view of Democritus into Medicine, but, despising Anatomy, he is unimportant for our purpose. The medical school at Rome was at first a mere personal following of the physicians, who took pupils and apprentices with them on their visits. Toward the end of the reign of Augustus (died A.D. 14), such groups combined to form colleges, which obtained their own meeting place, the *Schola medicorum.* The school became further organized and enlarged under Vespasian (A.D. 70–9), and teachers were given a salary at the public expense. The system was extended and enlarged under Hadrian (A.D. 117–38), and Alexander Severus (A.D. 222–35). It probably came to an end with the death of Theodoric in 526. In its most active

period minor schools were established at Marseilles, Bordeaux, Saragossa, and other provincial towns.

Dissection of the human body was still occasionally practised at Alexandria towards the end of the first century B.C., but it had ceased by the middle of the second century A.D. There is evidence that it was not then practised elsewhere. Considering the indifference to human life which the Romans exhibited, considering their brutality to slaves and the opportunities afforded by gladiatorial combats, considering the value of Anatomy for surgical practice and the demand for surgical skill involved in the organization of medical service throughout the Empire, it is truly remarkable that the anatomical knowledge of antiquity was allowed to lapse. Its passing is one of the innumerable instances that illustrate the danger of entrusting things of the mind to the tender mercies of the " practical man ". Anatomy did not revive till the rise of the mediæval universities.

§ 2 *Latin Anatomical Literature*

Medical instruction and professional intercourse in Rome and throughout the Empire continued to be in Greek, which was understood by all educated men. Latin came only very slowly into general use for medical purposes, and by the time it had been accepted as a medium for this purpose Medicine had fallen into complete decrepitude. We have, however, two non-professional Latin works which throw light on the spread of Greek anatomical and biological conceptions in Roman Society in the last pre-Christian century. These are the *De natura deorum* of Cicero (about 77 B.C.), and the *De rerum natura* of Lucretius (about 60 B.C.). In the work to which the name of Celsus is attached, written about 30 B.C., we have a definitely scientific section on Anatomy, but it, too, is not by a medical man, nor, indeed, by a practical dissector.

Cicero (106–43 B.C.) was considerably interested in medical matters. In the *De natura deorum* he discusses the nature and origin of the Universe, and in the course of this discussion he

gives an elementary popular exposition of Anatomy and Physiology. The account contains the first formal statement of that teleological view of the human body which was to find fullest expression at the hand of Galen. We shall defer our consideration of that view until we discuss its greatest medical exponent.

The *De rerum natura* of Lucretius is a poem describing the physical constitution of the Universe. Lucretius was a follower of Epicurus (342–270 B.C.) and of Democritus (about 410 B.C.). His theory is *atomic*, and he believed that nothing exists but atoms and " the void " (*inane*). Everything springs from " determinate units " (*semina certa*). The genesis of all things is typified by the generation of organic beings, and the species of plants and animals are models for all processes and natural laws. The atoms, of which all things are composed, being uncreated are also indestructible. Lucretius sets forth a theory of the origin of animals and men which distantly recalls Darwin's doctrine of " Natural selection ". In spite of the enthusiasm that Lucretius exhibits for his theme, however, it is surprising how little real evidence there is to be found in his writing for any close observation of phenomena. His extreme determinism is of interest in connexion with the subsequent development of anatomical thought and notably in relation to Galen. As an observer he is negligible.

Very different in type from either of these two Latin works is that to which the name of Celsus is attached. The *De re medica* of Celsus is the earliest and best Latin medical work (about 30 B.C.). He must not be confused with the second century opponent of Christianity of the same name. Concerning Celsus, the medical writer, we know almost nothing. He was author of a large encyclopædia, of which the *De re medica* is the only complete surviving section. There are, however, fragments of the section *On agriculture* embedded in the work of Columella (about A.D. 80). It is highly probable that Celsus was not a medical man, and almost certain that his treatise is adapted from a lost Greek original. Many passages in it can be traced to the Hippocratic Collection. The work is in eight books, of which the last two deal with *Surgery*. It is our best representative of Alexandrian surgical

practice, and, except perhaps the *Commentary* of Apollonius of Citium, it is also the earliest. The surgical section of Celsus contains a certain amount of anatomical description which includes a complete account of the skeleton. Among the best anatomical descriptions to be found in it are the accounts of the eye, of the humerus, of the radius and ulna, of the tibia and fibula, and of the tarsus.

Celsus writes excellent and easy Latin and is perhaps the most readable and best arranged ancient medical author. It is thus the more remarkable that his work was unknown for centuries and was not rediscovered till the Renaissance, when, however, it had very considerable influence (p. 104). The *De re medica* is the only important medical work written in Latin during Imperial times. The remaining serious medical authors of the period all used the Greek tongue.

We ought not to leave the Latin writers of the Empire without saying a few words concerning Pliny (A.D. 23–79). That voluminous, industrious, unphilosophical, gullible, unsystematic old gossip was more widely read during the Dark and Middle Ages than any other writer on natural knowledge. Scientifically, he is himself quite worthless, though the superstitions that he records are a rich mine for the folklorist and are themselves the sources of many vulgar beliefs current to this day. The popularity of his huge work partly reflects and partly explains the ignorance of Anatomy in the thousand years that led up to the thirteenth century. Pliny tells us that in his time the examination of the human viscera was looked upon as impious. He gives as reason the disgusting practices of the Greeks, whom he loathed and despised. He accuses Greek medical writers, for instance, of having enlarged upon the distinctive flavours of each of the organs of the human body! His charge is unsupported, so far as I know, by any serious external evidence, and on the unsupported statement of Pliny no dog should be hanged. We shall not delay by attempting to glean anatomical misinformation from his work.

It is appropriate to refer here to the ancient votive offerings of anatomical import. From the earliest times until the present day, it has been the custom to place in temples,




FIG. 20.



FIG. 18.




FIG. 21.




FIG. 19.

SOME OBJECTS ILLUSTRATING POPULAR ANATOMY UNDER THE ROMAN EMPIRE.

FIG. 18.—Terra-cotta models of the uterus found on "Island of Aesculapius" (now Isle of San Bartolomeo) in the Tiber. They are now in the National Museum at Rome. One perhaps shows the ovary lying by the side of the uterus.

FIG. 19.—Silver *larva* or articulated skeleton somewhat restored. It is now in the Antiquarium at Dresden.

FIG. 20.—Small marble model of the thorax, used either as a votive or perhaps, like Fig. 19, as a *memento mori*. It is of Roman origin and is now in the Vatican Museum at Rome.

FIG. 21.—Clay model of the viscera of an animal perhaps used as a votive by a *haruspex*. The identifications of the organs are written on it. It is now in the *Etruscan Museum* at Florence.

churches, and other holy places, models of a diseased or painful part. Such offerings to the deity may be expected to keep him in mind of the sufferings of the donor. The custom was particularly rife in Roman Imperial times. Many votives of Roman origin can hardly be distinguished from those which are to be seen to-day in some continental churches.

These Roman models give an idea of the anatomical knowledge of the " man in the street " of the period. Among the commoner are terra-cotta figures of the uterus, sometimes exhibiting a body lying by the side, which has been interpreted as the ovary (Fig. 18). These, it is believed, were dedicated to the god by childless women. In somewhat the same category may be placed the little images of the skeleton (Fig. 19), made of precious metal which were sometimes placed on the table or brought in with the wine at banquets to remind the guests of their mortality. There is also in existence a little marble model of the skeleton of the chest (Fig. 20), which may have been used in the same manner. Most remarkable of all are models of the complete viscera (Fig. 21), which were perhaps used as votive offerings by the *haruspices*, or " entrail observers ", a class of soothsayer in Rome whose art consisted in ascertaining the will of the god from the appearance of the viscera of sacrificial victims. This last group is thus in some ways comparable to the Babylonian liver models (p. 8).

§ 3 *Greek Anatomical Writers of the Early Empire, about* A.D. 50–150

Among the more interesting of the anatomical writers of the Empire was Rufus of Ephesus, who studied at Alexandria about A.D. 50. He produced a great number of works, some of which still survive. These were known to the Arabic writers, but did not directly influence the Middle Ages in the West. Rufus was not printed until after the middle of the sixteenth century (1554). His work *On the naming of the parts of the body* is the first devoted to the important subject of anatomical nomenclature. The names that we use nowadays for many

of the structures in the eye are here encountered (Fig. 22). We observe that he describes the real form of the crystalline lens, the structure, function and position of which were misinterpreted by Galen and were almost universally misunderstood until the seventeenth century.

The *Anatomy of the bodily parts* of Rufus is a short work, which is in part a repetition of that on nomenclature. The ascription to Rufus is doubtful. It contains the first statement




FIG. 22.—Diagram of the eye reconstructed from the descriptions of Rufus of Ephesus (about A.D. 50). The Greek names of the parts are given, together with the modern technical titles.

that the liver is five-lobed, an idea taken from the anatomy of the dog, which runs through the history of Anatomy to the sixteenth century, and was held even by Vesalius in his earlier years. The description of the heart accords in the main with that of Erasistratus, but admits that blood is a normal content of the arteries while claiming that they also contain some pneuma. Muscle, the writer tells us, following Erasistratus, is made up of arteries, veins, and nerves, is

without sensation, and is the organ of movement. The description of the nerves is based on Herophilus and Erasistratus, and shows that the work was largely copied. Rufus *On bones* is another short work of doubtful authenticity, but is inferior to those of Rufus that we have already discussed.

The *Synopsis on the pulse* of Rufus is a brave attempt to base the whole of Pathology on Anatomy and Physiology, the first of its kind that has come down to us. Similar but less complete essays had been made by Herophilus and Erasistratus. Some passages in this work of Rufus claim that it is in systole that the apex of the heart strikes the chest wall. This observation is of great importance, and it is regrettable that the work was not better known in after ages. For centuries a common and natural fallacy concerning the pulse and heart-beat was that the heart struck the chest during diastole, and that therefore the pulse was synchronous with the expansion of the heart. Harvey in the seventeenth century had to perform many experiments before he could convince himself that this was false. In his hands this discovery was one of the first steps that led to the inference of the circulation of the blood.

Soranus of Ephesus is a writer of whose personality we know next to nothing. He was educated in Alexandria and seems to have practised in Rome about A.D. 100. His work *On diseases of women* was only discovered in the nineteenth century though fragments of it are preserved in the fourth century Greek writer Oribasius (325–403), and in a sixth century Latin abstract circulated in the Middle Ages under the name *Muscio*. Early MSS. of this Latin version have come down to us. They are of interest as preserving one of our few and faint memories of anatomical illustration in antiquity (Fig. 23). It is also said that Soranus prepared a diagram showing the complete anatomy of a pregnant woman. Certain mediæval diagrams may be derived with many removes from this very figure. The text of Soranus was without direct influence on the course of Anatomy, as his work was not discovered till the nineteenth century (1838). The Latin abstract of *Muscio* was, however, very widely read in the Middle Ages.

Soranus was a voluminous medical author. The only work by him that has survived, in Greek, that *On diseases of women,* was presumably intended for midwives, who must have been remarkably well educated at that period. It is evident that gynæcology had been on a thoroughly scientific basis. It is best to use the pluperfect tense as there is evidence that, excellent though it is, it is yet borrowed work. The account of the uterus that it contains is one of the best pieces of ancient descriptive Anatomy.




FIG. 23.—The uterus from the Latin summary of Soranus by Muscio. The figure is taken from a manuscript of about A.D. 850 in the Royal Library at Brussels (MS. 3714, folio 16). The parts *fundus*, *basis grandis*, *cervix*, *collum*, and *orificium* are marked.

Marinus of Tyre worked in Alexandria about the beginning of the second Christian century, and wrote several anatomical treatises which Galen utilized. Galen gives him high praise, and in doing so provides a glimpse of anatomical teaching in his day. He says that Marinus had collected many anatomical observations, and that everything described in his writings he had himself touched with his own hands and seen with his own eyes. Thus Marinus established " bone drill " on firm foundations and was specially diligent in seeking out the

foramina in the skull and vertebral column. Galen provides us with an outline of the anatomical work of Marinus.

Quintus was a pupil of Marinus. He probably learnt Anatomy at Pergamum and Alexandria. He practised in Rome, where Galen tells us he was the most eminent physician of his time. He was banished from Rome for a reason unknown and died at Pergamum. He published nothing but influenced deeply his contemporaries and successors. He is of importance in the history of Anatomy because of his pupils, two of whom—Numisianus and Satyrus—influenced Galen.

Numisianus taught Anatomy at Corinth, where Galen went specially to hear him in about A.D. 149. Pelops was his pupil.

Satyrus was apparently a mere echo of Quintus, whose opinions he transmitted without alteration or omission. He taught at Pergamum where Galen learnt from him in A.D. 145.

Pelops taught Anatomy at Smyrna, and Galen went there to hear him in A.D. 149 and dwelt awhile in his house Pelops wrote *Introductiones Hippocraticæ*, now lost, in which he maintained that not only nerves but also veins and arteries arose from the brain. He is said to have translated works from Greek into Latin, but he certainly wrote in Greek.

Lycus the Macedonian was another pupil of Quintus at Pergamum. He wrote anatomical works about A.D. 165, and is frequently quoted by Galen as an older contemporary. He is quoted also by Oribasius (A.D. 325–403), by Paul of Aegina (A.D. 625–90), and by later medical writers. Galen says he was the only one of the pupils of Quintus whom he did not know personally. Galen ranks Lycus much below Satyrus and Pelops, since his works are only compiled from those of Marinus. It would seem that neither Lycus nor any of the other second century anatomists were able to use the human subject, and it is clear that Anatomy was in headlong decay. For all his greatness the only result of Galen's work was to codify the researches of antiquity for after ages.

§ 4 *Galen, "Prince of Physicians"*, about A.D. 150–200

Galen of Pergamum (A.D. 129–99, Fig. 24) was, after Hippocrates, the greatest of the ancient physicians, and one of

the greatest biologists of all time. His brilliance completely hypnotized the men of the Middle Ages by whom he was dubbed the " Prince of Physicians ". His work makes the " Indian summer " of the Anatomy of antiquity. So far as Anatomy goes, Galen's spiritual ancestry may be largely gathered from what has been said concerning the later Alexandrian writers. He seems, however, to have owed no debt to Soranus, whom he never mentions.

Galen's father, of whom he speaks with great admiration, was the architect and mathematician, Nikon of Pergamum. Galen himself was born in that city in 129, and at the age of fifteen his father sent him to attend philosophical lectures. At sixteen, when it was time for him to choose a profession, his father, influenced by a dream, chose Medicine, and he began the study at Pergamum under Satyrus (see p. 46). Even at this early period Galen was active in literary production, and wrote his work *On the anatomy of the uterus*, which is dedicated to a midwife. He continued throughout his life to be an extremely voluminous author.

When Galen was twenty he lost his father, and he then left Pergamum for Smyrna to attend the lectures of Pelops (see p. 46). While there he composed his work *On the movement of the chest and of the lung*, which reproduces the teaching of Pelops. He next went for a short time to Corinth to study under Numisianus (see p. 46), the teacher of Pelops and the pupil of Quintus (see p. 46). Soon, however, he left for Alexandria, where he completed his education. He returned to his native city, Pergamum, in 157, being now in his twenty-eighth year, and remained for four years as surgeon to the gladiators there.

In 161, at the beginning of the reign of the Stoic emperor, Marcus Aurelius (reigned A.D. 161–80, Plate VII), Galen went to Rome to seek his fortune, as many provincials were then doing. He was immediately successful in his profession, and became friendly with the consul Flavius Boëthus. At the suggestion of this patron, Galen began his two great anatomical works *On anatomical procedure* and *On the uses of the parts of the body of man.* At this period he was giving public anatomical demon-

strations. About the same time Galen entered into a controversy with the aged anatomist, Martialis the Erasistratean. The surviving works of Galen that are directed against the teaching of Erasistratus are the product of this



FIG. 24.—Portrait of Galen. No bust of Galen has survived from antiquity. The only ancient representation of him is to be found in the so-called Juliana Anicia Manuscript. This magnificent illustrated codex is now in what was once the Royal Library at Vienna. It was written in the year A.D. 487 (? 512), and presented as a wedding gift to Juliana Anicia, the daughter of Anicius Olybrius, Emperor of the West in 472, and of his wife Placidia, daughter of Valentinian III. It contains a number of descriptions and paintings of herbs and a valuable text of the herbalist Dioscorides (flourished about A.D. 60). The portrait of Galen occurs on folio 3 verso and is greatly deteriorated, much of the paint being scaled off. The figure here reproduced has been prepared for this volume by Mr. T. L. Poulton, artist to the Anatomical Department at University College. Mr. Poulton has worked on enlarged photographs, has reproduced the original line by line, and has finally filled in missing details.

dispute. In response to the inquiry of Martialius as to the school of which he considered himself a member, Galen loftily replied that he followed none, but chose what was good from all, regarding it as the mark of a slave to call any man master.

In 165 plague broke out in Rome, and Galen fled to Pergamum, coming back, however, in the following year. On his return he received a command from Marcus Aurelius to join him with his assembled army at Aquileia, close to the modern city of Venice, and to accompany him thence as body physician in his expedition against the German tribes (Plate VII). The plague again broke out, and Marcus hurried back to Rome. When the plague waned, the Emperor returned to Aquileia, and proceeded thence into Pannonia (Fig. 25). Galen, however, managed to escape service with him in the field on the plea of looking after the little prince Commodus (Plate VI). He took advantage of the leisure thus afforded to complete his great anatomical works.



FIG. 25.—The Roman Empire in the time of Galen.

§ 5 *Galen's Anatomical Philosophy*

We must now turn to the anatomical content of the vast corpus of Galenic writings. They set forth a medical system of which the substance is based on the Hippocratic Collection and the form is derived from Aristotle. Galen's Anatomy may be examined under two aspects, which we may describe as (*a*) descriptive, and (*b*) philosophical. The philosophical aspect

comes out most clearly and consistently in the *Uses of the parts of the body of man*. In that remarkable work, vastly influential in the ages which followed, Galen seeks to prove that the organs are so well constructed, and in such perfect relation to the functions to which they minister, that it is impossible to imagine anything better. Thus, following the Aristotelian principle that Nature makes nought in vain, Galen seeks to justify the form and structure of all the organs—nay, of every part of every organ—with reference to the functions for which he believes they are destined. We are thus in the presence of a work that is not, strictly speaking, a treatise either of Anatomy or of Physiology, but in which Anatomy and Physiology are subservient to a particular doctrine and are used to justify the ways of God to man. We have, in fact, the thesis of final causes applied to the study of the animal organism.

The problem of final causes is developed by Galen along definite lines. He considers that it is possible to discover the end served by every part of the animal, and, moreover, to show that such a part, being perfectly adapted to its end, could not be constructed other than as it is. To say this is to go even further than the Bridgwater treatises which undertook to demonstrate the " Power, Wisdom, and Goodness of God as manifested in the Creation ". It is to claim that in every work of Creation, and in every detail of such work, we can demonstrate these attributes along known principles. It is to claim, in fact, a complete knowledge of the Laws of Nature. No flamboyant modern man of Science, however inflated with confidence drawn from the most sweeping presentation of scientific determinism, however intoxicated with his own scientific achievements, has as yet arrogated such powers to himself. To conceive that such claims should be made by a pious theistically-minded author, the reader must think himself back into a very different philosophical environment from that to which we are nowadays accustomed.

The prevailing philosophy of Galen's world was the Stoic schemes so admirably and beautifully expounded by his royal master, Marcus Aurelius. There were, of course, other systems of philosophy in vogue, Epicurean, Gnostic, Neo-



THE EMPEROR MARCUS AURELIUS (121-180)

Panel from a Triumphal Arch erected on the Capitol at Rome in 176 commemorating the Emperor's triumph over the Germans and Sarmatians. Marcus is shown as in the field receiving two German captives brought in by the Praetorian guard. The grave sad face of the Emperor is very striking. The panel here represented is now in the Palace of the Conservatori at Rome.

[*face p. 50*

platonic, and the rest, to say nothing of the various Oriental cults, such as that of Persian Mithra, of Egyptian Isis, of Phrygian Cybele, that were permeating the Empire. None of these systems, however, interested their followers in phenomena, nor was there any system but that of the Stoics which could make an appeal at once to men of action and to men of scientific knowledge.

Now in the World of the Stoic philosopher all things were determinate, and they were determined by forces acting wholly outside Man. The type and origin of that determination the Stoic sought in the heavens, in the majestic and overwhelming procession of the stars. The recurring phenomena of the spheres typified, foreshadowed, nay, exhibited and controlled, the cycle of man's life. Man dwelt in a finite world bounded by the firmament and limited by a flaming rampart. Within that rampart all worked by rule—and that rule was the rule of the heavenly bodies. Astrology had become one of the dogmas of the Stoic creed.

To such a world Galen's determinism was in itself no strange thought. Remember that Galen had, in his youth, been well trained in the Stoic philosophy. Yet Galen's view was far from being in accord with Stoicism. Though a determinism, it was a determinism of perfection in which all was fixed by a wise and far-seeing God, and was a reflection of His own perfection. That perfection can be traced in the body of man, and Galen exclaims outright that a knowledge of the uses of the organs reveals Deity more clearly than any sacred mysteries. Galen repeatedly adopts the argument from design for the existence of God ; indeed, it is his sole argument. Now such a scheme did not ill fit the new creed which was just beginning to raise its head and was destined to replace Stoicism and all the other pagan schemes. Galen's thought, in fact, made a special appeal to the Christian point of view, and this is doubtless the reason that a larger bulk has been preserved of his works than of those of any other pagan writer.

In several places Galen mentions both Judaism and Christianity, though without much respect. In the great anatomical work under discussion he explains that in his belief

God always works by law, and that it is just for this reason that Natural Law reveals Him, and he adds that "in this matter our view . . . differs from that of Moses". It seems very probable that he had read some books of the Bible. His position can thus be summed up as intermediate between Stoicism and Christianity. On the one hand he accepted the Natural Law of the Stoic philosophy, but rejected its astrological corollary. On the other hand he accepted the Divine Guide and Architect of the Universe which corresponded to the Christian scheme, but rejected all idea of miracle.

Let us, however, consider the results of Galen's doctrine of the uses of all the parts. Treated, as it must be, on the *a priori* basis, it was inevitable that it should turn men away from the observation of Nature and that it should make them content with arbitrary solutions of the many problems which his principle raised. In the case of Galen himself, who came as a pioneer of this belief, it was a novel presentation of the World which was thus still worth exploring. Galen explored it, and his Anatomy—within certain limits—was exact. His teleological theory, however, removed the motive for further exploration on the part of his successors, and, with Galen's death, Anatomy and Physiology too fell dead and were not reborn for a thousand years. To a brief review of that Anatomy and Physiology we must now devote ourselves.

§ 6 *Galen's Anatomical Achievement*

The best presentation of Galen's actual anatomical knowledge is found in his great work *On Anatomical procedure*. This was originally in sixteen books, of which nine only have survived in Greek. It has long been known that there existed an Arabic version of the remaining seven. These have recently been published with a German translation, so that the entire work is now accessible.

We may begin with the bones. These Galen had studied on an actual human skeleton at Alexandria, and he describes them in a special work *On bones for beginners*. He divides them

into long bones with a medullary canal and flat bones without such a canal. He distinguishes *apophyses*, *epiphyses*, and *diaphyses*, terms of which the first two have descended to us from him.[1] He uses the word *trochanter* in the modern sense, but it seems to have entered Anatomy through the work of his contemporary Julius Pollux (see p. 107). He had a fairly good idea of the bones of the cranium. He regarded the teeth as bones, and he gives a good description of their origin. He recognized twenty-four vertebræ terminated by the *coccyx* and *sacrum*. The latter he regarded as the *most important* bone of the spine, and the word he used to describe it was misunderstood by the Latins as equivalent to *sacred*, hence our term *sacrum*. Galen gives accurate elementary descriptions of the vertebræ, of the ribs, of the sternum, of the clavicle, and of the bones of the limbs.

In Arthrology Galen recognized two main orders of joint, to which he gives the names *diarthrosis* and *synarthrosis*. Diarthrosis, or articulation with movement, is divided into *enarthrosis*, *arthrodies*, and *ginglymus*. The synarthrosis, or articulation without movement, is divided into *suture*, *gomphosis*, and a third kind which he regards as simple linear arthrosis, as in the *symphysis pubis*. The descriptions of joints are less satisfactory than most elements in his anatomical system.

As regards the muscular system there can be little doubt that Galen's work was in large part of a really pioneer character. He wrote a special book *On the anatomy of the muscles*. Throughout his works the muscles are perhaps the structures that he described most accurately. His writings contain frequent references to the form and function of muscles of various animals. Thus the dissection of the muscles of the orbit and larynx was performed on the ox, and the muscles of the tongue are described from the ape. Occasionally, he indicates that he is aware of the difference between certain of the muscles he is describing from those of man ; instances of these are his description of the *flexor longus hallucis* and of the *lattissimo condyloideus*. A great difficulty in reading his work, however, is the absence of any properly worked out

[1] His use of the word *diaphysis* is quite different from ours.




FIG. 26.

FIGS. 26 and 27.—Dissection of muscles of palm of the Barbary ape, *Macacus inuus*, the animal on which Galen did most of his myological work. By its side is placed the dissection of the muscles of the human palm. It will be seen that the ape's hand contains all the muscular structures present in the human hand, though the proportional development of the various muscles differs. The difference in the two hands may be thus summarized :

(*a*) The *palmaris brevis* has a different origin. This muscle is marked by an asterisk in both hands.

(*b*) The third finger is longest in man, the fourth in the macaque.




FIG. 27.

(*c*) The human hand is broader and relatively shorter.
(*d*) The human thumb is relatively much longer.
(*e*) The long but narrow wrist of the macaque is associated with an elongation of the muscles taking origin about the carpal ligament. This is apparent in the greater extent to which the long tendon of the thumb of the macaque is exposed.

It will be seen that the anatomical resemblance of the two species is sufficiently close for a general description of the one to be applied to the other. Galen's anatomy, drawn from the macaque, was thus a serviceable record for the crude surgical processes of the ages which followed him.

nomenclature—a defect which haunted ancient Science in general and ancient biological Science in particular. Thus he calls the *serratus magnus* " the muscle situated on the concave part of the scapula and expanding the chest " while he speaks

Modern Usage.	Galen.
I. Olfactory.	Not regarded as separate nerves.
II. Optic.	" The soft nerves of the eyes."
III. Oculomotor.	" The nerves moving both eyes."
IV. Trochlear.	Not described.
V. Trigeminal.	" Third pair of nerves." / " Fourth pair of nerves."
VI. Abducent.	United with II.
VII. Facial.	" Fifth pair of nerves."
VIII. Auditory.	
IX. Glossopharyngeal.	" Sixth pair of nerves."
X. Vagi.	
XI. Spinal accessory.	
XII. Hypoglossal.	" Seventh pair of nerves."

Fig. 28.—Table of the cranial nerves according to Galen compared to modern usage.

of the *bulbo-cavernosus* simply as " the muscle at the neck of the bladder ". Anatomical nomenclature remained in this chaotic condition until the sixteenth century, when it was reformed by several authors, important among whom were

Jacques Dubois (Jacobus Sylvius, 1400–1500, see p. 108) and Adrian van den Spieghel (Spigelius, 1578–1625, see p. 163). Galen described about 300 muscles, and several of the names that we now use derive from him, among them the *masseter* and the *cremaster*. For his investigation of muscles Galen used particularly the Barbary ape (*Macacus inuus*, see Fig. 26).

There is reason to suppose that the description of the brain submitted by Galen is less original than his Myology or than his experimental work on the spinal cord (see p. 60). The classification of the cranial nerves in vogue until the seventeenth century was, however, derived from him. In that system the olfactory nerves and trochlear nerves were not recognized. Galen's first nerve was the optic nerve. The oculomotor and abducens were reckoned as the second. The greater part of the trigeminal was the third of Galen's notation, though a part made up his fourth nerve. We may here note that it was not until the time of Meckel (1758) that the anatomy of the trigeminal was adequately known. The facial and auditory nerves were linked together as Galen's fifth cranial pair. His sixth was a combination of our glosso-pharyngeal, vagus, and spinal accessory. His seventh cranial nerve was our hypoglossal (Fig. 28). It is noteworthy that he clearly recognized nervous ganglia and traced the sympathetic system through part of its course. He was, moreover, fully acquainted with the recurrent laryngeal nerves and with the differences in the course that they pursued on the two sides (Fig. 29).

The Angeiology of Galen is less satisfactory than his Osteology and his Myology. He wrote a special work *On the anatomy of the veins and arteries*, but a false doctrine of the movement of the blood prevented the just development of the theme. He was, moreover, ignorant of the process of injection or of any other special method of preparation. The venous system, following hints from the Hippocratic Collection, is compared to a tree of which the roots spring from the abdominal viscera, the trunk is the vena cava, and the branches are to be found in the lungs and in other parts of the body, one of the most important branches being the right ventricle. The veins are also represented as arising in the liver.

A similar description is given of the arteries. The roots of the arterial system are represented by the *arterial vein*, which we now call the *pulmonary artery*. The left ventricle and aorta he regarded as the trunk from which the branches come off. The arteries, he observed, have walls which are much thicker than those of the veins. Galen demonstrates that Erasistratus was in error in thinking that the arteries contain air, and that blood enters only after incision (p. 32). He does this by a simple and very effective experiment. An artery is exposed along a considerable length and ligatured in continuity at two points. It is then incised between the ligatures. Blood, not air, flows therefrom. Since blood could not enter through the ligature, it must have been present before the ligature was applied.

Galen had a fairly good idea of the general course of the veins. These structures, he believed, drew nourishment from the intestines and distributed it to the liver. The vein from the intestines passed to the liver through the gate (Latin *porta*) known as the transverse fissure; hence our name *portal vein*. The close correspondence of veins and arteries in most parts of the body was well known to him. He knew, too, the veins of the brain, certain of which still bear his name.

§ 7 *Galen's Physiological System* (*See Fig.* 30)

The basic principle of life in the Galenic philosophy was a *spirit* or *pneuma* drawn from the general World-spirit in the act of respiration. It entered the body through the *trachea arteria* and so passed to the lung and thence, through the *vein-like artery*—which we now call the pulmonary vein—to the left ventricle, where it encountered the blood. But what was the origin of the blood? To this question his answer was ingenious. It was derived in part from Erasistratus and the errors that it involved remained till the time of Harvey. Galen believed that chyle, brought from the alimentary tract by the portal vessel, arrived at the liver. That organ, he considered, had the power of elaborating the chyle into venous blood and of imbuing it with a particular spirit or pneuma innate in all

living substance so long as it remains alive. This pneuma was spoken of as the *natural spirit*. Charged with *natural spirit* derived from the liver and with nutritive material derived from the intestines, the blood, he believed, was distributed by the liver throughout the venous system which




FIG. 29.—Course of recurrent laryngeal nerves. Galen compares these in their action to the *glössokomeion*, an extension apparatus then in use by surgeons. The turning of one screw of this apparatus tightened ropes which pulled in opposite directions. So also he says the two branches of the *Vagus* (the *superior laryngeal* and the recurrent *laryngeal* of modern notation), cause a pull in opposite directions on the laryngeal apparatus. In the absence of an adequate technical nomenclature comparisons of this type were not infrequently resorted to by ancient anatomists.

arises from it, ebbing and flowing in the veins. One great main branch of the venous system was the right side of the heart.

For the blood that entered this important branch, the right side of the heart, the Galenic scheme reserved two possible fates. The greater part remained awhile in the ventricle

parting with its impurities, which were carried off by the *artery-like vein*—our pulmonary artery—to the lung, and there exhaled. These impurities being discharged, the venous blood in the right ventricle ebbed back again into the general venous system. A small portion of it followed a different course. This small portion trickled through minute channels in the inter-ventricular septum and entered the left ventricle drop by drop. There it encountered the pneuma brought thither from the outside world by the trachea and *vein-like artery* (our pulmonary vein). These drops of blood in contact with the air in the left ventricle became elaborated into a higher type of pneuma, the *vital spirit*, which was distributed through the arteries and with the arterial blood.

Among the arteries some went to the head, and thereby *vital spirit* was brought to the base of the brain. Here the blood was minutely divided by the channels of the *rete mirabile*. In that mysterious organ the blood became charged with yet a third pneuma, the *animal spirit*, which was distributed by the nerves, which were supposed to be hollow.

These three pneumas, the *natural spirit*, the *vital spirit*, and the *animal spirit*, formed the basis of the physiological system till Harvey. The system must be compared to that of Erasistratus (p. 31), who, it will be remembered, recognized only two forms of spirit within the animal body.

Among Galen's most remarkable efforts are the investigations he made of the physiology of the nervous system. In his treatise *On anatomical operations*, he tells of his experiments on the spinal cord. Injury to the cord between the first and second vertebræ caused, he observed, instantaneous death. Section between the third and fourth produced arrest of respiration. Below the sixth vertebra it gave rise to paralysis of the thoracic muscles, respiration being carried on only by the diaphragm. If the lesion was lower still the paralysis was confined to the lower limbs, bladder and intestines. The physiology of the spinal cord is worked out most ably and in very considerable detail. The knowledge of the functions of the spinal cord was not extended until the nineteenth century, with the appearance of the work of Sir Charles Bell (1811), of Magendie (1822), and of Le Gallois (1830).




FIG. 30.—Physiological system of Galen. See pp. 58–60.

Very important for the subsequent development of anatomical and physiological theory were Galen's views on the nature of the generative process. On this he differed very considerably from Aristotle. He considered, contrary to Aristotle, that the testicles correspond to the ovaries, both secreting sperm. Basing his remarks on the dissection of animals, he describes the uterus as bifid, each branch conveying seed from the corresponding ovary. These cornua of the uterus, like the other parts of the female generative system, have their analogies in the male anatomy. The human uterus was generally figured as bicornuate until the end of the sixteenth century.

Galen's ideas as to the development of the embryo are peculiar, being less satisfactory and less based on experience than is usual with him. He considers that the first organ to be formed in the embryo is the liver, which is congealed from the blood, next the brain is formed from the seed, then the heart is formed from the blood. A little later blood-vessels and nerves are also formed from the seed. These ideas also recur in literature until the middle of the sixteenth century.

Galen's writings brought him prominently before the scientific public, and gave rise to prolonged controversy, in the course of which he gave public demonstrations in the Temple of Peace. A collection of his works was stored there and, towards the end of his life, was lost in a fire. As he had no copies of some of these writings, the loss was irreparable. The bulk of the remainder is still very impressive.

Galen retained his position of trust to the end. After the death of Marcus Aurelius in A.D. 180, he became the adviser of Commodus (A.D. 161–192), on whose death, in A.D. 192, he was appointed physician to the Emperor Septimus Severus (A.D. 146–211), who outlived him. His writing remained in standard use throughout the Middle Ages and on into the sixteenth century. He was habitually spoken of as the " Prince of Physicians ".

§ 8 *The Dark Ages, about* A.D. 200–1050

Galen established no school, nor had he any definite followers. His character and love of controversy was not of

the kind that would endear him to disciples. On his death in 199 the active prosecution of anatomical and physiological inquiry ceased absolutely. The curtain descends at once, and for the subject we are discussing the Dark Ages have begun.

Anatomy in the pagan world descends into darkness more abruptly, but not more surely, than Philosophy. The whole system is soon to be overwhelmed. Alexandria has long been in decline; a mob, fanatically Christian, has destroyed her school and library, with all the hoarded wisdom of the pagan past. Men of the new faith fix their eyes on the wrath to come and the glory after it. In the race for salvation, who will pause to consider this miserable tenement of clay? The barbarian is at the gate. The Empire falls in smoking ruin. After the fire a flood; wave on wave it breaks, Vandal, Goth, Lombard, Hun, Saracen, and Northman. The hand of the Lord is heavy; His day is surely nigh. A pause, and at last the waters subside. The Church, the captive daughter of Zion, arising from the ruins, gathers around her the scattered remnants of mankind. She knows well the strait path for those that would be saved. In that assurance men may turn to examine the wreck of their world. What is there left of ancient Science? A few peaks have been but awash with the flood, and not wholly overwhelmed by it. In the South of Italy, especially, Salerno has been least injured. There Greek still lingers, and even some remnants of the ancient writings. Messengers come from the East, where the flood of Islam has rolled back from the barbarian watershed. They tell that there, too, something has been saved. The relics of ancient wisdom must be salved, at least for the healing of our bodies. The Scholastic Age has begun.

These ages of disorder was associated with a steady process of decay in the amount and accuracy of available medical knowledge. So far as the West was concerned, the human intellect touched nadir about the end of the tenth or beginning of the eleventh century. In this deterioration Anatomy was involved with the other Sciences and Arts. With the external and political conditions associated with this progressive mental paralysis we are not here closely concerned, but we may allude to two purely intellectual factors in the process.

First was the wide acceptance of the Christian doctrine that the body was of little or no import in comparison with the soul. Men were so certain of the existence, the word, and the will of God that Galen's teleology was for a time almost forgotten as irrelevant and unimportant. What need to prove the things one knew? The body being contemptible, was unworthy of study and Anatomy was the most vain of all those empty pagan sciences that did but concern themselves with the external temporary and perishable world. In that day of wrath, that dreadful day, when Heaven and Earth shall pass away, when shrivelling like a parched scroll, the flaming heavens together roll, what then can or will avail these pitiful details of Anatomy? The mind of the mediæval man was very closely set upon his end. Death and the things that come after was an obsession of the age. No pains were spared to keep death always in memory. The memento of death is very characteristic of the Middle Ages. Figures of skeletons and decaying corpses are not only to be found on tombs, but on finger rings and house ornaments, in manuscript illuminations, and elsewhere.

But, besides this negative and deterrent influence of Christian teaching was another and positive doctrine that not only turned men from the study of their bodies, but inculcated a fundamentally false conception of the nature of those bodies. This fallacious view, to which we have already alluded, was no integral part of Christian teaching, but can be traced back into Greek philosophy for centuries before Christianity had appeared on the scene. It is the old idea that the human frame foreshadows the structure of the Greater World, that the *Microcosm* is built on the same model as the *Macrocosm*, that Man is an epitome of the Universe (see p. 15). It is a view that easily allied itself with, even if it did not spring from, the body of astrological doctrine that first Greece and then Rome derived from Babylon.

The whole astrological system had become elaborated in the Early Christian centuries; with philosophical thoroughness by the Stoics; with mystical intent by the Neoplatonists, by the Gnostics, by the Mithra worshippers, and by the other sects that were still the competitors



Painted wooden Graeco Egyptian Sarcophagus of about the time of Christ, now in the British Museum. Around the figure the signs of the zodiac are written. These are supposed to influence the life of man, a tradition passed on to the Middle Ages. Compare Plate XVI.

[*face p. 64*

of the religion that was to displace them all. By these sects and by those which sprang from them not only were the regions and luminaries of the firmament held to influence the parts of man's body and the course of his life, but it was also maintained that the supposed connexion between constellations and corporeal organs had a spiritual significance and a moral interrelationship. These ideas, at first resisted by the fathers of the Church, were at last absorbed by those who professed the religion that ultimately prevailed. Thus was disseminated a whole mass of vapid and speculative belief which, if not a part of Christian teaching, became at least part of the teaching of Christians, and accepted by the leaders of the Church.

Among the most common products of these ages is what seems now a childish scheme in which the signs of the zodiac are written first around and ultimately upon the various parts of the body that they were thought to govern. Such schemes may be widely traced in the tombs of Græco-Roman Egypt (Plate VIII), among the military monuments of the later Empire, in the pious documents of the monkish period that preceded the great intellectual revival of the twelfth and thirteenth centuries or in the handbooks of the barber surgeons of the Renaissance period (Plate XVI). The *melothesia* or *zodiacal man*, as the scheme was called, permeated these centuries. It is among the commonest of mediæval diagrams. Belief in it superseded Anatomy and Physiology. The universal faith in astrology is itself enough to explain the decay of these studies.

III

THE MIDDLE AGES AND RENAISSANCE, 1050–1543

§ 1 *The Translators from the Arabic, about* 1050–1250

AFTER Galen we encounter no anatomical activity for many centuries. A few later Greek writers exhibit the Galenic tradition in more or less corrupted form. A few others




FIG. 31.—From an XIth century MS. at Caius College, Cambridge (MS. 428, folio 50). Around the diagram is written *Principalia membra virilia quatuor adsunt,* "There are four principal human members." Within the circle are figured *Cerebrum* (N.W.); *Epar* (N.E.); *Cor* (S.E.); and *Testiculus* (S.W.). Each of the organs is associated with two of the primary "qualities"—thus the cerebrum is cold and moist (*frigidus, humidus*) and the heart is hot and dry (*calidum, siccum*) and so on (see Fig. 16). The brain is shown divided into three sections marked *fantasia, intellectus,* and *memoria* (see Fig. 41).

show some originality in presenting their views, but no further direct access to the facts. Among the Latin-speaking peoples of the West the anatomical tradition of antiquity was even

more corrupted. Beyond astrological diagrams, such as those to which we have already referred (Plates VIII and XVI), we get only the most childish misinterpretation of ancient doctrines (Figs. 31, 32). We shall therefore not take up our tale until the human mind begins to rise from its secular depression.




FIG. 32.—From the same XIth century MS. (folio 23 verso) as the previous figure. Four angels are shown pouring from vessels the four humours into the body of man. Around is written *Quatuor humores bisbina partes* (?) *liquores Effundant teneri per corpora sic microchosmi*. The four surrounding figures typify the four humours which are associated with the four primary qualities in the same way as are the four principal organs in Fig. 31.

Intellectual leadership passed about the eighth century to people of Arabic speech and remained with them till the thirteenth century. Thus it came about that the most important documents of Greek medicine were translated into Arabic. Translations of these originally Greek works from their Arabic dress into Latin formed the main mass of scientific reading in the West for long after the process of reawakening.

The first recovery of medical material from these Arabic sources took place in the eleventh century at the monastery of Monte Cassino in South Italy. Here the monk Constantine, the African (died 1087), himself an ignorant and dishonest worker, began his series of translations from the Arabic. Dating from about 1100, we have two descriptions of the dissection of the pig which have been thought by some to indicate anatomical activity at the earliest of all the medical schools, that at Salerno, also in South Italy. These documents, however, are merely translated material. Neither at this nor at any other time was dissection carried on at Salerno. The actual revival was, in fact, in Northern Italy.

In the twelfth century several translators were at work rendering medical works from Arabic into Latin ; earliest of them was Stephen of Antioch, who produced in 1127 a version of a treatise of the Persian, Hali Abbas (died 994), containing an important anatomical section. By far the greatest of all the translators from the Arabic was Gerard of Cremona (1115–85), who, working at Toledo, rendered into Latin no less than ninety-two works, many of philosophical value. The figure of Gerard is of great historical import, in that his work made Scholasticism possible. None of his medical translations was more influential than the enormous *Canon* of the Bokhariote, Avicenna (980–1037), the anatomical section of which was the most widely read text on the subject in the Middle Ages. Gerard also rendered into Latin the anatomical work of the Persian, Rhazes (died 932). It is to these three Arabic writers, Avicenna, Hali Abbas, and Rhazes that the main mass of medical knowledge before 1500 can be traced. All three writers, so far as Anatomy is concerned, themselves depend on Arabic versions of Galen. Several of the works of Galen and Hippocrates were also translated from Arabic versions in the thirteenth and fourteenth centuries.

The twelfth and thirteenth centuries, though barren in anatomical achievement, exhibited enormous mental activity. The scholastics, though they very seldom stooped to observation, were frequently of a speculative turn of mind. Dating from the twelfth century, we have a series of mystical anatomies precipitated with more or less clearness from the

old theory of Macrocosm and Microcosm (p. 65). These are based, mediately or immediately, on Arabic material. With the thirteenth century we are moving in a more positive atmosphere. In the person of Albertus Magnus (1206–80) we encounter a genuine naturalist. Albert's knowledge was drawn from Arabic-Latin versions of Aristotle. He did at times, however, observe for himself and has left us some account, for instance, of the development of birds and of fishes. The movement which he represents was to come to fruition, so far as our subject is concerned, in the following century.




FIG. 33.—Map showing the centres of anatomical study during the Middle Ages and Renaissance. In the case of towns possessing Universities, the century of foundation of the University is given in Roman figures.

§ 2 *The Rise of the Universities* (*Fig.* 33). *The Bologna School*

In the great awakening of the thirteenth century, a large part was played by the Universities. These were established

in numbers during the century, and university life gradually came to exercise a profound effect on social, political, and intellectual conditions. In most of the Universities Medical Faculties grew up and in many Anatomy came to be studied. The texts used were those of Avicenna, of Hali, and of Rhazes. But the atmosphere of the Universities was utterly scholastic and Scholasticism, however it may sharpen wits, does nothing to develop the senses. Observation of Nature was wholly neglected. There was no practical anatomical instruction. The statements concerning public dissections at the Universities during the twelfth and thirteenth centuries are due to misunderstanding. The actual anatomical achievements of the thirteenth century were exclusively of a literary character. There was a multiplication and improvement of the Arabic-Latin texts and the recovery of a few from the Greek. The first credible witness of actual *public* or semi-public dissection that reaches us is from about the year 1300, and the place where we get news of it is Bologna.

The school of Bologna is of very great antiquity, and is perhaps the most ancient of the institutions to which the term University can be rightly attached. An organized Medical Faculty existed there as early as 1156. The teaching at Bologna, as in other medical schools, consisted entirely of readings of Latin translations from the Arabic which were becoming ever more accessible. As the Universities multiplied they began to some extent to "specialize". Bologna appears first in history as a Law School, and continued to develop along the same line. In the second half of the thirteenth century Bologna was by far the most important seat of legal learning in Europe. For long the Medical Faculty there was directly dependent on the Jurists and not till 1306 was it even permitted to elect its own head. There can therefore be no doubt that the opening of the human body at that University began in the first instance with full knowledge of the lawyers who were in supreme control. It therefore seems highly probable that it began as a part of a forensic process. The first post-mortems held at Bologna were probably conducted towards the end of the thirteenth century.

§ 3 *The Beginning of Dissection*, 1250–1300

The early advent of dissection has often impressed the historian. It is not easy to find evidence of Nature-study in the thirteenth or fourteenth century, nor of any enthusiasm for putting theoretical considerations to practical tests in that age. There was still no Botany worthy of the name, no Zoology, hardly any naturalistic Art, no experimental Science, no systematic record of observation in any department. Yet dissection had become comparatively common at Bologna by the end of the first quarter of the fourteenth century. The question is asked why men, obviously so little interested in Nature and Nature's ways, should have bent themselves to so repellant a process as dissection of the human body in order to seek out the secrets of Nature? The answer is that, in fact, they did nothing of the sort. Dissection in the fourteenth century did no more, and was asked to do no more, than verify Avicenna, —whom nobody doubted. It seems probable that the earliest reason for examining the human body was simply the gathering of evidence for legal processes. This is a reason, and the only reason, that would have appealed to an official of Bologna University of the thirteenth century. As time went on post-mortem examination passed into anatomical study.

We may investigate the actual history of the subject so far as it can be put together from the sparse records. The founders of the Surgical School at Bologna were Hugh of Lucca (about 1170–1240) and his pupil, the cleric Theodoric Borgognoni (1205–98). The work of the latter has survived, and contains, imbedded in it, descriptions of methods adopted by Hugh. Theodoric's surgery borrows its Anatomy direct from the Arabians, and contains no evidence for dissection. The opportunities of Theodoric for surgical practice at Bologna ceased in 1266, when he became Bishop of Cervia, and went to live at Lucca. This is the *terminus a quo* for the beginning of dissection at Bologna. Had it been practised there before 1266 it would have reacted on Theodoric's work.

William of Saliceto was a Bolognese surgeon (1215 ?–1280 ?)

who became a teacher in his own University. He left a very able treatise on Surgery, containing a section on Anatomy. The anatomical portion is borrowed from the current Arabian anatomies, and does not mention the practice of dissection. Nevertheless, it contains some evidence of direct access to the dead human body. Thus the arrangement is different from that of its Arabian sources, and is more natural and in accord with the actual disposition of the parts. Moreover, the work reads like that of one who had at least seen dissection. Thus he speaks, for instance, of the appearance of the intra-thoracic organs of a wounded man. The view could only have been obtained after death. William of Saliceto's Surgery was completed in 1275, and that year is a *terminus ad quem* for the practice of dissection at Bologna. We may thus place the beginning of anatomical study in the decade between 1266 and 1275.

A most interesting contemporary of William of Saliceto was Thaddeus of Florence (1223–1303), who also taught at Bologna. This very remarkable man perceived the importance of access to Greek sources, as distinct from Græco-Arabic, and he encouraged the preparation of good Latin translations of medical works direct from the Greek. He stamped his personality on the whole development of Medicine at Bologna, and he is bound up with the beginning of dissection in a peculiar way. Not only does he give occasional hints of post-mortem examination in his works, but all the first generation of writers who refer to the practice—Bartolomeo da Varignana (died 1318, see p. 73), Henri de Mondeville (died 1320, see p. 73), and Mondino de' Luzzi (died 1326, see p. 74 ff.)—were his pupils. It is quite certain that before the death of Thaddeus post-mortem examination was being openly performed at Bologna. As one investigates the revival of Medicine in North Italy the lines always seem to converge on him. There is a mass of unpublished material concerning this extraordinary man in the Vatican Library, and its investigation may throw light on the origin of dissection.

The first frank reference to post-mortem examination is from the year 1286. The Franciscan Salimbene of Parma (1221–90 ?), in his chronicle written in 1288, tells that a

pestilence raged in Italy in 1286, and that a physician of Cremona then opened a corpse to see if he could find the cause of the disease. It appears that he opened only the thorax to glance at the heart. The first formal account of definite post-mortem examination is fourteen years later. In February, 1302, a certain Azzolino died at Bologna under suspicious circumstances. Poison was suspected, a judicial inquiry was held, and a post-mortem examination actually ordered by the court. The investigation was conducted by two physicians and three surgeons, with Bartolomeo da Varignana at their head. Their report is in existence, and terminates with the words: "we have assured ourselves of the condition by the evidence of our own senses and by the anatomization of the parts." The statement is given without any remark that the proceeding was unusual. This Bartolomeo da Varignana was a pupil of Thaddeus and was professor of Medicine at Bologna, an office in which he was succeeded by his son and by two of his grandsons. An actual contemporary illustration of a post-mortem has survived, and is in the Bodleian Library (Fig. 34). The picture may be dated at about 1300, with a not impossible error of twenty to thirty years in either direction. It shows a surgeon opening the body and extracting the organs in the presence of a physician and of a monk. It is of Norman or Anglo-Norman workmanship.

We have another interesting document bearing on the early practice of dissection at Bologna. At the very end of the thirteenth century, and after the death of William of Saliceto, there came there a Norman student named Henri de Mondeville (about 1270–1320, Plate IX). He profited by the instruction of Thaddeus and the other professors and then left. He sojourned for a while in Northern France and Flanders. Before 1301 he settled at the famous Medical School at Montpellier. Here, in 1304, he was giving anatomical lectures. These lectures were illustrated by large diagrams, to which he refers in the section on Anatomy prefixed to a work on Surgery that he wrote for his students. It is probable that he brought these diagrams with him from his old school at Bologna. The originals have disappeared, but a copy made in 1314 is now in the *Bibliothèque nationale* at Paris. In the copy the diagrams

are greatly reduced in size, and the artist, who was a Norman or a Fleming, was obviously ignorant of Anatomy. Nevertheless, his little pictures give an indication of the manner of dissection at Bologna at that time (Plate X). The anatomical text of Henri de Mondeville is mainly borrowed from Avicenna and the Arabs.



FIG. 34.—Miniature from a MS. in the Bodleian Library at Oxford of the early XIVth century (Ashmole 399, folio 34). It is the earliest known representation of dissection. The operator, who is in layman's dress, is being addressed by a physician and a monk. The body, that of a female, has been opened from xiphisternum to symphysis pubis. Kidneys, heart and lungs, stomach, etc., are strewn around. The operator holds the liver in his hand.

§ 4 *Mondino, the Restorer of Anatomy*, 1300–25

For the next worker we are in the full light of history. Anatomy has become a recognized discipline, and we are no longer in doubt as to how it is practised. Mondino de' Luzzi (*c.* 1270–1326) was born at Bologna, and studied in his native city. He, too, was a pupil of Thaddeus, and he was a



HENRI DE MONDEVILLE

engaged in lecturing. From a French MS. of his *Surgery* written in 1314 and now in the Bibliotheque nationale at Paris (Fr. 2030).

[*face p. 74*

fellow-student of Henri de Mondeville. He graduated about 1290, and joined the teaching staff of the University in 1306. He systematically worked at Anatomy and dissected the human body in public.

The *Anothomia* of Mondino, written in 1316, is the first modern work on the subject. Those who preceded him incorporated their anatomical work in larger treatises on Surgery, and do not refer directly to their own anatomical experiences. With Mondino this is changed. His work is entirely devoted to Anatomy, and is essentially a practical manual of the subject. Mondino is with justice called the " Restorer of Anatomy ". Let us glance at his book.

We note first his involved constructions and his debased Latin. Next there comes before us his very confusing nomenclature which makes his book extremely difficult to read. On the one hand, for many parts he has several names. Thus the sacrum is variously described as *alchatim*, *allannis*, and *alhavius*. On the other hand, the same name is often used for several parts. Thus the word *anchæ* may mean the hips, or the pelvic skeleton, or the acetabulum, or, again, the corpora quadrigemina. Thirdly, we remind ourselves that, in the absence of preservatives, dissection had to be performed hurriedly, and this especially with the abdominal viscera Work was sometimes continued through the night, and the whole process completed in four days, a day each being given to the belly, the thorax, the head, and the extremities in that order. This haste has left its mark upon the book. Fourthly, we recall that subjects for dissection were not easy to come by. They were normally criminals. Even as late as the sixteenth century criminals were sometimes executed in a manner chosen by the anatomists. There is ample internal evidence in the book of limitation of material. Fifthly, we observe that, though dissecting on his own account, Mondino is yet relying almost entirely on Arabian authorities. He is really dissecting to memorize their works, much as a student nowadays dissects to memorize his textbook, not to enlarge knowledge nor to make discoveries. The scientific spirit has hardly awakened in Mondino. Nevertheless, he has made a great step forward.

But lastly, and above all, we would emphasize the fact that Mondino dissected *in person*. In this respect he was wiser or more courageous than most of his successors until the time of Vesalius. As dissection gained formal inclusion in the curriculum, the professor became further removed from the object of his study. He literally "rose with his subject". Leaving his position by the cadaver (Fig. 34), where he might demonstrate to his students, he ascended his high professorial chair. The "chair" of a professor was very much of a physical reality in those days; a great elevated structure provided with steps and a reading desk, something like a pulpit (Fig. 35). From there he read or lectured while a junior colleague or *ostensor* pointed out the line of incision and a menial *demonstrator* performed the actual dissection. All was thus done third hand and according to the written word. We are in the scholastic period and must not expect any frequent appeal to Nature. Having once got into his chair, the professor did not willingly descend from that dignified position. Nor was it from the University that the second great reform in Anatomy was to come in the centuries which followed. The second reform came, as we shall see, from quite another quarter, the Studio. Thus it is saying a very great deal for Mondino that he was his own demonstrator. He took the first and perhaps the greatest step. It was two centuries and more before the next was taken.

Mondino had read widely among the Arabian anatomists, and naturally borrows from them. Nevertheless, his work contains a considerable number of references to actual anatomical procedure. Moreover, he deals not only with Anatomy in our modern sense, but also includes physiology and much discussion of the application of anatomical and physiological principles to Medicine and Surgery. His book thus gives a good deal of insight into the scientific knowledge of the day.

The *Anothomia* of Mondino is not arranged like a modern anatomical textbook, which deals with the various systems consecutively. It more nearly resembles a modern manual of dissection, in which the organs are described in the order in which they present themselves. Thus, after discussing the




FIG. 35.—Dissection scene from the Italian *Fasciculo di Medicina* printed at Venice in 1493. The picture forms the first page of an Italian translation of the *Anothomia* of Mondino. The professor in his robes is reading his lecture from his chair. A menial *demonstrator* dissects, as directed by the wand of the *ostensor*. Students in academic dress stand around and look on, but do not themselves dissect.

scope and manner of the inquiry, he opens with the *natural members*, that is the parts associated with digestion. The abdominal wall is described in some detail, and, that completed, Mondino passes to the alimentary canal and then to the spleen, liver, and great vessels of the abdomen. The generative organs come next, and the description of them is very full. He now turns to the *spiritual members*—the thorax and its contents—described, like those of the abdomen, from without inwards. Now follow the *animal members*, that is, the parts of the head, and these are treated very systematically, proceeding from the scalp and going deeper till the base of the skull is reached. Lastly, the work describes the spinal column and the structures surrounding it, together with the extremities. These are treated in a very superficial and perfunctory fashion.

§ 5 *Mediæval Anatomical Nomenclature*

It is appropriate that we should here turn aside to consider the anatomical language of Mondino. The names of the *natural*, that is the abdominal, members will at once strike the reader. These are, of course, in relation to the organ of the *natural spirit*, the liver to wit. At the very beginning we encounter such strange forms as *Mirach*, i.e. anterior abdominal wall ; *Siphac*, i.e. anterior layer of peritoneum ; and *Zirbus*, i.e. great omentum. These are part of the anatomical nomenclature of the day, derived, not, as is ours, from Greek and Latin, but from Arabic. For long this Arabic system remained in use. With the revival of Greek in the fifteenth and sixteenth centuries, these terms gradually gave place to others of classical origin.

Some of Mondino's obsolete terms that have followed the Arabic into oblivion were not, however, derived from Arabic, but were of classical origin, and had been in continuous employ right through the Dark and Early Middle Ages of Anatomy. Such was, for instance, the word *longaon*, i.e. rectum, a word which survived in English usage until the eighteenth century. Of these old words of classical origin,

Mondino occasionally gives quite false etymologies, as, for instance, when he says that *Colon* is derived from the (mediæval) Latin word *cola*, i.e. cellule. Colon is, in fact, a Greek word which meant primarily an *organ*, though it had acquired its present meaning at least as early as Aristotle and occurs in the same sense in Latin in Pliny (A.D. 23–79), whose work on *Natural History* was very widely read during the Middle Ages. These words of classical origin are, however, in a minority, and most of Mondino's nomenclature is derived from Arabic.

During the sixteenth century a regular warfare was waged on behalf of the Latin and Greek as against the Arabic anatomical terms. It is difficult for us now to understand the virulence imported into the discussion. These unfortunate words were regarded as symbols of two cultures, the Arabist and the Humanist. To add to the confusion, just as the Humanists were gaining the upper hand the new experimental Anatomy came in. The exponents of the new science became nearly as violent against the Humanists as the Humanists themselves had been against the Arabists. Looking back from the vantage ground of Time we can see that without the Arabists the human mind could not have been raised out of the slough of the Dark Ages. Without the Humanists the anatomists of the sixteenth century would have had to begin on a much lower rung of the ladder of knowledge than that at which in fact they started.

Considering how persistently anatomical nomenclature has been " purified " from Arabic terms, it is remarkable that any should have survived. Yet our textbooks are still employing a number of them. This in itself shows that they were not inapt and that they fulfilled a real purpose. It must be remembered that the surviving terms have been carefully Latinized and Græcized since the time of Mondino, and neither an Oriental nor a Classical scholar will easily recognize them for what they are. It is a case of protective mimicry in the world of words! Of all our surviving Arabic anatomical terms, the oldest is *Nucha*, a word introduced by Constantine the African about 1080. Others of Arabic origin were derived from Gerard of Cremona's Latin translation of Avicenna made

about 1180. From this version of Avicenna come, for instance, Basilica (for the vein has nothing to do with the Basilica of architecture), Cephalica (which is not derived from the Greek root *cephalic*, though that, too, is largely employed in Anatomy), Retina (which is unrelated to *rete*), Saphena (which is not from the Greek *saphēnēs* = clear, evident), and





FIG. 36.—Diagrams of the bodily organs from a MS. in the Bodleian Library at Oxford of the early XIVth century (Ashmole 399, folios 23 and 24). Note the spherical stomach, the five lobed liver and the slipper shaped spleen.


Sesamoid (which is the "open sesame" of the story of Aladdin).

In addition to such Arabic words which have clung on in our anatomical vocabulary, there are others expressing Arabic ideas. The mediæval Latin translators from Arabic were very

A



B



C



D



ANATOMICAL DIAGRAMS OF HENRI DE MONDEVILLE

From a French MS. of his *Surgery* written in 1314 and now in the Bibliothèque nationale at Paris. A and B represent the male and female urinogenital systems respectively. C and D represent general dissections exhibiting the viscera. The peculiar pose of D should be compared to that of the Vesalian tabula exhibited in figure 109 where it is shown reversed.

[*face p. 80*

literal and their renderings are thus recognizable in our modern terminology. Thus to Gerard's translation of Avicenna we can trace *Clavicle* and *True* and *false* ribs, to Gerard's translation of Rhazes we owe *Albugineus* and *Iris*. Stephen of Antioch's translation of Hali Abbas has given us *Pia mater* and *Dura mater*. Most of these surviving terms of Arabic origin were originally popularized by Mondino, who seems, on his own account, to have put into circulation the words *Matrix* and *Mesentery* in their modern anatomical connotation.

§ 6 *Anatomical Knowledge of Mondino*

Mondino's description of the organs is naturally very elementary and often inaccurate. Thus, the stomach, as is usual in mediæval works on Anatomy, is described as spherical (Fig. 36). The liver has five lobes, a very persistent idea taken from the anatomy of the dog (p. 43). Great and special attention is paid by Mondino to the gall bladder, the seat of one of the humours, the *Yellow Bile* (Choler). The *Black Bile* (Melancholia) is secreted by the slipper-shaped spleen (Fig. 36), and evacuated through imaginary channels into the cardiac end of the stomach (Fig. 37). The cœcum is described without any vermiform appendix. The description of the pancreas is very obscure, though, oddly enough, its duct is referred to; this duct, it is usually considered, was first described by Wirsung (died 1643), a pupil of Vesling (1598–1649) at Padua about 1641. The urine is represented as literally "filtered off" by the kidneys from the blood, an idea taken from Galen and still adhered to by Vesalius.

The detailed description of the generative organs by Mondino is worth some attention. He notes the different origin of the spermatic vessels on the two sides. The uterus is divided into seven cells (Figs. 38, 39), a conception that he must have culled from the writings of that muddle-headed magician Michael the Scot (about 1178–1234). In an interesting passage he seeks the analogies between the male and female generative organs, and in this matter his conclusions are not widely different from those in the first

anatomical works of Vesalius more than two hundred years later (Figs. 61, 62, p. 112). As regards the physiology of generation, he halts between the views of Aristotle and of Galen. He has a very good passage describing the operation of hernia both with and without castration. Oddest of all is his description of the treatment of an incised wound of the




FIG. 37.—The mediæval view of the physiology of the portal system. The portal vessel brings chyle from the intestines to the five lobed liver. Red bile is evacuated from the liver by the bile duct into the duodenum. Blood is sent from the liver to the spleen via the splenic vein. Black bile (melancholy) is evacuated into the stomach either by a hypothetical duct near the cardiac end of the stomach or by the gastric veins.

intestines. The edges of the wound should be closed by making ants bite on them and then cutting off their heads! He has a good description of the operation of cutting for stone.

In his account of the chest, he shows that he had access to a translation of Aristotle's *Parts of animals* made direct from

the Greek. Such a version had been prepared about 1260. As his master, Thaddeus, was particularly interested in translation direct from the Greek, we may suppose that it was from him that Mondino received the tradition. We note that another pupil of Thaddeus, Bartolomeo da Varignana, left some translations from the Greek to the University of Bologna when he died in 1318. In his description of the heart borrowed direct from Avicenna, Mondino lapses into the worst Arabian standard. He describes three ventricles, the third, a middle ventricle, lying in the thickness of the septum. This is an attempt to reconcile the accounts of Aristotle and of Galen. This mysterious organ was still represented in editions of Mondino that were being printed in the sixteenth



FIG. 38.—Tracing from an illustration in a fourteenth century MS. of Michael Scott, *De secretis naturæ*, exhibiting seven-chambered uterus. See C. Ferckel, *Archiv für Geschichte der Medizin*, x, p. 262, Leipzig, 1916.

century (Fig. 40). Mondino's description of the larynx and epiglottis also is very confused. The œsophagus is described under its Arabic term *meri*.

There are many noteworthy points in Mondino's description of the head. As regards the cranial nerves, he relies on Galen's *Uses of the parts of the body of man*, of which a Latin abbreviation of the Arabic was available. The cavity of the brain is divided into three vesicles or ventricles. The anterior is double and is the meeting place of the senses. It is thus the *sensus communis* (Fig. 41). The mediæval anatomical use of these words has given rise to our modern phrase *common sense*. The middle vesicle is the seat of imagination. The hindermost is associated with memory. The scheme

is a commonplace both among Easterns and Westerns throughout the Middle Ages. Mental operations are controlled by the movements of a *red worm*, our choroid plexus (Fig. 41), which opens or closes the passages between the ventricles. These crude ideas as to the physiology of the brain survived to the sixteenth century and are frequently represented in early printed books (Fig. 41). Although Mondino places thought and sense in the brain, he maintains also the old Aristotelian view that the brain cools the heart. Mondino's general physiology is, however, that of Galen, from whom he derives his idea of the three orders




FIG. 39.—Figure of the uterus from the *Antropologium* of Magnus Hundt, Leipzig, 1501. The legends read, on either side *Testiculus*, *Vasa seminalia*, *Cornua*, and below *Via vesice*, *Os matricis*, *Collum*, *Os exterius*.

of spirit, *natural*, *vital*, *animal* (Fig. 30). His description of the globe of the eye places the lens in the centre, as did Galen, followed by all the Arabs, and all their successors (Plate XII) till Columbus (p. 140) and Plater (p. 133). He describes the operation of couching for cataract.

Mondino's description of the extremities is utterly inadequate. He tells us, however, that he is preparing another work on them, though nothing of the kind has survived. He refers to preparations formed by cleaving the body in the

sagittal plane and representations of such preparations have come down to us.

A word should be said about Mondino's anatomical methods. In addition to ordinary fresh dissection, he used preparations dried in the sun. These were supposed to exhibit the general direction of the tendons and ligaments. Mondino tells us that it is very difficult to trace the nerves to their destination, and to this end he examined macerated bodies. The method of maceration was still in vogue in the time of Vesalius, who illustrates it in one of his humorous historiated initials.

Mondino exhibits reluctance to clean bones completely and says he will not boil certain bones *owing to the sin involved*




FIG. 40.—Diagram of the heart from an edition of the *Anothomia* of Mondino published at Strasburg in 1513. The diagram shows the three ventricles of which the middle is marked *Medium*. Valves are obscurely indicated at the four orifices in the two "lateral" ventricles.

therein. This passage has given rise to considerable controversy, but the meaning is clear. There was in the Middle Ages a custom of boiling the bones of distinguished persons who died far from home. This was done that their bones might be laid to rest in the place that they had chosen. To prevent this, Pope Boniface VIII issued in 1300 a famous bull excommunicating those who followed the practice. The bull was not directed against the anatomists, but it told against them. This we know not only from Mondino, but from other anatomists of his century. Thus, in 1345, Guido de Vigevano produced in France an anatomical text illustrated by figures which show the actual process of dissection (Fig. 42). He opens

by explaining that the Church prohibits dissection. It is right to add that a brief of Sixtus IV (Pope 1471–84), who had been himself a student both at Bologna and at Padua, recognized the opening of bodies conditional on permission of the ecclesiastical authorities. Doubtless this was a factor in the



FIG. 41.—Diagram of the brain and its relations to the senses and intellectual processes from G. Reisch, *Margarita philosophiae*, Freiburg, 1503. On the brain are written the following legends :—

fantasia *cogitativa*
sensus communis *vermis* *memorativa*
imaginativa *estimativa*

These occupy positions on the three traditional ventricles except the *vermis*, which is between the first and second ventricles. To the *sensus communis* converge nerves from the ear, eye, nose (*olfactus*) and mouth (*gustus*).

development of Anatomy at the end of the fifteenth century. There is ample evidence of occasional dissection before that time, but from then onward the supply of corpses for dissection, though limited, was fairly regular. The practice was confirmed by Clement VII (Pope 1523–4).

§ 7 *The Later Middle Ages, about* 1325–1500

From the thirteenth until the sixteenth century the history of Anatomy remains largely in the custody of the Bologna School. At Bologna dissection received official recognition in



FIG. 42.—Dissector at work from a MS. of Guy de Vigevano at Chantilly written in 1345. The relation of the dissector to the subject in this and other miniatures in the same MS. shows that the body was suspended.

the University Statutes of 1405 and the same event took place at Padua in 1429. Throughout the fourteenth and fifteenth century, however, dissection was going on at both places. Dissection was also early practised at Venice, though it was not a University town, and at a few other Italian centres.

Beyond the Alps the most important medical schools were at Montpellier, where public dissections were decreed in 1377, and at Paris, where they were instituted in 1478.

At Bologna Mondino was succeeded in his Chair by a series of workers who made no contribution to anatomical knowledge. They followed the scholastic way in lecturing from a book in their professorial chair, without approaching the body. With their names we shall not burden the reader. A pupil of the Bologna school, the French surgeon, Guy de Chauliac (1300–70), was very influential in standardizing surgical practice, especially in France and England. Nevertheless, his Anatomy is the weakest part of his work, and exhibits little of the practical dissector, though there can be no doubt that Guy had assisted at dissections and conducted post-mortems. Through Guy de Chauliac the tradition of Mondino passed to Montpellier.

Early in the next century Pietro d'Argellata, a Bolognese professor, examined the body of Pope Alexander V, who died suddenly at Bologna in 1410. Pietro made a post-mortem examination of the body of the pontiff, and included an interesting description of it in his work on *Surgery*. This is, however, barely Anatomy, and anatomical advance was at a standstill until nearly the end of the fifteenth century.

Men who made a great impression on their own age were Gabriele de Gerbi (died 1505) and Alessandro Achillini (1463–1512). De Gerbi, educated at Pavia, and professor at Verona, was a verbose and tiresome writer whose evil influence may have done something to delay anatomical advance. His work, largely taken from Mondino, bears the authentic scholastic stamp. It is claimed for him that he distinguished the olfactory nerves, and that he paid much attention to development, on which, however, he wrote a work of little worth. He introduced into Anatomy the term *Pilorium*, later purified into *Pylorus* by Vesalius. More noticeable was Alessandro Achillini, who divided his activities between the schools of Padua and Bologna. He was an extremely disputatious and windy controversialist who wrote verbosely on Philosophy. His anatomical work, like that of De Gerbi, is largely a commentary on Mondino. Nevertheless, his writings contain a

few additions to anatomical knowledge, and it is clear that Anatomy is at last again astir. Achillini described Wharton's duct a century and a half before the man whose name is associated with it. He redescribed the infundibulum,



FIG. 43.




FIG. 44.



FIG. 46.




FIG. 45.

ANATOMICAL SKETCHES OF LEONARDO.

FIG. 43.—Dissection of the skull showing maxillary antrum, frontal sinus, and nasal fossæ (Fogli B, folio 41 verso)—after Holl.

FIGS. 44 and 45.—Dissection of the muscles of the shoulder (Fogli A, folio 2)—after Holl.

FIG. 46.—The right ventricle laid open showing the tricuspid valve and the intra ventricular moderator band (Quaderni iv, folio 13).

observed the inferior cornu of the anterior ventricles and rediscovered the fornix. His description of the cæcum was an advance on that of Mondino, and he improved also on the current descriptions of the duodenum, ileum, and colon. It is often said that Achillini described the two auditory ossicles, Malleus and Incus, but this seems to be an error.

§ 8 *Naturalism in Art, about* 1450–1550

Leonardo da Vinci

In the fifteenth century there made itself felt in the realm of Art a great movement destined to react with far-reaching effect on the progress of Anatomy. *Naturalism*, born in the thirteenth century, now came to maturity. Artists were taking an interest in the accurate representation of the human form. There is evidence that a long line beginning with Andrea Verrocchio (1435–88), including Andrea Mantegna (died 1506, Plate XIX), and Luca Signorelli (about 1444 ?–1524), and culminating with the giant forms of Leonardo da Vinci (1452–1519), Albrecht Dürer (1471–1528), Michelangelo (1475–1564), and Raphael (1483–1521), all used the scalpel. The great naturalistic movement combined with the improved access





FIG. 47.—An experiment by Leonardo on the heart. Needles are thrust through the chest wall of the pig into the substance of the heart and the movement of the organ can thus be followed (Quaderni i, folio 6).

to Greek sources that came with the revival of learning, and so produced fundamental changes in the anatomical outlook which found their most natural and forceful expression in Vesalius.

Of the practical anatomical knowledge of Michelangelo, Dürer, and Raphael, we have ample evidence. All have left drawings of dissections. One of the very greatest anatomists was, and is, Leonardo da Vinci (Plate XIII). That marvellous man doubtless began to dissect to improve his Art. Soon, however, he became interested in the structure and workings of the body. His scientific pre-occupation at last exceeded his artistic, and his anatomical notebooks, published in recent years, have revealed him for what he was, one of the very greatest biological investigators of all time. In endless matters he was centuries ahead of his contemporaries. Had he pro-





DRAWINGS OF HEART BY LEONARDO

A. The Figure to the left is from Quaderni II, folio 3 verso and has been lettered according to modern notation.
B. The Figure to the right is from Quaderni I, folio 3. It is a diagram showing the structure of the heart and exhibiting the passages in the septum hypothecated by the Galenic physiology. It also shows Leonardo's looking-glass writing.

[*face p. 90*

duced the anatomical textbook which he had planned in collaboration with the Pavian professor, Marcantonio della Torre (1481–1512), the progress of Anatomy and Physiology would have been advanced by centuries. The early death of della Torre prevented this, and Leonardo's anatomical manuscripts remained hidden till our day. Yet Leonardo occupies so isolated a position that it would destroy our perspective if we dwelt long upon him. He cannot, in fact, be properly considered in the series of anatomical discoveries, but must be taken by himself.

In Osteology, Leonardo is the first to draw adequate figures of the skeleton and to adopt the modern method of repre-




FIG. 48.—Wax cast of ventricles of the brain as portrayed by Leonardo (Quaderni v, folio 7).

senting the parts from front, back, and side. He has first-rate figures of the maxillary antrum and of the frontal sinus (Fig. 43). He recognizes the different types of vertebræ perfectly, and catches exactly the curves of the spinal column.

In Myology, Leonardo excelled. As an artist he had specially studied the surface muscles; such errors as he there makes are often wilful, the result of his own rich and strange imagination. He has remarkable diagrams exhibiting the action of the muscles. His figures of the diaphragm are truly wonderful. His drawings of the structure of the hand are well-nigh perfect. He has particularly clear figures of the shoulder muscles (Figs. 44 and 45).

In Angeiology some of Leonardo's figures illustrate the physiology of Galen (Plate XIB), others are marvels of observation and insight. He has admirable illustrations exhibiting the distribution of blood vessels in leg and arm. Best of all are certain of his drawings of the heart (Plate XIA), some of which exhibit the intra-ventricular moderator band (Fig. 46) centuries before it was recognized by anatomists. He made experiments on the movements of the heart repeated by Harvey (Fig. 47). He also constructed models to illustrate the action of the valves.

Among Leonardo's triumphs in neurology are some extraordinary figures of the brain. He succeeded in injecting the ventricles with a solidifying medium—itself a difficult





FIG. 49.—Diagram of eye by Leonardo showing the *sphæra crystallina*, the supposed seat of vision, in the centre of the globe (Quaderni iv, folio 12 verso).


operation — and obtained casts of the cavities these are the first known attempts at anatomical injection (Fig. 48). His ideas on the structure of the eye are little in advance of his time (Fig. 49).

Leonardo paid much attention to the generative organs (Fig. 50). Some of his figures of those parts, notably that of the child in its mother's womb, are real masterpieces. He had a good idea of the mechanism of parturition. Curiously he figured the placenta as cotyledonous.

It has been mooted whether Leonardo's figures may not have affected Vesalius. So far as direct influence goes, the answer is in the negative. But the atmosphere created by Leonardo and the other great artist anatomists did certainly bear fruit. In that sense the work of Leonardo was not wholly lost, and there are even instances in which the actual mode of repre-



A. From a Thirteenth Century MS. of Roger Bacon at the British Museum (Roy. 7, F.VIII, folio 50 verso). In front is the foramen uvee (pupil). Occupying the centre of the globe is a spherical " crystalline lens " divided into two parts, an *anterior glacialis* and a *posterior glacialis seu humor vitreus*. The structure of the eye is developed along mathematical lines.



B. From the first edition of the *Fabrica* of Vesalius (1543). The crystalline humour (A) still occupies the central position. No great advance has yet been made in ophthalmic anatomy.

[*face p. 92*

sentation adopted by Vesalius bears some resemblance to that of Leonardo. The naturalistic movement in Art which Leonardo represented had, however, the profoundest influence in Anatomy. Without it the subsequent work of Vesalius would have been impossible.




FIG. 50.—Tracing from Leonardo of the outline of the urino-genital system (Quaderni i, folios 11 and 12). It contains many errors. Among them the uterus is given *cornua*. (Compare figures 39, 51, 62.) These are of peculiar form and proceed from the body of the organ. (Compare Fig. 51, in which they are of similar form.) It is probably an early anatomical conception of Leonardo.




FIG. 51.—From the Italian *Fasciculo di Medicina* printed at Venice in 1493. The anatomy though very erroneous exhibits the uterus naturalistically treated. This is the first figure in a printed book in which an internal organ has been drawn from the object. Some have thought the figure was drawn or at least influenced by Leonardo; note the curious lateral projections from the body of the uterus and compare them with those in Fig. 50.



LEONARDO DA VINCI 1452-1518
by himself, from a pastel in the Royal Library, Turin.

[face p. 94

§ 9 *The First Anatomies Printed with Figures*, 1490–1545

Printing with moveable type, invented about 1450, hardly came into extensive use for medical purposes until the last decade of the century. The atmosphere of Art was not slow in reacting on this professional literature. The first instance which can be clearly traced is in an Italian work printed at Venice in 1493, under the title of *Fasciculo di Medicina*. It is




FIG. 52.—The surface muscles drawn for the instruction of artists, from Berengar of Carpi *Commentaria* on Mondino—Bologna, 1521.

a collection of tracts and bears on its first page a portrait of Pietro da Montagnana (died about 1460), a professor at Padua who claimed to have witnessed a number of post-mortem examinations. The longest text is the *Anothomia* of Mondino, illustrated by a magnificent woodcut of a dissection scene, perhaps our best representation of an Academic "Anatomy" (Fig. 35). Another item is a fine figure of the female anatomy

in which the uterus is drawn from the object (Fig. 51). This is the earliest instance in a printed book of a sketch of an




FIG. 53.—The heart from Berengar of Carpi *Isagogæ breves*, Bologna, 1523. The left ventricle is opened and there are shown the *ostiolæ* or valves at the root of the aorta. There is also seen the left *nervus reversus* or recurrent laryngeal nerve and a spiral *auricula sinistra*.

organ of the body. It is from the hand of an excellent draughtsman. A resemblance to certain of the figures of Leonardo has been pointed out.

The artistic spirit thus fermenting in the medical schools soon bore further fruit. From this time on we begin to have illustrated anatomical textbooks, of which the first is that of Jacob Berengar of Carpi (died 1550). He was professor of Surgery at Bologna from 1502 to 1527. During that period he performed many dissections, and published two important anatomical works. One, though modestly put forward as a commentary on Mondino, is in reality an original contribution of considerable value. It is the earliest anatomical treatise that can properly be described as having figures illustrating the text. These figures vary in excellence. Some are not devoid of beauty, and are prepared for the use of artists rather than anatomists (Fig. 52). Carpi does not hesitate to criticize the work on which he professes to comment. Thus, for instance, he denies the existence of the *rete mirabile* below the brain, thereby contradicting not only Mondino but also Galen.

Carpi is the first to describe the vermiform appendix, the first to see the arytenoids as separate cartilages, the first to recognize the larger proportional size of the chest in the male and of the pelvis in the female, the first to give a clear account of the thymus gland. He knows something of the action of the cardiac valves (Fig. 53). His description of the brain is an advance on Mondino, recognizing the general form of the ventricles, the composition of the choroid plexus out of the arteries and veins, the pineal gland and the relations of the fourth ventricle. The language of Berengar is excessively debased, and among the writers we have mentioned he is perhaps the worst Latinist—and this is a position of no mean distinction! Probably his language prevented his works from being more widely read. He is responsible for the barbarous term *Vas deferens*. A contemporary term, derived from no language at all, is *Synovia*, invented by the alchemist, quack, rebel, prophet, and genius, Philip Aureolus Theophrastus Bombastus von Hohenheim, called Paracelsus (1493–1541), whose work lies outside our sphere.

A peculiar development of Anatomy in the first half of the sixteenth century was the vogue of the so-called "fugitive

anatomical sheets". On these were printed figures showing the bare outlines of Anatomy. They were largely used by students of Medicine who then, as now, had no desire to burden their memories with superfluous details. These fugitive sheets are usually inferior to the illustrations in the anatomical textbooks. There is a group of fugitive sheets, however, which are more important for the history of Anatomy. These



FIG. 54.—Johannes Dryander, of Marburg.

were intended not for medical, but for art students, and show the continuing interest in Anatomy in the quarter from which the real reform of Anatomy had come.

An illustrated edition of Mondino's Anatomy was issued by Johannes Dryander, of Marburg (died 1560, Fig. 54), in 1541. It contains a good many figures. Some are quite good, and there is evidence that these were stolen from Vesalius,

who was then at work preparing his masterpiece (Figs. 55, 56). They are peculiarly interesting as exhibiting an otherwise unrepresented stage in the development of the great Reformer of Anatomy.




FIG. 55.—Figure of viscera from Dryander, *Anatomia Mundini*, Marburg, 1541. The legends are thus explained in the original: "This figure shows the position of the intestines. A is upon the fundus of the stomach into the interior of which food and drink pass when it is relaxed; B is the middle part of the stomach; C is the lower part of the stomach called *portanarius*; DE is the passage from the gall bladder by which bile is often poured into the stomach; F is the additamentum of the large intestine in the cæcum; G indicates the cæcum (*monoculus*); KL colon; M rectum; NNN the remaining small intestines." This is the earliest figure showing the vermiform appendix. Compare, however, the figure from Vesalius, Fig. 68, *quarta*. Dryander probably took his drawing from an early sketch of Vesalius.

The most fully illustrated of the pre-Vesalian Anatomies is that of the Frenchman Charles Estienne (1503–64) who sprang

of an eminent family of humanistic printers. He did not dissect publicly. Part of his work, which appeared in 1545, was in preparation as early as 1530, and is thus less than a decade later than that of Berengar, and more than a decade




FIG. 56.—Heart and vessels from Dryander, *Anatomiæ hoc est corporis humani dissectionis*, Marburg, 1537. The same figure is to be found in Dryander's *Anatomia Mundini*, Marburg, 1541. The legends may be thus translated :—

"CC diaphragm ; DBD involucrum of heart, a thin membrane surrounding heart and filled by its substance ; E right ventricle ; F left ventricle ; G right auricle ; HHHH course of *arteria venalis* (pulmonary vein) ; III course of *vena arterialis* (pulmonary artery) ; KQ beginning of aorta ; QM aorta ascendens ; QN aorta descendens ; O trachea ; P great ascending vein ; R veins nourishing heart ; S extremity of the heart."

earlier than that of Vesalius. His hideous figures are copies of those of contemporary artists with anatomical details added (Fig. 57). These illustrations are, however, the earliest, except those of Leonardo, in which whole systems, venous arterial, or

nervous, are shown. The text is largely dependent on Galen. Estienne's best department is, perhaps, that of arthrology, and he has good descriptions of the clavicular joints, of the





FIG. 57.—Charles Estienne, *De dissectione partium corporis humani*, Paris, 1545. The thorax is opened and the heart and lung removed. The arch of the aorta is seen with the vagus nerve A and B on either side and the recurrent laryngeal on the left. The pleura is shown turned back at D and the œsophagus at C penetrating the diaphragm E. At the foot is a very poor figure of the diaphragm, showing the membranous part at A, the foramen for the œsophagus at B, that for the aorta at C, and for the vena cava at D.

temporo-maxilliary articulation and of the joints and ligaments of the spine. He was the first to trace blood-vessels into the substance of bone. His figures display the vermiform appendix,

though in this he was preceded by Dryander (1541). Estienne does not refer to the appendix in his text. He was the first to remark upon the valves in the veins, though of their function he had no inkling. He gives much attention to the form of the muscles, drawn separated from their attachments. Most remarkable of his observations is that of the canal in the spinal cord, which was not again remarked upon until the work of J. B. Senac (1724).

Estienne seems to have had little difficulty in obtaining material for dissection, though he discusses whether the bodies of apes or men should be used. He claims to have seen with his own eye all that he describes. For this, however, he must have had the eye of faith, for he describes structures found in the text of Galen, but not in the human body. He lays much emphasis on glands of which he describes the parotid, the thymus, the lymphatic glands at the roots of the mesentery, and in the armpit and groin, and apparently the lachrymal glands. He injected the blood-vessels with air. He gives an extremely bad and very Galenic figure and description of the vascular system. He has a fairly correct figure of the spleen. The book is one of our best sources for estimating the state of Anatomy immediately preceding Vesalius.

The last of the pre-Vesalian illustrated anatomies that we need consider is that of Giambattistta Canano of Ferrara (1515–79). He was long professor of Medicine in his native town. About the year 1541 he produced a small pamphlet describing the muscles of the arm. He intended to follow it up by others dealing with other parts of the body. The tract was unique for its time in exhibiting each muscle in a separate figure and in approximately correct relation with the bones (Plate XIV). The beautifully drawn figures, owing to the defective paper, have greatly deteriorated since his day. The descriptions are succinct and apt. Had Canano continued the publication it would have made a real landmark in the history of Anatomy. The Jewish physician Amatus Lusitanus (1511–62 ?) dwelt in his house, and with him investigated the valves of the veins. Perhaps discouraged by the appearance of the great work of Vesalius, Canano unfortunately ceased from publication. The future lay with Vesalius.



ARM MUSCLES FROM CANANO

The work of Canano *Musculorum humani corporis picturata dissectio* appeared at Ferrara, probably in 1541. Only the first part appeared and only about twelve copies of the work have survived. It is illustrated with copper plates now much deteriorated. In all the copies the print has come through into the figures and the paper is foxed. This plate is in the nature of a "restoration". It has been obtained by photographing the Dresden copy of the figures. The photographs were then carefully cut away from their background and stuck on a white sheet of paper. Professor Sudhoff of Leipzig kindly supplied the photographs.

[*face p. 102*

§ 10 *The Humanists*, 1450–1550

We have so far considered only practical anatomists. Toward the end of the fifteenth century there arose a class of medical scholar, more concerned with writing than dissecting, but whose influence in the course of Anatomy was so profound that it can hardly be passed over. The fifteenth century saw the beginning of a revolution in education. That revolution, based on the recovery of the ancient classics, had its effects in the study of medicine, notably in Anatomy. We have seen that in the Middle Ages the current anatomical treatises were almost entirely translated from Arabic. Mondino in the early part of the fourteenth century was just beginning to gain access to translation direct from Greek. During the two centuries since Mondino, there had been a progressive increase in these translations from the Greek. They represented not only the ancient writers better than the old-fashioned Latino-Arabic translations, but they also represented better the anatomical facts.

This movement in Medicine was only a part of a great intellectual movement to which the name *humanist* is attached. Humanism affected every department of mental activity. A great number of the humanists were physicians, and not a few were interested in Anatomy. By the middle of the sixteenth century these men had recovered practically all the medical classics that we now possess. Naturally their knowledge of these ancient writings was less well arranged than ours, and critical study was far less advanced than with us. It is, however, substantially true to say that they knew as much as we do of the important anatomical works associated with the names of Galen, Hippocrates, and Aristotle. Complete Greek texts of these and of other ancient medical authors became available in good editions in the first quarter of the sixteenth century. All were early translated into good Latin versions. Moreover, the knowledge of the Latin language was itself improved by the recovery and publication of the Latin classics.

In the course of the humanistic revival of Medicine, the first published work of real influence was an edition

of Celsus, which appeared in 1478 at Florence. This made a considerable change in anatomical knowledge, for Celsus had been quite unknown in the Middle Ages. His excellent Latin created a new standard for medical writing, and many of his anatomical terms came into use. These replaced Arabic and Latino-Arabic words. Some of these words taken from Celsus are among the commonest in our anatomical nomenclature, and have remained in use to this day; among them we note *Abdomen, Anus, Cartilage, Humerus, Occiput, Patella, Radius, Scrotum, Tibia, Tonsil, Uterus, and Vertebra.*

The preparation of translations of Galen occupied a whole host of learned and able medical authors. The corpus of Galenic works provided anatomists with a source of new and exact terms and these again replaced many of the old Arabic and Latino-Arabic words. From these Latin translations of Galen, printed during the sixteenth century, there entered Anatomy a very large number of terms; among them *Allantois, Anastomosis, Aponeurosis, Apophysis, Arytenoid, Azygos, Carotid, Choroid, Condyle, Cremaster, Epididymus, Ginglymus, Glottis, Gomphosis, Hyaloid, Masseter, Meconium, Olecranon, Pancreas, Peritoneum, Psoas, Thyroid, Torcular, Ureter, Zygoma.*

Alessandro Benedetti (about 1455–1525) took a large part in opening the " humanistic period " of Anatomy. He marks also the rise of Padua as a centre of anatomical study. He studied at Padua and afterwards spent a long time in Greece, where he learnt the language. Returning to Padua, he founded there an anatomical theatre where he demonstrated to very large audiences. In 1493 he published *Five books of Anatomy, on the history of the human body.* It contains no new facts. It appeals, however, direct to the Greek Galenic texts passing lightly over the Latino-Arabic versions. We owe to him our term *valve* applied to structures in the heart. His contemporary and colleague, Antonio Beniveni (about 1450–1502), left a series of records of post-mortem examinations which were published posthumously in 1506. This is the first work on Morbid Anatomy.

Of the many humanists who occupied themselves with the

actual work of translation one is of special interest to English readers. Thomas Linacre (1460 ?–1524), physician to Henry VIII, tutor to the Princess Mary, founder and first president of the College of Physicians, a benefactor of both the ancient Universities, and one of the earliest, ablest, and most typical of the English Humanists, spent much energy in this work, for which his abilities peculiarly fitted him. He studied Greek at Padua, which had become a humanist centre. On his return to England he translated no less than six important works of Galen, most of which had anatomical bearing. He added nothing to anatomical knowledge by direct observation, and he looked rather to the form than the substance of the works of the ancient writers.

There was another class of medical humanists, who were occupied in forming synopses, abstracts, and summaries in their own words of the ideas of the ancients. The most typical of these was another Paduan student, J. B. Montanus (1498–1551). He spent much of his energy in expounding the anatomical and physiological views of Galen. It was largely through his influence that the Arabs passed into the shadow in the North Italian Universities. Another member of the same group who stamped himself very deeply on his time was Johannes Günther, of Andernach (1487–1574, Fig. 58). He is, moreover, interesting as representing along with Linacre the spread of Humanism beyond Italy to the North-West of Europe.

Günther exerted influence less by his writings than through his pupils, to whom he endeared himself. He taught at Paris, where he had as students Vesalius (p. 112), Servetus (pp. 113, 140), Rondelet (p. 147), and Dryander (p. 98). Günther was a fine Greek scholar, and translated into Latin many works, including the great treatise *On anatomical procedure* of Galen. More interesting for us are his *Anatomical institutions according to Galen* (1536) and his *Medical knowledge and practice in ancient and modern times* (1571). The first was later edited by Vesalius, and gives, along with the anatomical work of Estienne (p. 100), the best survey of the humanistic pre-Vesalian Anatomy. The second, published after the death of Vesalius, shows the influence of the new Anatomy in an author

of the old school who was by then very advanced in years and had watched the rise of Vesalius. Regarded as a practical anatomist, Günther's achievements are negligible. There



FIG. 58.—Johannes Günther, of Andernach (1487–1574).

can be no doubt, however, that he had occasionally dissected, and that he did something to establish a tolerable anatomical nomenclature.

In connexion with the process of "purification" of anatomical nomenclature and the substitution of Greek for Arabic terms an important agent was an otherwise unimportant ancient writer Julius Pollux (A.D. 134–92). He was a contemporary of Galen. His work *Onomasticon*, without contemporary importance and unknown in the Middle Ages, was quite without influence until printed in 1502. We have therefore refrained from considering it earlier. The *Onomasticon*—the word means simply "vocabulary"—was dedicated to the Emperor Commodus, the son and heir of Marcus Aurelius, and the patient of Galen (see p. 49). It consists of a series of sections, each containing a list of the most important words relating to a particular subject. Attached to these words are short explanations, often with quotations from ancient writers. One of the sections treats of anatomical terms. The text thus published in the sixteenth century became a sort of storehouse from which the Humanist physicians drew words to replace the Arabist terms in current use. Pollux has thus become the source of a good deal of our modern anatomical terminology. From him there have entered Anatomy the words *Amnion*, *Antihelix*, *Antitragus*, *Atlas*, *Axis*, *Canthus*, *Clitoris*, *Cricoid*, *Epistropheus*, *Gastrocnemius*, *Tragus*, and *Trochanter*.

At the end of the fifteenth century practical Anatomy came to be recognized in the University of Paris. The first eminent anatomist of the Paris school was Sylvius (Jacques Dubois, 1478–1555, Fig. 59), whose unlovely character has robbed him of much of the distinction that would otherwise be his. After having pursued other studies, he took a medical degree at Montpellier at the age of 51. He came to Paris, where, in 1531, he began to teach before crowded audiences. There must have been something in his mode of address which gave him so wide an appeal. That something we can perceive in his varied learning and in his admiration for and knowledge of Galen. He is a Humanist getting into touch with practical Anatomy. Obloquy has since fallen on his name in connexion with his unfortunate relations with Vesalius. Yet there can be no doubt that Sylvius was a very able exponent and a man with great capacity for systematic statement. He practised

the art of injection, which though perfectly well known to Leonardo da Vinci and Estienne, seems not to have been used in academic Anatomy before his time.

Looking back on the Paris school from the vantage ground of a later time, we are liable to see it through the eyes of Vesalius. The Reformer of Anatomy, like his teacher, Sylvius, was a child of his age, and it was a



FIG. 59.—Jacobus Sylvius from a contemporary print.

foul-mouthed age. Men habitually spoke of their colleagues in a way that we should now regard as not only unseemly but indecent. Sylvius did not deserve all the ill that has been spoken of him. Despite his Galenism, he made real additions to knowledge. Thus he described the sphenoid for the first time, and the jaw-bones and the vertebral column far better than any previous writer. His power of

systematization enabled him to make improvements in nomenclature, introducing for instance the term *Corpus callosum*. (It is not his name, however, but that of another Sylvius who lived in the following century that has been given to the *Fissure of Sylvius*.) Anatomical nomenclature was in great disorder till the time of our Sylvius, and there can be no doubt that in this, as in other matters, Vesalius owed him a not inconsiderable debt.

Sylvius, living in France and away from the great Italian revival of Art, was quite uninfluenced by that great movement. He poured scorn on the new-fangled use of figures for the illustration of anatomical facts. In this he presented a sharp contrast to his pupil. But even Vesalius, until he reached Italy and came under the spell of Renaissance Art, was but an able, energetic, and learned young Galenist, not sharply differentiated from the older school to which his master belonged. It was the incentive provided by Art which completed his equipment. To the achievements of the great Reformer of Anatomy we now turn.




FIG. 60.—Vesalius (1514–64) from the *Fabrica*, 1543.

IV

MODERN TIMES TO HARVEY, 1543–1628

§ 1 *Vesalius, the Reformer of Anatomy* (1514–64)

FEW disciplines are more surely based on the work of one man than is Anatomy on Vesalius. And yet it can be said that he is, in a sense, a lucky man in the position that he holds in the scientific world. His great work was not the result of a long lifetime of experience, as was that of Morgagni or of Virchow; it was not wrought in the fierce heat of an intellectual furnace as was that of Pasteur or of Claude Bernard; it was not a task of subtle reasoning and skilled experimenting, as was that of Harvey and of Hales. Vesalius was a very characteristic product of his age. The womb of Time was in Labour, and it brought him forth. His intellectual father was the Galenic Science that had gone before him. His mother was that fair creature, the new Art, then in the very bloom of her youth. Until these two had come together there could be no Vesalius. When these two had come together there had to be a Vesalius. If it be genius to be such a product of one's age, then Vesalius was a genius. He was a strong resolute man of clear, firm-knit, and unsubtle mind, and he fulfilled that for which his father and his mother had begotten him. He did no more, and he did no less. If, unrevealed by his one great work, the rock of his soul held yet further fastnesses, he so concealed them that no man has since entered therein, despite all the searchings of the scholars.

Andreas Vesalius was born of a medical family at Brussels. As a boy he was constantly dissecting the bodies of animals. Such tastes are common enough with boys nowadays. Nature study is taught in our schools, and it is easy to get help and hints from books. In the days of Vesalius the study of Nature was little regarded, and no such books had been written. Vesalius had to find his own way.

He studied first at Louvain, afterwards at Paris under Sylvius and Günther. He was thus subjected to a very full and complete Galenic training. We have seen how Anatomy was taught in mediæval times, and the methods of instruction at Louvain and Paris had not greatly improved, though the




FIG. 61.




FIG 62.

FIG. 61.—The male genital system from the *Tabulæ sex* of Vesalius. Venice, 1538.

FIG. 62.—The female genital system from the *Tabulæ sex*, 1538. The two figures and notably Fig. 62 exhibit many traditional errors. Thus the uterus has, between neck and body, the two cornua of mediæval tradition and the cervix is confused with vagina. An endeavour is made, however, to establish an homology between the structures in the two sexes.

texts were vastly better and had undergone revision by the Humanists. With Sylvius, Vesalius quarrelled. Between Günther, a learned and amiable man, and the young Vesalius there subsisted an affectionate mutual regard which the witty acidity of the irrepressible tongue of Vesalius did not

wholly destroy. Another pupil of whom the aged Günther also spoke kindly was that tragically doomed Servetus (Plate XV), as great a contrast to Vesalius as one man may be to another.

The first published anatomical work of Vesalius was a revision of Günther's *Anatomical Institutions according to Galen* (Venice, 1538). His next work appeared in the same year,




FIG. 63.




FIG. 64

FIG. 63.—Male urinogenital system from the *Fabrica* of Vesalius, 1543.
FIG. 64.—Female urinogenital system from the *Fabrica* of Vesalius, 1543.
These figures should be compared to those from the *Tabulæ sex* of 1538, figs. 61 and 62.

and was a set of six fugitive sheets to illustrate the Galenic *Anatomical Institutions*. These *Tabulæ sex* (Figs. 61, 62) were printed after Vesalius had left Paris and had come to Italy, whither, without ado, we may follow him. Great historical interest attaches to these first two anatomical works of the

future Reformer of Anatomy, but they are not in any way revolutionary. The text is frank Galenic Anatomy. True, his fugitive sheets are on a more generous page than any of their predecessors. They are better drawn and more detailed. But they still show the five lobed liver, the *rete mirabile*, the venous system arising from the liver, the portal vessel conveying chyle, the long hepatic vein. They also exhibit the *truncus brachiocephalicus* of the dog, the long, protruding coccyx, of the ape, and the sternum in seven segments of an ungulate. All these are characteristic traits of the old Anatomy. The plates are in fact Galen, well and diagrammatically portrayed. They give a clearer visualization of the working and structure of the body than had yet been set forth, but no fundamental change. Vesalius was not yet 24 years of age.

At Padua he settled, and at the end of 1537 was appointed professor at the University. His basic reform there was to do away with " demonstrators " and " ostensors " in the old sense, and to put his own hand to the business of dissection (Frontispiece). Such a change he had already sought to make, but found difficult in the always conservative environment of the University of Paris. Vesalius was soon lecturing to large audiences, as the famous frontispiece to his work sets forth. His demonstrations were on the human body, and he used living models on whom he marked the outlines of the joints and of other parts. Drawings and skeletons were always at hand. Animals, too, were available for experiment and dissection, and there can be no doubt that, not infrequently, he availed himself of them rather than of the human subject for anatomical description. He was now a Professor on his own account, master in his own department, stimulated by the applause of a concourse of students. The work was carried on with great energy and drive. Every line and every figure of his great book, the product of but five years' activity, is instinct with his virile power. That splendid monograph *On the fabric of the human body* was completed in 1543. Vesalius was still but 28. It was issued at Basel almost simultaneously with a companion *Epitome*, which, however, bears the date of the previous year With these two books, the life-work of Vesalius was completed.

The second edition of the *Fabrica* appeared in 1555, and contains some improvements, but no fundamental changes. From 1543 onward Anatomy becomes Vesalian, while Vesalius himself passes into the background. His life course is well known and is easily accessible. We shall not follow it for it is not of primary importance for the history of Anatomy. For that purpose Vesalius and his great work *On the fabric of the human body* are one. Without the book he would be but a ghost.

§ 2 *Threefold Character of Vesalius: Artist, Humanist, Naturalist*

It may be pointed out that Vesalius has not given his name to any part of the body. In this he differs from many anatomists. We have the canal of Eustachius, the tube of Fallopius, the duct of Botallus, the circle of Willis, the lobe of Spigelius, the fissure of Sylvius, the glands of Bartholin, the island of Reil, the ganglion of Gasser, the cartilage of Arantius, the sinus of Valsalva, the tubercle of Lower, the valves of Morgagni, even the torcular of Herophilus and the veins of Galen. As for Vesalius, he has left his name on the whole fabric of the human body. It was indeed the body as a whole that Vesalius had always in his mind's eye—in the background of his figures, as it were. It was this vision that in making him a great creative anatomist made him, at the same time, a great creative artist. And yet it is just this element in him that makes his work such very difficult reading for us moderns. To understand Vesalius there are certain ideas that come to us almost instinctively of which we must rid ourselves. To understand him we must try to think like Renaissance artists and not like modern evolutionists.

The modern scientific anatomist deals primarily with description and secondarily with origin. He first takes an organ or a part for its own sake and investigates it in detail. Then he treats it comparatively and embryologically, but always from an evolutionary point of view. Not so Vesalius. For him the body is a fabric, a piece of workmanship by the Great Craftsman. The parts he is examining must be fitted

into the system as whole. Furthermore, his Anatomy is essentially *living* Anatomy. The parts are not the subject of morphological treatment, but of investigation as contributing to the existence of that complex vital unit we call a Man. Thus his great general figures of muscles or of bones are not placed in the diagrammatic positions to which we are accustomed in our textbooks, where the parts are shown from front, from back, or from side. By him they are posed as in the living body, and given a background such as that to which they were accustomed during life. The method is used by Vesalius with all the artist's skill, and this was his own. Yet the technique was of his age. We find the same method employed, though more clumsily, by Berengar, by Dryander, and by Estienne. It will be observed that we do not discuss by whose hand the actual drawings were made. For our present purpose this is strictly irrelevant since the artist's mind that conceived them was surely that of Vesalius himself.

Moreover, and this perhaps is yet more important, Vesalius, as a child of his age, could not even as an anatomist help thinking of the end for which man was made. Remember he was steeped in Galen, and it is too much to ask that even he should wholly shake off the yoke of Galenic teleology. But with an artist's mind and eye, Vesalius transmuted that age-old moss-grown scheme into something higher, nobler, more worthy of labour. For him Man is a work of art, God is an artist. He was no philosopher, nor must we seek in his pages for any formal justification of this view. But so much he says, and says well, over and over again. Men and women he saw, as it were, as the Artist's " studies " for his great design. Imperfect studies, indeed. Vesalius did not, like Galen, harp constantly on the perfection of man's form. He had, as we know, criminals, worn-out paupers and bodies wasted by disease on which to practise his art ; yet, such as they were, worthy of our attention as showing forth, however distantly, the design of Man in the mind of the Godhead. To reach closer than these poor corpses to that grand design was the real aim of the anatomist. We think of Anatomy in terms of Evolution, and our question is always " whence " ? and " how ? " Vesalius

thought of Anatomy in terms of Design, and his questions, had he been philosophically articulate, would have been " whither ? " and " why ? "

The vigorous teeming mind of Vesalius presented yet another aspect on which too little stress has been laid. He was a very learned man, one well acquainted with all the new-found wealth of Antiquity which the Humanists were making more and more accessible to the reading public. He himself, in the manner of his time, was not a little vain of his erudition. He makes a great and, to modern eyes, an unnecessary display of his learning in the *Fabrica* and even more in the *Epitome* and in the *Tabulæ sex*. The books are full of Arabic and Hebrew words. To these he was helped by other scholars. Of those languages his knowledge was, in fact, of the slightest. In judging him we must always remember the age in which he lived. The great intellectual battle was still being waged between the " Arabists " and the " Humanists ". The Humanists were winning, but as yet the issue of the conflict was by no means clear. Thus the constant reference to Arabic and Hebrew was something more than mere vain show, though it must be admitted there is, too, something of the showman in Vesalius. With the Greek language, however, he had considerable facility. So far as the Latin translations of the Greek, Arabic, and Hebrew classics were concerned, there can be no doubt that Vesalius was a highly accomplished man and more critical than most scholars of his time.

Vesalius occupied himself to a considerable extent with editing the actual works of Galen. Many terms of Galenic origin thus naturally entered his vocabulary. Many more he borrowed from Günther and the other humanist physicians, and from the editions of Celsus and Pollux. Some anatomical terms he invented for himself. To him, for instance, we owe *Atlas*, applied to the first cervical vertebra (Pollux who uses the word applies it to the seventh), *Alveolus*, *Choanæ* (in the modern connotation), *Corpus callosum* (probably first used by Sylvius, but introduced first to the printed page by Vesalius), *Incus*, and *Mitral valve*

We must thus think of Vesalius as trebly equipped for his

task ; firstly, by his own native genius for dissection, developed with Sylvius at Paris and stimulated by the freedom of



FIG. 65.—Historiated initials from the *Fabrica* of Vesalius. All the historiated initials in the book show little cupids performing various anatomical operations. In many of them Vesalius seems to be poking fun at his students.

A. Vivisection of a pig (see also Fig. 73). The trachea is being opened. Vesalius describes how the animal may be kept alive by the action of a pair of bellows inserted in the trachea even if the thorax is opened. Below to the left a cupid is playing with a razor.

B. Boiling a skull. On this question of boiling bones see p. 85.

C. Hoisting the body of a dog on to a gallows tree for the purpose of dissection.

D. A "resurrection party".

teaching at Padua ; secondly, by the current attitude toward the human body exalted by contact with Renaissance Art ;

thirdly, by an admirable education, according to the standards of the time, directed along humanist lines by Günther, one of the ablest medical Humanists of the day For the complete understanding of the *Fabrica* we must remember, too, that Vesalius was a man of superabounding energy who rejoiced in the spoken word. Much of the book is *spoken Latin*, and must be read as though delivered at lecture.

In estimating the anatomical standpoint of Vesalius, too much has sometimes been made of his " anti-Galenism ". In this connexion it must be remembered that in the very years in which he was most busily occupied on the *Fabrica* the leisure of Vesalius was largely devoted to editing Galenic works. His *Tabulæ sex* and his edition of Günther's *Institutiones anatomicæ*, both of which appeared in 1538, certainly represent an early stage in the development of his mind. Not so his editions of works of Galen. In 1541 the great Venice printing firm of Giunta brought out a fine edition of Galen in Latin which is still of value for the study of that author. One of the contributors to it was Vesalius, who edited the works *On the dissection of the nerves*, *On the dissection of the veins and arteries*, and the great treatise *On anatomical procedure*. Moreover, the numberless references to Galen in the *Fabrica* exhibit the respect of the Reformer of Anatomy for the opinion of the Prince of Physicians. Of a truth it was hardly open to Vesalius to do other than build on Galen. The Galenic works, now accessible in good recent versions to which Vesalius himself had thus contributed, presented by far the best current anatomical accounts. The tone of much of the criticism of Galen is not, it is true, that which a modern writer would adopt. This we must put down to the custom of the time.

§ 3 *On the Supply of Anatomical Material in the Fifteenth and Sixteenth Centuries*

Vesalius has always been regarded as the first modern anatomist to place his study on a firm foundation of observation. It is sometimes forgotten how small his opportunities really were. Thus, between 1537 and 1542 the whole of his experience of the female generative organs was

founded on six bodies. Three had to be used for public demonstration. Of the others, one was of a six-year-old girl and had been stolen by a student from the grave. It was in a wretched state of preservation, and could hardly be used except for the study of the bones. There thus remained only two for purposes of private study. Of these one was a pregnant



FIG. 66.—The Uterus and Vagina from the *Fabrica*. The organ is figured as bifid and split longitudinally. The legends may be translated as follows: "AA, BB, sinuses of the *fundus uteri*; CD, a line, somewhat like a suture, projecting slightly into the *fundus uteri*; EE, the thickness of the inner and proper tunic of the *fundus uteri*; FF, a portion of the inner *fundus uteri* projecting downwards from its surface; GG, orifice of the *fundus uteri*; HH, second and external covering of the *fundus uteri* reflected from the peritoneum; IIII, by this we indicate the membranes on both sides which are reflected from the peritoneum and contain the uterus; K, the substance of the *cervix uteri*; L, a part of the neck of the bladder."

woman that had been murdered. Vesalius seems to have been forced to dissect this body very rapidly in the course of a post-mortem examination, conducted for judicial purposes. In accord with this is the inferiority of his description of the pregnant uterus and fœtus. The remaining female corpse was of a woman that had been hanged. It is on her that the

anatomy of the female generative organs in the *Fabrica* is substantially based (Fig. 66). Small wonder that Vesalius followed Galen in frequently drawing his conclusions from the bodies of animals !

This is the appropriate place to discuss the method of obtaining anatomical material during the periods of the Middle Ages and the Renaissance. Access had improved since the times of Mondino. At Bologna in the fourteenth century teachers were appointed by the students, and they were bound, according to the Statutes of the University, to dissect such corpses as were brought to them for the purpose. In 1319, during Mondino's lifetime, we hear of students at Bologna being prosecuted for body-snatching. Guy de Chauliac, who was a student at Bologna later in the century, says that his teacher often dissected. The bodies seem usually to have been those of criminals. No formal permission was given save perhaps for post-mortem examination in the course of legal processes. Gradually, however, the authorities came to wink at the proceedings.

Early in the fifteenth century (1405) Padua was incorporated in the Republic of Venice where the rule was less under ecclesiastical control than at Bologna, so that even the skeleton could be adequately studied (cf. p. 85). A Paduan surgeon (Bertapaglia) tells of having witnessed dissection in 1439 and 1440 and Montagnana (p. 95) in 1444 had seen fourteen post-mortems there. The situation throughout Italy was doubtless eased under the Papacy of Sixtus IV (1471–84) and more so under Clement VII (1523–4). Yet later Rome itself became something of an anatomical centre, though less important than Padua or Bologna.

From the early part of the fifteenth century onward the supply of bodies for dissection or post-mortem examination seems to have been fairly steady. To obtain them was doubtless then, as now, largely a matter of tact and judgment. Private workers and practitioners such as Leonardo da Vinci (p. 91), Michelangelo (p. 90), Charles Estienne (p. 100), and Antonio Beniveni (p. 104), seem to have been particularly successful. The last expresses his surprise at being refused a post-mortem, but naturally post-mortem examination was

always easier to obtain than permission for actual anatomical dissection.

The professed teachers of Anatomy usually had more difficulty. They were naturally more suspect. But then, as now, the difficulty of obtaining permission for a post-mortem examination was less with the educated than with the ignorant classes. Thus Vesalius tells us that at Louvain he had no difficulty in obtaining permission to open the body of the daughter of a noble family. Post-mortem examination, indeed, is one thing, dissection another. There is no doubt, however, that by the sixteenth century the situation had improved. The embarrassments of Berengar (p. 97) at Papal Bologna were not greater than those of Vesalius at the capital of France or in Venetian Padua. Vesalius had sometimes to rely on body-snatching at both places (Fig. 65). Eustachius at Rome must have used a great number of bodies for his work, which, as a professor at an ecclesiastical college, was performed with the knowledge of the clerical authorities. From about the middle of the sixteenth century the advance of Anatomy in Italy does not seem to have been greatly checked by lack of material.

§ 4 *The Seven Books of the Fabrica of Vesalius*, 1543

We now turn to examine some details of the anatomical masterpiece of Vesalius. We may remind the reader that this book is not only the foundation of modern Medicine as a Science, but the first great positive achievement of Science itself in modern times. As such it ranks with another work that appeared in the same year, the treatise of Nicholas Copernicus *On the Revolutions of the Celestial Spheres*. The work of Copernicus removed the earth from the centre of the Universe : that of Vesalius revealed the real structure of man's body. Between the two they destroyed for ever the favourite mediæval theory of Macrocosm and Microcosm (p. 65).

But the work of Copernicus is one of close and subtle reasoning. It is hardly a great exposition of what we now call the " Experimental Method ". That of Vesalius is a vast and not ill-arranged collection of new observations.

It more nearly resembles a modern scientific monograph than does the treatise of Copernicus. Apart from its interest for our particular theme, the work of Vesalius is of high philosophic value as the first great original treatise involving a large amount of observation in any department.

Any attempt to treat the great work of Vesalius comprehensively would demand a volume. We can but glean from it. There are, in fact, two books that appeared from the pen of Vesalius in 1543. In addition to the famous *Fabrica* there was issued also by him an *Epitome* of the work intended for those who were not students of medicine. The figures in the *Epitome* differ slightly from those in the *Fabrica*. We shall treat the two works together basing our remarks on the *Fabrica*.

Vesalius *On the fabric of the human body* is divided into seven books. The first is devoted to bones and joints, the general classification of which is taken direct from Galen. The first bone to be described is the cranium. Those who have not examined the work of Vesalius may be surprised to find a classification of skulls into long, broad, round, etc. These types are figured, and are much the same as those distinguished by modern anthropologists. The sphenoid bone is figured for the first time. A lacuna which appears in it occasionally is described by him, and has since been called the *Foramen of Vesalius*. The Incus and Malleus also appear for the first time in figures, but the Stapes is omitted.

Vesalius contradicts Galen in denying that man has a separate Pre-maxillary bone and he contrasts him in this respect with the dog (Fig. 67). Oddly enough, his figure of the Hyoid bone is probably actually taken from the dog. Vesalius has admirable representations of the vertebræ in the different regions, distinguishing their types, comparing them with those of the ape, and bringing out the salient features in the spinal curves. His figures of the ribs are less satisfactory, and contain a considerable number of errors.

The scapula is not among the best figures of Vesalius. He compares it, too, with that of the dog. The sternum is better. It is described in only three parts, instead of segmented into seven as in the *Tabulæ sex*. He has a good and extensive

description of the clavicle, of which the separate cartilages are described. The long bones of the upper arm are too short and rather clumsily rendered but the hand and wrist bones are excellent. Vesalius was the first to give any tolerable description of the carpus. He describes, however, a very minute extra bone at the base of the fifth metacarpal, which, he says, only exists occasionally. He shows, in opposition to Galen, that the bones of the hand contain marrow.



FIG. 67.—Skull of man and dog from the *Fabrica*. The figure is used by Vesalius to illustrate the point, among others, that in the human skull there is no separate premaxillary bone and that in this point it differs from that of the dog.

The figures of the pelvic bones are good and mark a great advance on his *Tabulæ sex* of 1538. The same criticism as was made of his descriptions of the long bones of the upper limb applies also to those of the lower. In the foot, in the angle between the tubercle of the fifth metatarsal and

the cuboid bone, he regularly figures a small round bone corresponding with that which he describes in the hand. This bone, in fact, has no existence. Several instances of the separation of the tuberosity of the fifth metatarsal have, however, been recorded, and the separate portion named *Os Vesalianum*. It is a great pity that the only structures named after Vesalius should record his errors in mistaking the abnormal for the normal.

Among the least satisfactory of the descriptions of Vesalius is that of the laryngeal cartilage, perhaps taken from the dog, whilst among the greatest glories of his book are the three exquisite cuts of complete skeletons drawn in dramatic attitudes (Figs. 102–4). He makes these dry bones live.

Before leaving the account of the bones by Vesalius, we may recall the fact that a skeleton prepared by him is still extant. In 1546 Vesalius passed through Basel, where the *Fabrica* had been printed three years before. His reputation was now firmly established. He had with him a skeleton, on which he was invited to demonstrate. On leaving the town he presented it to the University, in whose charge it remains to this day. It is the oldest anatomical preparation in existence.

The second book of the *Fabrica* is devoted to the muscles. The great series of muscle figures (Figs. 105–11) rivals that of the three skeletons as a triumph of anatomical illustration. One of the poses, we note, is traditional, and has been traced to a diagram of Mondeville (compare Fig. 109 and Plate XD). To appreciate the muscle figures of the *Fabrica* they should be examined in conjunction with the seven similar full-page figures in the *Epitome* (Figs. 112–16) and with the works of Berengar of Carpi (Fig. 52), of Estienne (Fig. 57), of Canano (Plate XIV), and of Eustachius (Fig. 74).

It will be seen that the great muscle figures of Vesalius are immeasurably superior to those of Berengar, who, however, had set himself a task somewhat similar to that of Vesalius, and had employed a by no means contemptible artist. Estienne's work is more complete than that of Berengar but utterly inferior to that of Vesalius. On the other hand, the method adopted by Canano has certain

advantages and undeniably brings out points not well illustrated by Vesalius. When we compare Eustachius with Vesalius, we are comparing men of similar intellectual rank, though of very different anatomical outlook. Eustachius is picturing dead Anatomy, Vesalius living. From the point of view of distinguishing anatomical details, however, Eustachius is often, perhaps usually, the superior, showing for instance the nerve supply, a matter omitted by Vesalius.

The figures of Vesalius exhibit the muscles in a state of contraction, and almost invariably suggest movement and activity. In one very interesting figure there is an extension of the *rectus abdominis* upwards over the upper ribs as in monkeys (Fig. 107) ; in the text he refers to this difference between the human and simian anatomy. Vesalius made constant attempts to determine the actual mode of action of each muscle and tendon, and he has an entertaining figure illustrating the working of the annular ligaments of the foot. He describes a seventh muscle of the eye, the *choanoides*, as a normal human structure. It is, in fact, only found in animals, as was later shown by his successor, Casserio (p. 161). On the other hand, Vesalius failed to distinguish the human *levator palpebræ*.

The third book is devoted to the vascular system (Fig. 68). The several diagrams of the veins which open this book contain some errors, and the book is perhaps on the whole the least satisfactory of all. The treatment of the vascular system is, however, immeasurably superior to that of Estienne, who attempts a like scheme. The figure of the azygos vein by Vesalius is inferior to that by Eustachius and the general diagram of the arterial system provided by Vesalius is poor. He gives us, however, a striking diagram of the veins of the brain. Of the pulmonary vessels, both arterial and venous, there are remarkable representations exhibiting their complete course with heart and lungs dissected away. It is difficult to see how such preparations could have been made save by a method of injection. The book ends with a large figure of the vascular system and a page of diagrams of various organs (Fig. 68). The latter, says Vesalius, are to be cut out and pasted on to the former. This is the first instance in which the type of demonstration by moveable layers is adopted. It




FIG. 68.—A page from the *Epitome*. The figures are most of them reproduced in the *Fabrica* from the same block.

is not a useful method, and has since fallen into desuetude save for popular purposes. In our period, however, it was developed occasionally in fugitive sheets and especially by Hans Remmelin (1583–1630) in his *Catoptron microcosmicum* first printed in 1613.

The fourth book of the *Fabrica* treats of the nervous system (Fig. 69). The figures rank below those of the osseous and muscular systems. The book opens with a poor view of the base of the brain. The olfactory tract is defectively represented and the olfactory bulb cannot be seen; the optic nerve is wrongly drawn; the origins of the oculo-motor, trochlear and abducent are all falsely represented; the roots of the trigeminal facial and auditory are very confused, and the remaining roots are badly rendered. The classification of nerves adopted is into seven pairs, as in Galen (p. 56) and Mondino. The *pons* is unrepresented. The general surface of the cerebrum and cerebellum are fairly well portrayed. There follows a very crude figure of the brain and cranial nerves viewed from the side; the general discussion of the brain itself is, however, deferred to the seventh book. We notice a clear and excellent figure of the recurrent laryngeal nerves, exhibiting the difference in their course on the two sides (Fig. 70). They are figured, however, from an animal subject. The course had already been admirably described by Galen (p. 56). In the text Vesalius gives a good account of the action of these nerves. The description of the spinal cord itself is poor, and he fails to distinguish the two sets of roots to the spinal nerves. The account of the brachial plexus is imperfect, but that of the lumbo-sacral plexus is better. The sympathetic trunk is described as a branch of the vagus.

The fifth book is devoted to the abdominal viscera. These are passed over more cursorily than might have been expected, but in many points the brief description is excellent. The book opens with a figure of the abdominal wall from which the muscles have been removed and the posterior wall of the Rectus sheath exposed. The Great Omentum and the general lay-out of the intestines are then described and figured. The intestines and their attachments are excellently shown in a




FIG. 69.—The nervous system from the *Fabrica*. An identical figure printed from the same block is to be found in the *Epitome*.

series of figures. Curiously enough, the Vermiform Appendix is not mentioned in the text, though it is clearly portrayed at least three times in the figures (Fig. 68 *quarta*). There is a good figure of the great mesenteric gland, the ' Pancreas Aselli '. Great emphasis is laid on the gall bladder in the true line of mediæval tradition. The treatment of the stomach, liver, spleen, and kidneys is inadequate. The description of the male generative organs, their form, blood supply, and relations, is




FIG. 70.—Dissection of heart and adjacent parts showing recurrent laryngeal nerves from *Fabrica*. Compare the description of Galen as represented in Fig. 29.

fair (Fig. 63). The description of the female system is, however, mediæval and full of errors (Fig. 64). These errors are set forth also in the figures of Vesalius, and through them they have been perpetuated in popular Anatomy. Figures of the female generative organs almost exactly similar to those of Vesalius are, in fact, circulating to this day in popular works. The uterus is represented as

slightly bifid (Fig. 66) and is compared with that of a cow and of a bitch. The account of the embryo is negligible. We have already discussed the reason for the very imperfect account of the female generative organs (p. 120). There is a crude discussion of the kidney, in which the pelvis is described and represented as divided in two by a sieve-like structure.




FIG. 71.—Dissections of the heart from the *Fabrica*. The various valves are shown and also the interventricular septum. Vesalius remarks on the pits in the septum and says they are imperforate and a bristle cannot be passed through them. The point is of importance in connexion with the interpretation of the Galenic physiological system. See p. 132.

The idea is taken from Galen and exhibits no advance on Mondino (p. 81). In discussing this organ the sieve is represented diagrammatically.

The sixth book contains a description of the heart and lungs. It opens with a figure which appears in many subsequent anatomical works. In it the chest is opened from the

side, exhibiting the Phrenic Nerve. The lungs are very briefly treated, and in the figures the right lung is divided into only two lobes. The account of the heart is good and interesting. The physiology of Galen (p. 58) is generally accepted as regards the heart's action, although the position is somewhat altered in the second edition of 1555. Interest naturally concentrates on the description of the septum. Vesalius says that he has tried to put bristles through the pits there (Fig. 71), but has failed.

The seventh book treats of the brain and includes a series of very fine figures of an absolutely pioneer character. It opens with an excellent representation of a head from which the calvaria has been removed. The middle meningeal artery can be seen meandering across the surface of the dura. This is followed by a series of dissections and horizontal sections of the brain. They exhibit admirably and clearly a whole series of structures (Fig. 72). In the ventricles can be seen quite distinctly the *caudate nucleus*, the *thalamus*, the *stria terminalis*, the *choroid plexus*, the *fornix*, and the beginning of the *hippocampus major*. In the substance of the brain we may distinguish a general division between white and grey matter, the *internal capsule*, the *caudate nucleus*, and the *lenticular nucleus*, showing the division into *putamen* and the *globus pallidus*. There is also an excellent account and view of the mid brain involving the pineal gland, *pulvinar*, the *corpora quadrigemina*, and the *superior* and *middle cerebral peduncles* extending downwards to the *bulb*. The *fourth ventricle* is well shown. The cerebellum is lightly treated.

Emphasis is laid by Vesalius on the pituitary gland and its fossa. Especially he deals with the supposed relation to the *rete mirabile*, the existence of which he does not wholly reject. His figure of this structure, he says, is made to fit the description of Galen! This shows how deeply steeped he was in the Galenic physiology. There follows an extremely bad account of the internal structure of the eye (Plate XIIB). Vesalius had no idea of the functions of the different parts of this organ. Following all mediæval anatomists, he regards the *crystalline lens* as spherical and he places it in the centre of the globe of the eye (cf. Fig. 49). He considers that it performs the

functions which we now ascribe to the retina. These errors were not corrected until 1583, when the Swiss anatomist Felix Plater (1536–1614), in a work published, like the *Fabrica*, at Basel, but exactly forty years later, began to put the physiology of the eye on a modern basis. Minor corrections in the anatomy of the eye had already been made



FIG. 72.—A series of dissections of the brain, from the *Fabrica*.

at that time by Columbus. The description of the other organs of special sense by Vesalius is wholly inadequate.

The work terminates with a very interesting little chapter *On the dissection of living animals*, which is worth translation *in extenso*. It deals with the methods of physiological experiment available at the time. Comparatively little

advance is exhibited on the methods of Galen, but the subject is skilfully and succinctly handled.

Among the experiments that Vesalius enumerates are excision of the spleen—the loss of which he showed was consistent with life—and cessation of voice with the cutting of the recurrent laryngeal nerves. He demonstrated that longitudinal section of a muscle interfered little with its function, but cross section produced disability in proportion to the injury. Such experiments had been performed by Galen in antiquity who had also reached the same conclusions as Vesalius that it is through the spinal cord that the brain acts on the various muscles of the limbs and trunk. Vesalius repeats Galen's experiments on section of the Spinal Cord (p. 60). More original is his observation that nervous



FIG. 73.—A pig prepared for operation, from the *Fabrica*.

impulses pass not through the sheath but through the substance of the nerve. Even more striking are his experiments on respiration. Here he showed that even though the thoracic wall be pierced the animal may be kept alive by aerating the lungs by means of a bellows and that a flagging heart may be revived by similar means.

The work of Vesalius was often reprinted. After the first publication, the *Fabrica* appeared in at least twenty-five editions between the years 1543 and 1782, being issued from the presses at Augsburg, Basel, Cologne, Ingolstadt, Leyden, London, Nuremberg, Paris, and Venice. The figures of Vesalius were copied and plagiarized from the beginning. Among the more shameless were Ambrose Paré (1510–90),

who reproduced them without acknowledgment in 1551 and afterwards, and Helkiah Crooke (1576–1635), who plagiarized them in 1615. The latter, particularly, adds insult to injury by accusing Vesalius of having slighted Galen !

§ 5 *Eustachius, Rival of Vesalius, flourished* 1550–74

A name that has not been sufficiently recognized in the history of Anatomy is that of Bartolomeo Eustachio (1520–74). Eustachius belonged to a different school to Vesalius, and does not seem to have been connected with the North Italian Universities. He practised in clerical circles in Rome, and was a great upholder of Galen. Eustachius resembled Leonardo in that his anatomical achievement was very much greater than the influence which he exerted, and this for a similar reason. His work—with certain insignificant exceptions—was not published during his lifetime, and nearly all the text is lost. The splendid copper plates that he had prepared were, however, discovered in the early eighteenth century, and were presented by Pope Clement XI to his physician Lancisi (1655–1720), who published them in 1714 with his own explanations. For purposes of study, the edition issued at Leyden in 1744 with the legends of B. S. Albinus (1697–1770) is perhaps more valuable. Had these plates of Eustachius appeared in 1552, when completed, his name would have stood by the side of Vesalius as one of the founders of modern Anatomy. The plates of Eustachius are less beautiful than those of Vesalius. They present dead and not living Anatomy. They are, however, more accurate, and they contain such a multitude of discoveries that for originality Eustachius has only Leonardo and Vesalius as superiors among modern anatomists. We may rapidly run through these plates, discussing some of the more salient points.

The figures of the kidney by Eustachius are among the few published during his lifetime, and are superior to those of Vesalius. In discussing them he attacks Vesalius for having represented the kidney of a dog in place of that of a man. His treatment of the kidney introduced the study of anatomical




FIG. 74.—From Bartolomeo Eustachio, *Tabulæ anatomicæ*, edited by J. M. Lancisi, Romc, 1714. Plate showing vascular system with general relations of blood vessels to muscles.

variations. The subject was hardly considered till modern times, but Eustachius applies it to many other parts, kidney, azygos vein and veins of the arm (Fig. 75), brachial artery, innominate artery, gastric blood supply, etc. He has excellent



FIG. 75.—From Bartolomeo Eustachio, *Opuscula Anatomica*, Venice, 1563. I and II, system of veins in the arm of man; III and IV, veins in the arm of an ape; V, veins in the arm of a dog; VI, right auricle and ventricle opened, showing musculi papillares, fossa ovalis, annulus ovalis, Eustachian valve, and coronary valve.

figures of the ear ossicles, and the *tensor tympani* in man and in the dog. Oddly enough, however, he has no figure of the tube to which his name is now attached. The description of that structure is to be found in his work *Examination of*

the organ of hearing, which was published during his lifetime in 1562. The Eustachian tube was known to Alcmæon as long ago as 500 B.C., and Aristotle also refers to it. There is, moreover, evidence that two contemporaries of Eustachius, Vesalius and Ingrassias (1510–80), were acquainted with it. Eustachius investigated also the internal ear, and we owe to him the term *Modiolus*.

During his lifetime Eustachius published a figure of the heart showing the *fossa ovalis* (Fig. 75), which he claimed as a discovery. It had, however, been described by Sylvius and is shown in a figure of Vesalius (Fig. 71). He rendered the cardiac vessels well. Eustachius displays quite correctly the relations of vein, artery, and bronchus in the lung in a manner which was not even attempted by Vesalius. The drawings by Eustachius of the abdominal viscera are about equal in accuracy to those of Vesalius, though inferior in beauty. Eustachius, however, shows a large number of abdominal lymph glands, which Vesalius had not observed. The figures by Eustachius of the female generative organs escape some errors into which Vesalius had fallen. The figures of the nervous system by Eustachius are, in general, inferior to those of Vesalius. Nevertheless, the glory of the whole Eustachian collection is a truly magnificent drawing of the Sympathetic System (Fig. 77). We doubt if any better and clearer portrayal of the connexions of that system as a whole had been set forth until our own day. It is a really great anatomical figure, and is by itself sufficient to place Eustachius in the front rank of anatomists. The same remarkable figure shows the base of the brain, with the roots of the cranial nerves far more clearly and accurately rendered than by Vesalius. The *pons*, too, is shown better than by Varolius, whose name is now attached to it (Fig. 78).

The muscle figures of Eustachius are very stiff and ugly compared with those of Vesalius, but are much superior in their detailed accuracy and in the fact that the nerve and blood supplies are shown (Fig. 74). The general diagram of the arterial and venous systems are at least equal to those of Vesalius. Eustachius has also a series of muscle figures without the nerves; among these and beyond anything that we have in Vesalius are the representations

of the muscles of the face and of the laryngeal apparatus. In his treatment of the organ of voice, indeed, Eustachius easily surpasses his great rival (Fig. 76). The work




FIG. 76.—From Eustachio, *Tabulæ anatomicæ*, edited by J. M. Lancisi, Rome, 1714, showing dissections of larynx.

terminates with a series of figures of bones inferior to the Vesalian plates at almost all points. It is interesting to see here a figure of the skull of an ape placed by the side of the human structure. It has not been generally observed that

Eustachius described the thoracic duct nearly a century before Jean Pecquet (1622–74) wrote his *New Anatomical Observations* (1651), with his account of the *receptaculum chyli*. Eustachius gives no figure of the thoracic duct, but he says that in horses it is like a white vein, that it brings chyle to the heart, that it has on it a half-moon shaped swelling, and that it opens into the internal jugular veins.

§ 6 *The Followers of Vesalius*, 1550–90

The tragic story of Michael Servetus (1511–53, Plate XV) hardly affected the course of Anatomy, save in so far as his doctrine of the lesser circulation may have influenced Columbus and through him Harvey. It has not usually been observed that Servetus practically reverts from the physiology of Galen to that of Erasistratus, adopting two kinds of spirit instead of three. It will be remembered how near Erasistratus came to discovering the circulation (pp. 32–3). Servetus, like Vesalius, was a favourite pupil of Günther. It is with the school of Vesalius that we now have to deal.

In the first line comes Realdus Columbus (1516 ?–59), of whose attainments very different estimates have been formed. Columbus was assistant to Vesalius, and is mentioned by him with generosity. He taught Anatomy at Padua in succession to Vesalius, and his anatomical work appeared posthumously in 1559. It is essentially a "textbook", containing few original observations, but better arranged and easier to read than that of his great teacher. It loses greatly, however, by being devoid of illustration.

The textbook of Columbus, though retrograding at some points from the Vesalian standpoint, yet often exhibits real advances. We may leave aside the question to what extent these discoveries were made by Columbus himself. He certainly deserves credit for having displaced the lens from its age-old position in the centre of the globe of the eye, where even Leonardo and Vesalius had left it. Columbus is particularly strong on regional Anatomy, and his descriptions of the Mediastinum, of the Pleura, and of the Peritoneum are far ahead of anything that had preceded him. The modern use of the term *Pelvis* dates from Columbus, as does also *Bregma*, a word



SERVETUS IN PRISON

From the statue by Clothilde Roche at Annemasse, Haute-Savoie, France (four miles from Geneva).

[*face p. 140*




FIG. 77.—From Bartolomeo Eustachio, *Tabulæ anatomicæ*, edited by J. M. Lancisi, Rome, 1714. Plate showing the base of the brain and the sympathetic nervous system. The figures of the base of the brain are better than those of Varolio (see Fig. 77), and the figure of the sympathetic is one of the best and clearest of that system and its connexions that has ever been produced.

he drew from Aristotle. In the chapter on the larynx Columbus accused his master Vesalius of having demonstrated and described the larynx, the tongue, and the eye of the ox instead of the human organs. In the case of the larynx, however, it is much more likely that Vesalius used the dog, if not working on the human subject. The charge of fraud brought by Columbus against the man to whom he owed so much does not read pleasantly.

The chapter on vivisection in the work of Columbus is good and clear. In it we naturally turn to the paragraph on the action of the heart, and we there find the observation that cardiac systole is synchronous with arterial expansion, and cardiac diastole with arterial contraction, the reverse having been the belief of more ancient writers. This observation is probably really his own, and greatly to his credit. Columbus notes also that the pulsation of the brain is synchronous with the pulsation of the arteries. The attention that he gives to the movements of the heart and lungs is important as showing the interest in these subjects at the Paduan school forty years before Harvey came there. Columbus demonstrated *experimentally* that the blood passes from the lung into the pulmonary vein. It is well known that as regards the idea of a lesser circulation Columbus was preceded by Servetus. The book of Servetus appeared in 1553. The entire issue, save three copies, was burned, along with its author, in the same year. Columbus has been accused of taking the idea of the lesser circulation from Servetus, but the evidence is inadequate. In any event the credit of the *demonstration* still rests with Columbus.

It is important to note that Columbus does not hestitate to attack Aristotle, though Padua was, and long remained, the centre of Aristotelian study and was, in this respect, the most conservative of the Italian Universities. Harvey himself bears many marks of that conservative Paduan Aristotelian tradition, for opposition to which Galileo suffered so sorely.

Gabriel Fallopius (1523–62) was another pupil of Vesalius at Padua, and succeeded Columbus as a teacher there. His *Anatomical Observations*, printed in 1561, contain descriptions of the tubes named after him, and of the ovaries and of the

round ligaments. Fallopius gave the scientific names that they now bear to the *Vagina* and *Placenta*. He introduced into anatomy the terms *Cochlea, Labyrinth, Hard and Soft Palate,* and *Velum Palati*. He rendered the first account of the *Chorda Tympani*, of the semi-circular canals, and the sphenoidal sinuses and of the 'aqueduct' named 'Fallopian'. His descriptions of the trigeminal, auditory, and glosso-pharyngeal nerves were the best up to their time. He described the trochlear nerve as a separate root. His work called forth a famous rejoinder from Vesalius. Fallopius was a very effective teacher, and by his character and manner impressed himself




FIG. 78.—Base of brain from Costanzo Varolio, *De nervis opticis nonnullisque aliis præter communem opinionem in humano capite observatis*, Padua, 1573. In the accompanying description we read that the part bearing the letter *h* is a *Processus transversalis cerebri, qui dicitur Pons*.

more on his contemporaries than he has on subsequent anatomical literature. His early death limited his output, but we shall trace his influence in the work of his pupils, Coiter (p. 148) and Fabricius (p. 153).

Inferior to these teachers of the direct Vesalian line was a professor at the rival school of Bologna, one Constanzo Varolio (1543–78). His only important anatomical work appeared without his permission in 1573 and treated of

the base of the brain. It contains a few crude figures displaying the *pons* (Fig. 78), which is still called after him, but is much worse rendered than in the figure of Eustachius. Another Bologna professor, Giulio Aranzi or Arantius (1530–89) produced a book *On the human fœtus* in 1564 and *Anatomical observations* in 1587, in both of which works anatomical discoveries of some significance were announced. He gave the first adequate printed account of the gravid uterus, and finally dispelled the idea of a human cotyledonous placenta. Many had believed in this before his time, and, as we have seen, a cotyledonous human placenta figures in the magnificent drawings of Leonardo. Arantius gives a noteworthy description of the Anatomy of the fœtus, by far the best up to his time. He especially examined the fœtal heart, and saw the *ductus arteriosus* and the *foramen ovale*. He paid great attention also to the vascular system of the adult and gave a good description of the lesser circulation which did not, however, advance beyond the standpoint of Columbus. He described the little nodules of cartilage in the semi-lunar valves to which his name is now attached. Vidus Vidius (died 1569) had already described them in a work which however, was not printed till 1611. This book of Vidius contains the first published figure of the Sympathetic. It is, however, far inferior to that of Eustachius, which was prepared much earlier but published much later. Vidius is commemorated in the Vidian nerve, artery, canal, and vein.

Special attention to the heart of both fœtus and adult was paid about this time by the Roman anatomist, Archangelo Piccolomini (1526–1605), who gives very poor figures of the *ductus arteriosus* in his *Anatomical Lectures* published at Rome in 1586. This work is of little worth, but has acquired some interest from the fact that Harvey largely depended on it. Another inferior contemporary anatomist whose textbook Harvey studied was the Provencal, André du Laurens, (died 1609) of Montpellier. His textbook, which appeared in 1595, was the most popular of its time, and was frequently reprinted. It was well illustrated. Du Laurens took most of his figures from Vesalius, and made few observations on his own account. Among the few were those on the skeleton

of the child at different ages. He gives a figure of the *cauda equina* drawn just like a horse's tail. The term *cauda equina*, which we owe to him, is said to be the translation of a Hebrew term found in the *Talmud*. He is also responsible for the terms *Optic Chiasma* and *Phalanx* in their modern application.

§ 7 *The Early Comparative Anatomists*, 1540–1600

The earlier anatomists, as we have seen, relied largely on the dissection of animals, from necessity rather than from choice. Vesalius began as a boy to dissect small animals. As a man he was the first to draw systematic parallels between the structures of animals and men. He compared particularly simian with human anatomy, and refers specifically to various structures in the ape, among them the lumbar vertebræ and their processes, and the sacrum and coccyx; the muscles of the thorax, arm, thigh, hand, and foot; the spinal nerves; the lung; the omentum, mesentery, and colon. He compares the structures of the tailed and tailless monkeys, and he invokes a large number of other animals, e.g. oxen, goats, sheep, dogs, and cats. The main object of the comparative studies of Vesalius was to show that the anatomical writings of Galen described the structure of animals not of man. He proved his point up to the hilt.

Vesalius had been accustomed to see animals dissected in the theatre of his teacher, Sylvius, at Paris. Perhaps in response to the charge of Vesalius that he was not accustomed to dissect the human body, Sylvius himself prepared a small work, *Observations in the dissection of various bodies*. It was issued just after the death of Sylvius in 1555. It opens with the description of four human bodies and continues with an account of the dissection of the bodies of a number of animals —the monkey, sheep, cow, pig, dog, horse, stag, lion, and some mammal, which he calls *trocta*, that I am unable to identify. The anatomical descriptions in this work of Sylvius are very imperfect and superficial.

La peincture de l'Embryon d'vn Marsouin.



FIG. 79.

La peincture de l'Oudre, que les Latins nomment Orca ou Orcynum.




FIG. 80.

Two figures from Pierre Belon, *Histoire naturelle des estranges poissons marins*, Paris, 1551.

FIG. 79.—The uterus of a porpoise opened to show fœtus attached by umbilical cord to placenta.

FIG. 80.—Grampus and newly born young. The fœtus is still surrounded by its membrane and the afterbirth is in process of extension.

The immediate successors of Vesalius—Fallopius and Columbus—both dissected animals, but showed little inclination to adopt a definitely comparative standpoint. Later in the century, however, a number of workers devoted themselves to comparative studies, and it was they who determined the general progressive character of the Anatomy of the time. It will be impossible to consider all of these writers. Among the most typical were Coiter, Fabricius ab Aquapendente, and Casserius. At the same time Belon and Rondelet, the French naturalists, were engaged in the systematic study of marine forms.

Pierre Belon of Le Mans (1517–64) produced in 1551 a valuable little treatise on Fishes. A book by him of the same year on Birds shows the skeleton of a man and of a bird




FIG. 81.—*Mustelus (Galeus) lævis*, and young from Guillaume Rondelet, *De piscibus marinis*, Lyons, 1554.

placed side by side to exhibit their homologies. It is a most striking figure and the earliest of the kind in a printed book. Belon was the first to examine the placenta of the porpoise and to figure the creature in its mother's womb bearing characteristics of a mammalian fœtus (Figs. 79, 80). Guillaume Rondelet of Montpellier (1509–66) was a pupil of Günther, and later became professor of Anatomy at Montpellier. He is the " Rondibilis " of Rabelais, who was himself one of the medical humanists. This Rondelet is said to have been so enthusiastic an anatomist that he dissected the body of his own son, but he made no contribution to human Anatomy. Rondelet produced, however, in 1555 an admirable and beautifully illustrated work *On marine fishes*, in which he described and figured all the marine creatures of the Mediterranean that were

then known. Among them is the placental dogfish of Aristotle, with the young attached to the mother's body by a navel string (Fig. 81). Belon and Rondelet based their work on the Aristotelian biological texts. Their books are the two earliest on scientific Zoology.

More a comparative anatomist, as distinct from a zoologist, was the Hollander, Volcher Coiter (1534–76 ?). He studied under Fallopius at Padua, under Arantius at Bologna, under Eustachius at Rome, and under Rondelet at Montpellier. With the traditions thus acquired of accurate structural investigation on the one hand, and zoological interest on the other, he naturally turned to Comparative Anatomy, a subject of which he was the first systematic exponent. Settling in Nuremberg, he brought to Germany the scientific methods of his teachers. In the years 1573 and 1575 he published volumes containing a great number of original and important observations. They are the first books definitely devoted to comparative studies, and they place him very high among the great anatomical pioneers.

The works of Coiter, which are rare, are as concise as they are original, and are admirably illustrated by his own hand. He advises anatomists to read nothing on Anatomy save the great works of Galen, the *Fabrica* of Vesalius, the *Anatomical Observations* of Fallopius, the *Examination of the Anatomical Observations of Fallopius* by Vesalius, and the writings of Eustachius. Looking back on the literature available in his time, no better advice could have been proffered. He constantly urges the comparison of human Anatomy with that of beasts as an occupation worthy of a philosopher.

Coiter gives a remarkable account of the development of the hen's egg, and the formation of its various parts. With the exception of a few observations by Albertus Magnus (1206–80) in the thirteenth century, this is the only work of its kind since Aristotle. Coiter opened incubated eggs day by day, and the descriptions of his findings must have acted as a guide to the subsequent researches of Fabricius. So far as modern times are concerned, Coiter is unquestionably the father of Embryology. He is the first to give figures of the skeleton of the fœtus. He shows and gives admirable descriptions of the

skeleton of a miscarriage of six months and of a much earlier abortion, and in each case he notes the state of ossification.

More purely in the department of Comparative Anatomy, Coiter gives an excellent drawing of the skeleton of a tailed monkey, and compares it in detail with that of the tailless monkey and with the human subject. He has an excellent description of the organ of hearing, including the tympanum, the ossicles, the *tensor tympani*, the Eustachian tube, the *chorda tympani*, the *aqueductus Fallopii*, the two *fenestræ*, the labyrinth, the *cochlea*, and the auditory nerve. This is by far the best description of its kind up to the time of Casserius (p. 161). Coiter was the first to publish descriptions of the frontal sinuses and their opening into the nasal cavity, though Leonardo had known and drawn them (Fig. 43). Coiter made observations on the origins of the cranial nerves in correction of those of Vesalius and of Eustachius. He observed the double roots of the spinal nerves and noticed the distinction between white and grey matter in the spinal cord. He realized that the *rete mirabile* is indistinguishable in man, though well developed in the ox. He examined embryonic pigs of eight or ten days and compared them with chicks.

Most interesting are the observations of Coiter on the living heart. The rarity of his works has prevented it from being generally noted that he examined the living hearts of cats, lizards, serpents, frogs, eels and other fish much in the manner of Harvey. He gives a detailed description of his observations on the heart of a new-born kitten, observing that the contraction of the auricles is followed by, and is not contemporary with, that of the ventricles. He made the important observation that the heart is lengthened in systole and shortened in diastole. He noticed that in excised hearts the different parts continue to beat, and that the part in which the pulsation disappears last is the base. He also perceived that pulsation would continue in a small separated part of heart muscle. He observed the difference in the character of the lungs and the different mechanism of breathing between lizards and frogs on the one hand and mammals on the other, and he noticed the air sacs in birds. Coiter examined the poison apparatus in the viper. He gives excellent little




FIG. 82.—From Volcher Coiter, *Diversorum animalium sceletorum explicationes iconibus artificiosis et genuinis illustratæ*, Nuremberg, 1575. Skeletons of pig, parrot, hedgehog, mouse, mole, and frog.

sketches of the anatomies of the tortoise, the hedgehog, and bat, and a fine chapter on the anatomy of birds. He made an attempt to classify mammals on an anatomical basis.




FIG. 83.—From Carlo Ruini, *Anatomia del cavallo*, Bologna, 1598. The uterus and adnexa: AA, vena cava; BB, kidneys; DD, aorta; FF, ovarian arteries; GG, ovarian veins; HH, ovaries (*testiculi*); MM, veins from the hind limbs and uterus; NN, branches of aorta to hind limbs and uterus; PP, cornua of uterus; QQ, body of uterus together with vagina; R, vulva; S, labia; T, bladder.

Coiter's main achievement, however, is a systematic account of the skeletons of a large variety of animals. These are well and accurately figured, and their homologies and affinities carefully described This part of his work is particularly

deserving of wider recognition. Coiter gives descriptions of the skeleton of the goat, horse, pig, badger, squirrel, hedgehog, mole, bat, lizard, frog, and tortoise. He has a good chapter on




Fig. 84.—The viscera of the horse from Carlo Ruini, *Anatomia del cavallo infirmita et suoi rimedii*, Bologna, 1598.

the skeletons of birds and he reproduces figures of the parrot, cock, woodpecker, crane, cormorant, and other birds. The great rarity of the works of Coiter has constantly militated

against their study. Few of his anatomical terms have, therefore, gained currency. One of them is the *Corrugator supercilii*. Even rarer than the works of Coiter is a small treatise by a Neapolitan Franciscan named Germano along somewhat the same lines. Germano's work appeared in Naples in 1625.

Occupying an isolated position is the splendid monograph on the *Anatomy of the horse* by Carlo Ruini of Bologna, published posthumously in 1599. It is the product not of a physician, nor of a professional veterinary surgeon, but of a lawyer. Nevertheless, it does for equine Anatomy a similar service to that which the *Fabrica* of Vesalius had done for human Anatomy ; its truly magnificent figures need not fear comparison with those of Vesalius and of Eustachius, by the side of which they may be placed (Figs. 83–5). The text is no less admirable than the figures ; the description of the eye, ear, intestines, kidneys, and bladder being specially good. Ruini gives a clear account of the structure of the heart and of the mechanism of the pulmonary circulation. His book is the first devoted to the anatomy of an animal, and is one of the finest achievements of the heroic age of Anatomy. The achievement of Ruini is more remarkable, in that he had no forerunner worth mentioning. He keeps strictly to his subject, however, and is not turned aside by any considerations of human or comparative Anatomy. His work is thus purely descriptive, but includes elementary physiological considerations.

§ 8 *Fabricius ab Aquapendente*, 1590–1610

A pupil of Fallopius who exhibited a taste for comparative studies as keen as that of Coiter was the more famous Hieronymus Fabricius ab Aquependente (1537–1619). Fabricius was unquestionably one of the greatest of all teachers of Anatomy. He succeeded his master, Fallopius, and built, at his own expense, the anatomical theatre at Padua, which is still standing. Among his many claims to notice his greatest is perhaps that he taught Harvey. In the year 1604 he was succeeded at his own request by his pupil, Giulio Casserio, and many of his writings appeared after that date. Once relieved of the duties of his chair, he produced in a rapid

succession a number of anatomical, embryological, and physiological works of the first rank. These memoirs of Fabricius are characterized by their wealth of large clear illustrations which long remained unexcelled in their particular department. They are copper-plates, not woodcuts. They cover a wide field of embryological and comparative anatomical study. The only figures included by Harvey in his great book *On the motion of the heart* were taken from one of these works of his master. Fabricius ab Aquapendente must not be confused with his German contemporary, Fabricius Hildanus (1560–1634), who made important contributions to Surgery, but had little influence on Anatomy.

The work of Fabricius ab Aquapendente *On the development of the eggs of birds* is a unique document of the highest value for the history of Embryology. Harvey, in his treatise *On generation* (1651) leaned very heavily upon it. Fabricius carried the subject far beyond where Coiter had left it, and elevated Embryology at one bound into an independent science, the importance and interest of which has never since been lost from sight. The work has the great merit of being well and copiously illustrated (Fig. 87). Fabricius here, as elsewhere, exhibits that reverence for Aristotle that we find in Harvey.

Fabricius does not seem to have used a magnifying glass for his work, so that his descriptions of the earlier stages in the development of the chick cannot be expected to excel those of Coiter. For improved observation of these earlier stages, the world had to wait for the work of Marcello Malpighi (1628–94). From the sixth day onward, however, the description and the figures of the chick by Fabricius are, on the whole, excellent.

No less remarkable is the treatise of Fabricius *On the formed fœtus*. This is a magnificent comparative study of the embryo in the more advanced state, and is the first work of its kind. It describes developmental stages in a long series of animals, man, rabbit, guinea-pig, mouse, dog, cat, sheep, pig, horse, ox, goat, and deer among mammals, the smooth dogfish among fishes, and the viper among other creatures. In the figures a good deal of attention is given to the heart, and the *ductus arteriosus* and *foramen ovale* are frequently



FIG. 85.—From Carlo Ruini, *Anatomia del cavallo*, Bologna, 1598. The surface muscles.

shown (Figs. 88–91). In the text special attention is drawn to the structural changes in the vascular system incident on birth. The work contains the best figures up to its time of the human gravid uterus and membranes and of the human placenta. It includes a series of fine demonstrations of the course and relations of the umbilical vessels, and dissections of various parts of the human fœtus. Even more detailed is the investigation of the uterus, placenta, membranes, vessels, and fœtus of the sheep. The book also contains the earliest figure of the heart of a fish.




FIG. 86.—Dissection of veins on thigh and leg from Fabricius ab Aquapendente, *De venarum ostiolis*, Padua, 1603. The valves are shown at the points P, Q, R, and S.

Perhaps the best known work of Fabricius is that *On the valves in the veins*. It had much influence on Harvey, who borrowed figures from it and based much of his argument concerning the circulation of the blood on the action of these valves. Fabricius' excellent figures of the valves in the veins are the first in literature (Fig. 86). He explored them better than anyone before his time,and they have often been regarded as his discovery. Nevertheless, there can be no doubt that a number of anatomists had already seen valves in the veins, and justifiable claims may be made for the priority of Estienne, Canano, Amatus Lusitanus, Vesalius, and Eustachius. This does not remove the merit from the description of Fabricius.



FIG. 87.—Page from Fabricius ab Aquapendente, *De formatione ovi et pulli*, Padua, 1600, showing early development of chick.

Nevertheless, he had not the least inkling of the function of the valves, and regarded them as slowing the flow of blood towards the periphery, and thus preventing blood from collecting at the extremities.

There are several works of Fabricius which illustrate the first stirring of the new physiological movement. Such treatises as that *On respiration and its instruments* exhibit the complete helplessness of physiological thought in the absence of any real knowledge of the workings of the heart or of the nature of the respiratory exchange. We have here merely an intellectual discontent with current views without any systematic building of new knowledge. Somewhat more hopeful is the outlook when Fabricius attempts to analyse the muscular action of the digestive tract. He also wrote a book devoted to vision, in which he gave good figures of the structure of the eye, being the first of the moderns to grasp the true form of the crystalline lens. The work is interesting in many respects, but is retrograde in others, as compared with that of Plater (p. 133), for Fabricius still places the seat of vision in the lens itself. His description of the organ of hearing hardly advances knowledge, and is no better than that of Coiter, but he is much happier in his treatment of the laryngeal apparatus. In dealing with it he adopts that comparative method in which we always see Fabricius at his best. He treated the subject of animal movement, but without the inspiration of the system of dynamics ushered in by Galileo (1554–1642) he could make no real advance. Success in that department was reserved for his more fortunately placed successor, G. A. Borelli (1608–79).

§ 9 *The last great Paduans, about* 1600–30

We are now nearing the end of our period, and may pause to survey the final scene. Almost to the end the lead in Anatomy remains with Padua. The new physiological movement is best represented by Sanctorius of Padua, Cesalpinus of Pisa, and Aselli of Pavia. Fabricius and his pupils Casserio and Spigelius, all of Padua, are the last great figures of the Vesalian line. After these men the intellectual hegemony




FIG. 88.




FIG. 89.



FIG. 90.

FIG. 91.

A page from Fabricius ab Aquapendente, *De formato fœtu*, Padua, 1600.

FIG. 88.—Abdomen of human fœtus opened. A, small intestines; B, colon; C, liver; D, bladder; E, urachus; F, umbilical cord; G, umbilical arteries.

FIG. 89.—Dissection of heart and neighbouring parts of a human fœtus. The legends run thus: "A, heart; B, lungs; C, liver; D, vena cava passing from liver to heart; E, right ventricle; F, foramen in right ventricle with valve; G, umbilical arteries; H, bladder; I, descending aortic trunk."

FIG. 90.—Shows same parts as Fig. 89, but in situ.

FIG. 91.—"Course of artery which passes from aorta to pulmonary artery." "A, heart; B, lungs; C, aorta; D, end of vessel passing from aorta into pulmonary artery."

passes northward. Bauhin inaugurates the Paduan tradition at Basel, Bartholin and Wormius take it to Denmark, and Paauw to Holland. Riolan develops Anatomy at the isolated and independent university of Paris, and Harvey carries Paduan methods to England.

Santorio Santorio, or Sanctorius (1551–1636), is too nearly linked with the new physiological movement for us to do more than mention him in passing. That movement came to fruition in the next two generations and the real influence is to be seen in a later age than that which we are treating. The great achievement of Sanctorius was the introduction into Physiology of exact methods of measurement, pulse counting, temperature estimation, and weighing. Andrea Cesalpino (1619–03), professor at Pisa and Rome, rendered considerable service to botanical science. Italian writers have long urged his claims to the discovery of the circulation of the blood. In view of this, it seems right to mention him, though the claim seems to us quite untenable. It is true that there are certain passages in his writings quite consistent with the view that Cesalpino had attained to the conception of a circulatory movement of the blood. Unfortunately, however, in the opening chapter of his last work, the *Practice of the art of medicine* (1606), he makes, in fact, a formal statement of his belief that the blood *goes forth* from the heart not only through Aorta and Pulmonary Artery, but also *through Vena Cava* and *Pulmonary Vein* !

A physiological worker who comes more directly into our subject and period, however, was Gasparo Aselli (1581–1626). He was professor at Pavia, and in 1622 he discovered the lacteal vessels while dissecting a dog which had just been given a meal containing fat. These vessels had hardly been observed since Erasistratus (p. 32). The work of Aselli was published after his death. In it he sets forth his discovery in a sensational manner. Very large coloured plates illustrate this memoir, and it is the first book in which this device is adopted for anatomical purposes. The plates are extremely effective, more so than the garrulous and often difficult text (Fig. 92). They show the lacteals in animals, not in the human subject. The work was published the year before

Harvey's book *On the motion of the heart*, and it is evident that Harvey had not then seen it.

Giulio Casserio of Piacenza (1561–1616) was a pupil of Fabricius, whom he succeeded as professor at Padua in 1604. He greatly extended the knowledge of human Anatomy. Particularly he refined the Anatomy of the sense organs and of the organ of the laryngeal apparatus. In his works on these




FIG. 92.—Gasparo Aselli, *De lactibus sen de lacteis venis . . . dissertatio.* This is not taken from the first edition, Milan, 1627, because the figures there are coloured and unsuitable for reproduction, but from the second edition, Basel, 1628.

structures he proceeds on most scientific principles. He first seeks to set forth a complete account of the organ in the human subject. Then he follows this organ through a long series of animal forms.

The method of Casserius is particularly well illustrated in his treatment of the apparatus of hearing. He describes and




FIG. 93.—Giulio Casserio, *De vocis auditusque organis historia anatomica*, Ferrara, 1601. Ear ossicles of man, calf, horse, dog, hare, cat, goose, mouse, and pig.

figures the auditory structure of man, child, new-born infant, fœtus, ape, ox, horse, dog, hare, cat, sheep, goose, pig, mouse, turkey, and pike (Fig. 93). The investigation includes the ossicles and he shows careful dissections of the cartilage of auricle and external auditory muscles. Excellent too is his account of the vocal organs (Figs. 94 and 95). Copper plates are employed and these are capable of taking a much finer line than woodcuts. From his day and for another century and a half copper plate continued to be in almost universal use for purposes of anatomical illustration. Coiter, however, had used them to great effect as early as 1573, and Canano before that. Casserius set a very high standard both of workmanship and accuracy. His figures are the model for the copper plate illustrator as those of Vesalius and Ruini are for the woodcut operator.

On the death of Casserius in 1616 he was succeeded by his pupil Adriaan van der Spieghel (1578–1625), known as Spigelius. This man is the last of the great Vesalian line and, on the death of Spigelius, Padua ceased to lead the world in anatomical study. We observe that the last of the dynasty resembled the first in being a native of Brussels, and having studied first at Louvain. The anatomical works of Spieghel were not published till after his death, appearing in 1627. They contain a very large number of the plates of Casserius, which that author would have used had he lived (Figs. 96 and 97). The text of the work published in the name of Spigelius describes the lobe of the liver still called "Spigelian". The volume contains many anatomical refinements, including the first adequate description of the spinal muscles which are well brought out in the series of very fine illustrations (Fig. 97). The chief interest in the book, however, is the great improvement it exhibits in anatomical terminology, which assumes a more convenient and a definitely more modern form, especially in connexion with the nomenclature of the muscles. This achievement was certainly the work of Spigelius himself.

With Spigelius what we may call the "heroic age" of Anatomy at Padua comes to an end. What were the reasons for its passing? They appear to us to be two. On the one




FIG. 94.—Giulio Casserio, *De vocis auditusque organis historia anatomica*, Ferrara, 1601. Dissection of the vocal organs and parts relating thereto of the pig.




FIG. 95.—Giulio Casserio, *De vocis auditusque organis historia anatomica*, Ferrara, 1601. Dissection of vocal organs and parts relating thereto in man.

hand Spigelius worked exclusively on *human anatomy*. He abandoned the great comparative tradition that had distinguished the Paduan school from Vesalius to Casserius. His observations became more exact and refined, they gained in practical value for the surgeon, but they lost scientific interest. On the other hand, with the work of certain contemporary investigators—Sanctorius, Van Helmont, Harvey—Physiology, rather than pure Anatomy, began to attract the best minds. The new physiological era had opened, and it was some time before Padua attracted a physiologist of the front rank. The star of Bologna rose again, and it was at Bologna, not at Padua, that Borelli (1608–79) and Malpighi (1628–94) worked in the next generation. The children and grandchildren of Padua are to be sought in other lands than Italy.

§ 10 *Anatomy beyond the Alps*, 1590–1630

With the great development in anatomical activity at the beginning of the seventeenth century, the subject began to be studied more closely beyond the Alps. In Switzerland Caspar Bauhin (1560–1624), professor at Basel, was distinguished as a Botanist, and in that capacity his name is still remembered. He erected an anatomical theatre in 1589. In 1605 he produced a fine anatomical textbook which, though containing few original elements, was sound, scientific, and scholarly, and was often reprinted. A few modern anatomical terms are due to Bauhin, among them *Areola* and *Phrenic nerve*. He gave a good description of the muscles that move the tongue. In Holland dissection began at Amsterdam but developed chiefly at Leyden. It was at the latter town that Peter Paauw (1564–1619), a pupil of Fabricius, and, like Bauhin, a professor both of Anatomy and Botany, built an anatomical theatre in 1597. He published several anatomical treatises, annotated Vesalius, and made some additions to Anatomy, especially to that of the skull. A pupil of Paauw was that Tulpius (1593–1674), who figures in the famous anatomical scene by Rembrandt (1632. See also Plate XX). At a somewhat later date great anatomical activity was developed at Leyden.

The Dane Olaus Wormius (1588–1654) studied under

Fabricius at Padua, and under Bauhin at Basel. He practised in London before settling at Copenhagen. He was a polyhistor and antiquarian, who devoted himself to many branches of learning, but is remembered by the " Wormian " bones. The term we owe to his more influential compatriot, Caspar Bartholin (1585–1629), who was the ancestor, in the flesh, of a regular dynasty of anatomists. After having been a student of Fabricius and Bauhin, Caspar Bartholin became Professor of Philosophy at Basel, of Anatomy at Naples, of Greek at Montpellier, and then successively of "Eloquence", of Medicine, and finally of Theology at Copenhagen. He spent his last few years in the study of Anatomy, on which he wrote tracts of little worth. They formed the basis of the work of his greater son Thomas (1516–80), whose life course lies outside our sphere.

In France practical Anatomy had been established for centuries at Montpellier, where we have to some extent followed it. An anatomical theatre was built there by Rondelet (p. 147) in 1556. At Paris, always the most conservative of Universities, the practice had long been known. We have followed there the work of Estienne and above all of Sylvius. Paris, however, had now become a humanist centre. For a time its scholars were more important than its dissectors. Much was done at Paris to help the anatomical Renaissance by the production of medical dictionaries. Of these the most important was the great Index to the works of Galen printed in 1550 by Antonio Musa Brassavola (1550–70), who, though an Italian, lived and worked in France. This fine work made Galen far more accessible and intelligible. It has never been excelled for completeness and accuracy, and is still in current use by modern scholars. I know no other work of scholarship of so early a date of which this can be said. A few years later, in 1564, there appeared at Paris two widely used philological dictionaries of medical terms. One was by Henri Estienne (1528–98), nephew of the anatomist Charles Estienne (p. 100). The other was by Jean de Gorris (1505–77). These three works defined and fixed a large number of anatomical words. They have exercised considerable influence on modern anatomical terminology.

An anatomist of small ability was Léonard Botal, who, though born in Italy, was of French parentage, and lived and worked in France. His very imperfect description of the *ductus arteriosus*, which we now know to be due to the persistence of the fifth cephalic aortic arch on the left side, appeared in 1565. To call the structure *ductus Botalli* is an anachronism, as it was in fact well known to Galen. After Sylvius there was little progress in Anatomy at Paris until the days of Jean Riolan the younger (1588–1657).

Riolan, like Bauhin and Paauw, was professor of both Botany and Anatomy. In the latter department he exhibited great activity, but a very conservative and yet controversial spirit. He opposed, for instance, the teaching of Harvey. He was, however, an extremely popular teacher, and made many additions to anatomical knowledge; thus he gave a good description of the mesentery; he described the *appendices epiploicæ*; he improved the knowledge of the spermatic vessels, and discovered the embryonic gill slits. Riolan, owing to his popularity as a teacher, was able to introduce many words into Anatomy; among them are *Deltoid*, *Pectineus*, *Scalenus*, the names that end in *-glossus*, e.g. *Hyoglossus*, together with certain terms which reinterpret phrases of Galen, e.g. *Thalamus opticus* and *Arytenoid*. His concise style of writing made his textbooks very popular with students. The most widely read anatomical works of the seventeenth century bear the names of Riolan and Bartholin.

In Germany and Austria, countries then included in the so-called Holy Roman Empire, but little progress was made during our period. The *Fabrica* of Vesalius was brought out in a German edition in 1543, but there were few later original contributions. To Dryander we have already referred (p. 98). Coiter worked at Nuremberg. At the very end of our period that admirable surgeon, Hans Faber of Hilden, known as Fabricius Hildanus (1560–1634), made minor contributions. The fact that dissection had been practised at a number of the Universities of the Holy Roman Empire, from the Middle Ages onward, is in itself enough to prove that something more was wanted for anatomical progress. That something, as we have seen, was



FIG. 96.—Plate prepared by Casserius, but first published in Adrian Spigelius, *De formato fœtu*, Padua, without date, but with dedication of 1626.

the combination of Renaissance Art and Humanist Learning with enthusiasm for dissection. Renaissance Art and Humanist Learning were somewhat late in coming to German lands. It was after our period that they became united with Anatomy, and there was then a movement similar to that which we have seen elsewhere.

§ 11 *The Beginnings of Anatomical Study in England* (1360–1640)

(*a*) *The Middle Ages.*

The first work of anatomical import to appear in the English language was the *Surgery* of Lanfranchi of Milan (died about 1306), a Bologna student and a pupil of William of Saliceto. The English translation of Lanfranchi contains several sections on Anatomy which resemble those of his master. The English version was made about 1380, and the work of William of Saliceto soon followed. Mondeville's *Surgery* was rendered into English in the fifteenth century. More popular than any of these was a translation of the anatomical section of Guy de Chauliac, which, though never printed, has survived in a number of fifteenth century manuscripts. Several other anonymous tracts on Anatomy based on those we have mentioned also appeared in English in the fourteenth and fifteenth centuries. Of the fifteenth century is also a Latin manuscript of John of Arderne (1307–*c.* 1380) which contains crude anatomical figures.

Printing began in London toward the end of the fifteenth century. In 1495 Wynkyn de Worde printed there the *Encyclopædia* of Bartholomæus Anglicus (flourished 1260), containing a fine illustration representing a dissection scene (Fig. 98). The first printed book actually devoted to Anatomy in English carried the name of a Barber-Surgeon, Thomas Vicary (died 1561) and the date 1548. It was, however, not original, but simply copied from a fourteenth century English manuscript based on Lanfranchi and Mondeville. Nevertheless, it remained long in use, and was reprinted in 1577 by the surgeons of St. Bartholomew's Hospital and appeared in a number of later editions. It is a purely mediæval work.



ZODIACAL MAN (about 1450)

from the Guild Book of the Barber Surgeons of York now in the British Museum. The signs of the Zodiac are written on the parts of the body which they are supposed to influence, from *Aries*, the ram on the head, to *Pisces*, the fishes on the feet.

[*face p. 170*

(*b*) *The Renaissance.*

The Renaissance alike of Letters, of Science, and of Art came late to England. The earliest to bring the medical humanism to this country was Linacre (p. 105), with his translations of Galen and his foundation of the Royal College of Physicians in 1518. An Englishman, Michael Hatchett, studied under Sylvius in Paris in 1536, and seems to have been in touch with Vesalius, then in his earlier Galenic phase. Securis, who afterwards returned to England, bought some of the books of Vesalius when the great anatomist left Paris.

John Caius (1510–73) visited Padua as early as 1539. He came in contact with the Humanist Montanus (p. 105), and spent much time in the study of Greek and actually resided for eight months in the house of Vesalius himself. He then travelled widely with the object of obtaining good manuscripts of Galen and Hippocrates. He returned to England in 1544, and began to give lectures in London on Anatomy. These he continued for twenty years. He edited some of the anatomical works of Galen. Caius was a confirmed and obstinate Galenist of the old school, and added nothing to anatomical knowledge.

The work of Vesalius was pirated in England by one Geminus in 1545. This book exerted considerable influence. It is the first book printed in English for which copper plates were used. Three editions of it appeared. The second, issued in 1553, contains a translation into English by the infamous Nicholas Udall the dramatist, author of "Ralph Roister Doister", and successively headmaster of Eton and Westminster. The third edition of 1559 contains a portrait of Queen Elisabeth on the title page which is said to be the first engraved of Her Majesty.

In 1540 Henry VIII licensed the Barber Surgeons to anatomize the bodies of four felons a year. Demonstrations were given at the Hall Company in London. In 1557 attendance at them was compulsory to members. An anatomy theatre was erected by the Company. It had to be enlarged in 1568. For a few years around 1566 demonstrations on Anatomy were given at the Barber Surgeons' Hall by Giulio Borgarucci, an Italian refugee, who had perhaps been



FIG. 97.—Plate probably drawn for Spigelius, but appearing first in a work bearing the title *Julii Casserii Placentini, Tabulæ anatomicæ LXXIIX, omnes novæ nec ante hac visæ; Dan. Bucretius XX quæ deerant supplevit et omnium explicationes addidit*, Venice, 1627. It exhibits an attempt to analyse the spinal muscles.

a student at Padua, and whose brother professed Anatomy at that University. Borgarucci, however, added nothing to knowledge. In 1565 Elizabeth granted the right to dissect to the College of Physicians.

In 1572 John Bannister (1533–1610) was admitted a member of the Barber Surgeons' Company, and was soon after



FIG. 98.—Dissection scene from the English translation of Bartholomæus Anglicus printed by Wynkyn de Worde at London in 1495. This is the first picture of dissection in a book printed in England.

appointed their Anatomical Lecturer. In 1578 he published in English a work on Anatomy containing no original elements. A picture of him delivering the visceral lecture in 1581 at the Barber Surgeons' Hall is well known. He stands by the side of an open copy of the work of Columbus. We have also a

number of anatomical drawings and models by Bannister. These, with few exceptions, are all copied from Vesalius, probably via Geminus. Among the exceptions are a small carved ivory model of a skeleton now in the Library of the University of Cambridge, and a sheet of drawings of the skeleton now in the Hunterian Library at Glasgow (Plate XVII). They are both inaccurate, but worthy of attention as the first indications of independent anatomical investigation in this country.

The general barrenness of anatomical study in England before Harvey is well illustrated by the *Anatomy Lectures* of Thomas Winston (1575–1655), which were delivered by him at Gresham College during Harvey's most active years and printed posthumously. All Winston's Physiology and nearly all his Anatomy is still purely Galenic.

The state of English Anatomy was utterly changed by the advent of William Harvey (1578–1657). He spent the years 1593–7 at Caius College, Cambridge, where he may well have been infected by the Paduan tradition established there by John Caius. Harvey was at Padua from 1597 to 1602 when Fabricius was at the height of his powers. Returning to England full of the comparative method which Fabricius was expounding, he put it to good account. His first lectures, the result of years of thought and experiment, were given at the Royal College of Physicians. in 1615–16. His notes for these lectures are now in the British Museum, and show that he had already grasped the idea of the circulation of the blood. It was another twelve years before he allowed himself to appear in print.

§ 12 *The Work of William Harvey*, 1628

Harvey's great work, *An anatomical dissertation on the movement of the heart and blood in animals*, appeared at Frankfort in 1628, as a miserably printed little quarto. By this brief tract—for it is little more—the whole scientific outlook on the human body was transformed. From now on, men begin to think *physiologically* even when occupied in purely anatomical study. Harvey took up his theme



Figures of a skeleton, used by John Banester and prepared about 1580. A volume containing this and other anatomical figures by him is now in the Hunterian Library at Glasgow. The figures here reproduced are probably the earliest prepared in this country which were drawn from the object. Earlier English figures of the skeleton are known, including an ivory statue that was in Banester's own possession. These, however, are all copied from earlier works.

[*face p.* 174

practically where Galen had left it. With Harvey, at last, a clear idea again emerges that each organ has a discoverable function and is related in its mode of working to all the other organs and to the body as a whole. The point of view of Harvey, however, is very different from that of Galen and in the coming centuries we hear less of *Design* and more of the *Machine.*

Apart from the superb tenacity and experimental skill with which he follows his great theme, Harvey's main scientific virtue is a negative one, though it is none the less a virtue on that account. It is the virtue of restraint. He refuses to discuss more remote problems until those nearer at hand can be solved. He thus declines the everlasting debate on such topics as the nature of life or the origin of the innate heat. His self restraint is the more remarkable when we remember that he was in fact an extreme and convinced Aristotelian. These questions concerning the nature of life and animal heat had employed active minds and fluent pens for centuries, and yet no progress had been made toward their resolution. From now on, fired by the example of Harvey, investigators begin to occupy themselves with the interpretation of the problems of Anatomy and Physiology in the more comprehensible terms of Mechanics, of Physics, of Chemistry and of Comparative Anatomy.

The book which started this movement, though very convincing, is by no means easy reading. We have observed that there are special difficulties in the interpretation of the three previous writers, who provide the great landmarks in the History of Anatomy, Galen, Mondino, Vesalius. The difficulties of Harvey's book are, however, very different from those of the *Fabrica* of Vesalius, the *Anathomia* of Mondino, and the *Anatomical Procedure* and *Uses of the bodily parts of man* of Galen. It is with Vesalius that one is most tempted to contrast Harvey. The two men are near to each other in time. Both are connected with Padua. Both are part of the same intellectual movement. Yet their two minds are poles asunder. Harvey is extremely conservative, a philosopher by temper, cautious, slow, devoid of literary or oratorical charm or gift. His forces are not diffused in

unnecessary learning, but he is very tenacious of positive knowledge. Vesalius is a radical, a man of lightning quickness of mind, intent on an immediate end and that a practical one, full of the eloquence native to exuberent spirits and forceful strength, learned and, perhaps, above all things, an artist with some of the defects of an artist's qualities.

The modest, reticent Harvey makes none of that display of erudition of which Vesalius was so fond. The work of Harvey, however, like that of Vesalius, frequently refers to ancient authorities with whom the modern reader is unfamiliar. It was necessary for him to deal with these older writers, because they provided the physiological views current in the seventeenth century. To a reader nowadays, however, the constant return to the opinion of the ancients forms an obstacle to the understanding of his argument. We may remember, too, that in Harvey's time, men were unaccustomed to the physiological method of research. He had, therefore, to devote a considerable portion of his little space to justify the process of applying to one creature the deductions drawn from another, matters that are now mere physiological commonplaces.

Harvey's work, however, contains other obstacles to comprehension for which, perhaps, less justification can be found. Thus the Latin style selected by him is peculiarly ill-adapted to scientific discussion. The sentences are often exceedingly involved, usually unduly long, not always of clear construction. His division into chapters does not really correspond to the natural division of the subject. Harvey, too, was a very careless proof corrector—if indeed he ever looked at his proofs at all—and thus an intolerable number of printer's errors have survived in the text. Lastly, there are certain practical reasons that make his book difficult. One is that it is extremely condensed and contains a vast number of conclusions and observations packed into a very small space. Another is that it was the first time that a treatise had been devoted to a physiological theme and Harvey is grappling with what is, in effect, the rebirth of a method that had been neglected for nearly 1,500 years. In summarizing Harvey's argument, it will therefore be best to give his

conclusions mainly in our own words, not in his. It will conduce to clarity if we reproduce the steps in his reasoning in a series of sections which only partially correspond to the chapters in his great book.

Before we actually describe his observations, experiments and inferences, we may consider the knowledge of the subject available in his day. The general structure of the heart had been well known since Vesalius. It had been accurately studied by several of the successors of Vesalius. The action of the valves in the Aorta and the Pulmonary Artery in preventing regurgitation of blood had been described by Galen and recognized by Mondino, Leonardo, Berengar, Vesalius, and several later writers. The septum had been regarded, however, as perforate, and it was considered that blood passed through it from the right ventricle to the left (Fig. 30). This view of Galen, accepted by Mondino and his successors, and even by Leonardo (Plate XI) had been treated with scepticism by Vesalius (p. 132) who, however, had nothing better to put in its place. The lesser circulation had, however, been described by Servetus, Columbus, Ruinus and others, and must have been fairly well known though its importance was quite unrecognized. Cesalpino had given a hint of the greater circulation, but had withdrawn it (see p. 160). Finally, the valves in the veins, seen by many during the sixteenth century, had been systematically explored by Fabricius, who had no idea of their real action.

We may now turn to the work of Harvey, reproducing his reasoning in a series of steps.

(*a*) *Preliminary observations*

1. The heart, if grasped, is felt to become harder during action. This hardness proceeds from the same kind of tension as that of the muscles of the forearm during contraction. The contraction or *systole* of the heart therefore corresponds to its *active* position. The action of the heart, in fact, must be considered like that of any other muscle.

2. In cold-blooded animals, especially, it may be observed that when the ventricles contract, they become lighter in

colour, and that when they expand they become darker in colour. This point had been observed by many earlier workers, notably, by Coiter with whose writings Harvey was familiar.

3. During action the heart is observed to become erect, hard, and of diminished size. During contraction, moreover, while the size and breadth of the heart decrease, the length actually increases. Thus it is that the apex of the heart strikes the chest wall during contraction. As we have seen, these points were not wholly unknown to previous writers, Coiter among them (p. 149), but no special importance had been attached to them.

4. The contraction of the heart and the contact of its apex with the chest wall are *simultaneous with the expansion of the arteries*, as felt at the pulse. This most important observation disposed of the older view that the dilation of the artery was the result of its active expansion. It also was known to Coiter, who failed to perceive its significance.

5. The previous observation made it highly probable that the *contraction of the heart was the cause of the expansion* of the artery. The conclusion was confirmed by the character of the bleeding from a cut artery, for the spurt can be seen to take place at the moment of ventricular contraction, and not during ventricular expansion. In this simple interpretation of a known fact, Harvey seems to have been a pioneer. The conclusion was further confirmed in a letter to Riolan (p. 168) by an observation which Harvey made on a case of calcification of an artery. Harvey observed pulsation during life below the area of calcification and confirmed the calcification by postmortem examination.

6. In a series of experiments the auricles were shown to have somewhat similar relations to the ventricles as the ventricles have to the arteries. Thus, if the tip of the ventricle be removed, each beat of the auricle is seen to be followed by a corresponding spurt of blood from the open cavity of the ventricle. In the dying heart the ventricles cease beating before the auricles. This observation of the relation of auricles and ventricles seems to be wholly Harvey's own.

7. The contraction of the auricle is *followed* by that of the

ventricle. The same blood, therefore, that is driven into the ventricle by the contraction of the auricle is subsequently driven into the arteries by the contraction of the ventricles. The point is Harvey's own.

8. Once the blood has entered one of the great arteries—whether the aorta or the pulmonary artery—it cannot come back along the same path. Its return is absolutely stopped by valves. This observation, made by Galen, had been repeated for both the great vessels by Leonardo. Leonardo's writings were not available to Harvey. The action of the valves of the pulmonary artery had, however, been recognized by a series of writers from the time of Servetus and Columbus. The conclusions of Columbus were familiar to Harvey.

9. Although the action of the cardiac valves had been thus recognized by many previous writers, Harvey introduces a new point in this connexion. The point is now so perfectly obvious that it seems extraordinary that no previous writer had made it clearly. Harvey insists that the flow of blood is not only in one direction, but is *continuously* so. This leads him to a very crucial discussion. Consider, he says, the capacity of the heart. Suppose the ventricle holds but two ounces. If the pulse beats seventy-two times in a minute, in one hour the left ventricle will throw into the aorta no less than $72 \times 60 \times 2 = 8640$ ozs. $= 38$ stone 8 lb. i.e., three times the weight of a heavy man ! Where can all this blood come from ? Where can it all go to ? The point is made with great force and I know no parallel to it in earlier literature.

10. It can only be from the veins that all this blood must come which is sent out continuously by the aorta. This conclusion was reinforced by a very simple experience. If an artery is cut, the animal bleeds to death. The bleeding could be seen to get slower and slower until finally it ceased as the blood was exhausted and death approached. The reason must be that the blood being lost does not reach the veins, and so cannot return to the arteries. Here, again, Harvey puts his own true and simple interpretation on a perfectly well-known fact.

(*b*) *The Solution*


11. But how does this blood get from the venous system to the left side of the heart and how does it get from the

arteries into the veins? To these crucial questions we now know the answers. Let us see how Harvey answered them.

Blood, he observed, can enter the right auricle through the vena cava, the opening of which is patent. It can then enter the right ventricle, the opening into which from the right auricle is equally obvious though guarded by valves which prevent its regurgitation. From the right ventricle, therefore, Harvey argued, there can be but one exit, the *pulmonary artery* (or as Harvey called it the arterial vein). If it enter that vessel it cannot again return, as he well knew, for he was well acquainted with the action of the sigmoid valves (see above, under 8).

We may here digress for a moment to consider Harvey's own mental state at this point. The whole of his book is saturated with the ideas of Galen and Aristotle. Harvey never succeeded in freeing himself from the hypnotism induced by these authors. Thus at this very stage, he exclaims " from Galen, that divine man, that Father of Physicians, it *clearly appears* that the blood passes through the lungs from the arterial vein (*pulmonary artery*) to the small branches of the venal artery (*pulmonary vein*) ". Now Harvey was certainly wrong here. The passages in the work of Galen that refer to this matter are, in fact, neither clear nor are they consistent one with the other. There is, however, just one short paragraph in Galen's very voluminous works which may be given the interpretation that Harvey puts on it. It is a strange thing that *at the moment of his making the discovery on which his fame rests, Harvey should ascribe it to another*! This attitude must appear fantastic to many modern readers. To explain it would demand an investigation of the general question of the psychology of scientific discovery. Here we can but remind our readers that Harvey rather prided himself on being extremely conservative in his mental outlook.

12. The last step in the solution of the problem that Harvey had now before him is best stated in his own words. " I began to think whether there might not be *a movement, as it were, in a circle*, and this I afterward found to be the case. I saw that the blood, forced by the action of the left ventricle into the artery, was sent out to the body at large. In like manner



WILLIAM HARVEY 1578-16

From the painting by CORNELIUS JANSSEN in the Royal College of Physicians of London.

[*face p. 180*

it is sent to the lungs, impelled there by the right ventricle into the arterial vein (*pulmonary artery*)."

He had, in fact, begun to think this at least as early as the year 1615. This is proved by remarks in the notebooks of his lectures delivered that year. That he had withheld publication so long argues extraordinary caution, patience, and self-restraint.

13. Having reached this point, the explanation of other matters soon followed. Thus it was now manifest why in dissection of dead bodies there is so much blood in the veins and so little in the arteries, so much in the right ventricle, so little in the left. "The true cause is that there is no passage to the arteries save through lungs and heart. When an animal ceases to breathe and the lungs to move, the blood in the arterial vein (*pulmonary artery*) no longer passes therefrom into the venal artery (*pulmonary vein*) and thence to the left ventricle. But the heart not ceasing to act as soon as the lungs, but surviving them and continuing to pulsate for a while, the left ventricle and the arteries continue to distribute their blood to the body at large, and to send it into the veins."

(*c*) *Some crucial experiments*

14. Harvey now proceeds to examine serpents in which the great vessels are very conveniently arranged for observation. When one of these animals is laid open, the vena cava may be compressed by means of forceps. The part between the forceps and the heart then becomes empty almost immediately. The heart, too, will become pale, even when dilated. It also becomes smaller since it is no longer filled with blood. At last it begins to beat more slowly as if about to die. If now the impediment to the flow of blood be removed, the colour and size of the heart are instantly restored.

15. The same experiment is now performed on the aorta. He observes that the part between the obstruction and the heart itself became inordinately extended, as though about to burst, and it assumes a deep purple colour. On removal of the obstruction, colour, size, and pulse return at once.

16. Harvey now makes some simple experiments on the

arm of the living man (Fig. 99). By bandaging above the elbow, he was able to compress either the vein alone or arteries together with veins and to observe the various effects of the two different kinds of pressure. Moreover by bandaging so as to obstruct the veins alone he was able to bring out knots in them. By placing the fingers of one or both hands along the veins at different points, he was able easily to show that the flow of blood took place toward the knots and not away from them.

The interpretation of the knots themselves was familiar to Harvey. He knew that they correspond to the valves which had already been illustrated by his teacher Fabricius (Fig. 86) and seen by various earlier workers (p. 156). Harvey, in fact, borrows his figure from the work *On the valves of the veins* by Fabricius.

(*d*) *Conclusion*

17 " All things, both argument and ocular demonstration, thus confirm that the blood passes through lungs and heart by the force of the ventricles, and is driven thence and sent forth to all parts of the body. There it makes its way into the veins and pores of the flesh. It flows by the veins everywhere from the circumference to the centre, from the lesser to the greater veins, and by them is discharged into the vena cava and finally into the right auricle of the heart. [The blood is sent] in such quantity, in one direction, by the arteries, in the other direction by the veins, as cannot possibly be supplied by the ingested food. It is therefore necessary to conclude that the blood in the animals is impelled in a circle, and is in a state of ceaseless movement ; that this is the act or function of the heart, which it performs by means of its pulse ; and that it is the sole and only end of movement and pulse of the heart."

The last paragraph may well be committed to memory as being the foundation on which our conception of the workings of the animal body rests. In the old physiology the arteries were considered as distributing spirit and higher forms of vital activity, while the veins distributed nourish-

ment and the lower forms of vital activity. The arteries arose from the heart ; the veins, it was thought, from the liver.

In the Galenic physiological system (Fig. 30) the right




FIG. 99.—Experiments on bandaged arm from William Harvey, *Exercitatis anatomica de motu cordis*, Frankfurt, 1628.

ventricle was, in effect, one of the main branches of the venous system. The vessel, therefore, that arose from the right ventricle and linked it with the lung was thus itself a branch of the same system. It was therefore a " vein "

As it had thick walls like an artery it was called the *arterial vein*. It is the vessel we now call the *pulmonary artery*.

A companion to this vessel connected also the *left* cavity of the heart with the lung. As a derivative of the left side of the heart from which the aorta arose, it was regarded as an " artery ". Its walls, however, were thin like those of a vein, and it was called, therefore, the *venal artery*. It is the vessel we now call the *pulmonary vein*.

A result of the discovery of Harvey was the introduction of a new nomenclature. For us who look at the circulation from his point of view, new names are needed. The arterial vein has become the pulmonary artery, and the venal artery has become the pulmonary vein. For us an artery is a vessel which takes blood *from* the heart, and a vein is a vessel which takes blood *to* the heart. Until Harvey's day, arteries were distinguished from veins by containing a different kind of blood. Men had no idea of the constant and massive change of arterial into venous, and of venous into arterial blood. Our conception of the difference between artery and vein is controlled by our idea of the circulation introduced by Harvey. A new nomenclature was therefore needed and it came with the new age which Harvey ushered in. It is a change that Harvey himself foresaw.

Before we quite part with Harvey, we would note that that great discoverer did not use a microscope. He leaves open the question as to whether the blood in passing from veins into arteries is retained in vessels or passes into pores and cavities in the tissues. The use of the microscope—invented about 1608 — profoundly affected the development of Anatomical thought in that new era of which Harvey had a Pisgah sight.

§ 13 *Epilogue*

From Harvey's time onward the tradition of Padua has never departed from our medical schools. It is interesting to remember that the tradition has since been reinforced, for the first occupant of the first Chair of Physiology established in England was himself a student of Padua. That occupant



Dissection scene painted by Rembrandt (1606-1669) in 1656. Amsterdam. The picture has been burnt but this central part remains. It is influenced by Mantegna, see Plate XIII.

[*face p. 184*



ANDREA MANTEGNA (1431-1506), THE DEAD CHRIST

This picture, which is in the Brera Palace at Milan, is a careful anatomical study from nature. It was imitated by Rembrandt (see Plate XX.).

face p. 185

was William Sharpey (1802–80), and the Chair was at University College, London. Sharpey's own copies of Vesalius, of Fallopius, of Columbus, of Casserius, of Spigelius, of Harvey, and of other Paduan anatomists lie open before me as I write. They bear upon them the evidence of Sharpey's vivid consciousness of the antiquity and dignity of the line from which he was descended.

It is not unfitting to close with a reflection as to the present state of Anatomy in England. As a result of the rapid accumulation of knowledge during the last century the departments of anatomical study have been subdivided. The subdivision has unfortunately been along the lines of supposed 'practical' needs. It has had no regard to that natural specialization which depends on the faculties and endowments of the human mind rather than on the mere mass of facts accumulated in any particular department. Subjects such as Anatomy, Physiology, and Histology have been arbitrarily separated, and have come to be regarded as but distantly related to each other. This unhealthy specialization and separation has been encouraged by the necessities, or supposed necessities, of medical education as developed towards the end of the century. The rigid separation of these studies has been an evil to them all, but Anatomy perhaps has suffered most. It is therefore appropriate that the Institution to which Sharpey, the last of the English Paduans, devoted his life, should be the first to take organized steps to reunite these studies and to bring them into contact also with Comparative Anatomy and Embryology. In doing this University College has returned to the great Paduan tradition as it existed from Vesalius to Harvey.

A VESALIAN ATLAS

CONTAINING

NUDES, SKELETONS AND MUSCLE TABULÆ
FROM THE *EPITOME* AND *FABRICA*



Fig. 100.—Nude Exhibiting the Canon of Proportion, from the *Epitome*.



Fig. 101.—Nude Exhibiting the Canon of Proportion, from the *Epitome*.




FIG. 102.—First Skeleton from *Fabrica*.




FIG. 103.—Second Skeleton from *Fabrica*.




FIG. 104.—Third Skeleton from *Fabrica*.




FIG. 105.—First Muscle Tabula from *Fabrica*.



FIG. 106.—Second Muscle Tabula from *Fabrica*.



FIG. 107.—The Fifth Muscle Tabula from *Fabrica*.

Note extension upward of *rectus abdominis* as in apes, and the muscle in the neck marked X which has no existence in man but is to be found in apes. Vesalius calls attention to these points in the text.



FIG. 108.—Sixth Muscle Tabula from *Fabrica*.

Note scalene muscle continued as a strip in front of ribs anterior to the *serratus magnus*. The description is drawn, as Vesalius points out in the text, from the dog.



FIG. 109.—Seventh Muscle Tabula from *Fabrica*.

For pose compare figure on Pl. XI. The diaphragm is shown separately above.



FIG. 110.—The Ninth Muscle Tabula from *Fabrica*.



FIG. 111.—Thirteenth Muscle Tabula from *Fabrica*.



FIG. 112.—Fifth Muscle Tabula from *Epitome*.

In this and the following figures the right side of the dissections exhibits the more superficial and the left the deeper muscles.




FIG. 113.—Third Muscle Tabula from *Epitome*.



FIG. 114.—Fourth Muscle Tabula from *Epitome*.




FIG. 115.—First Muscle Tabula from *Epitome*.





FIG. 116.—Second Muscle Tabula from *Epitome*.



QVADRAGESIMIPRIMI CAPITIS FIGV-
rarum, eiusdemq; characterum Index.

FIG. 117.—The Instruments used by Vesalius, from the *Fabrica*.

INDEX OF PERSONAL NAMES

Achillini, 86.
Acron, 9.
Agnodice, 29.
Albertus Magnus, 69, 148.
Albinus, 135.
Alcmæon, 9, 138, 17.
Alexander V, Pope, 88.
Amatus Lusitanus, 102, 156.
Anaximenes, 10.
Apollonius, 34, 40.
Arantius, 115, 144, 148.
Arderne, 170.
Aristophanes, 20.
Aristotle, 17 ff., 23 ff., *et passim* throughout.
Asclepiades, 37.
Aselli, 29, 130, 158, 160 f.
Augustine, Saint, 34.
Augustus, Emperor, 37.
Avicenna, 68, *et passim*.

Bannister, 173 f.
Bartholomew the Englishman, 170.
Bartholomew of Varignana, 73, 83.
Bartholin, 115, 160, 167.
Bauhin, 166–8.
Bell, Sir Charles, 60.
Belon, 146 f.
Benedetti, 104.
Beniveni, 104, 121.
Berengar, 35, 97, 116, 122.
Bertapaglia, 121.
Boethus, 47.
Boniface VIII, Pope, 85.
Borelli, 158, 166.
Borgarucci, 171.
Botal, 115, 168.
Boyle, 28.
Brassavola, 167.

Caius, 171, 175.
Canano, 101, 125, 156.
Carpi, 97.
Casserius, 126, 153, 158, 161 ff., 185.
Cellini, 34.
Celsus, 34, 39, 40, 104, 117.
Cesalpinus, 158, 178.
Cicero, 38, 39.
Clement VII, Pope, 86, 121.
Clement XI, Pope, 135.
Cleopatra, 36.
Coiter, 143, 148 ff., 168, 178.
Columbus, 84, 140 f., 178, 180, 185.
Columella, 39.
Commodus, Emperor, 49, 62, 107.
Constantine Africanus, 68.
Copernicus, 122.
Crooke, 135.

D'Argelata, 88.
Darwin, 16, 39.
De Gerbi, 88.
Democritus, 31, 37, 39.
Descartes, 32.
Diocles, 16, 29.
Diogenes, 10 ff.
Dryander, 98, 101, 116, 168.
Dürer, 90.

Elisabeth, Queen, 171.
Empedocles, 9 f., 16, 26.
Epicurus, 39.
Erasistratus, 31 ff., 36, 48, 58, 160.
Estienne, Charles, 99 ff., 101, 116, 121, 125 f., 167.

Estienne, Henri, 167.
Euphronius, 15.
Eustachius, 9, 115, 122, 125, 126, 135 ff., *et passim.*

Fabricius of Aquapendente, 143, 153 ff., 178, 183.
Fabricius of Hilden, 154, 168.
Fallopius, 35, 142 f., 185.

Galen, 46 ff., *et passim* throughout.
Galileo, 158.
Gasser, 115.
Geminus, 171.
Germano, 153.
Gerard of Cremona, 68, 79.
de Gorris, 167.
Guido de Vigevano, 85.
Günther, 105, 117, 119, 140.
Guy de Chauliac, 88, 121, 170.

Hadrian, Emperor, 37.
Hali Abbas, 68, *et passim.*
Hammurabi, 7.
Harvey, 174 ff., *et passim* throughout.
Hatchett, 171.
Hegetor, 33.
van Helmont, 166.
Henri de Mondeville, 72, 170, *et passim.*
Henry VIII, 105.
Heracleitus, 10 ff., 23.
Herodotus, 13.
Herophilus, 28 ff., 32, 36, 115.
Hesiod, 9.
Hippocrates, 10, 12, 14, 16, 19, 22, 23.
Homer, 9.
Hugh of Lucca, 71.

Ingrassias, 138.

Lancisi, 135.
Lanfranchi, 170.
du Laurens, 144.
Legallois, 60.
Leonardo, 90 ff., *et passim,* 178, 179.
Linacre, 105, 171.
Lorenzo de Medici, 34.
Lower, 115.
Lucretius, 38, 39.
Lycus, 46.

Magendie, 60.
Malpighi, 154, 166.
Mantegna, 90.
Marcus Aurelius, Emperor, 47, 49, 50, 48 ff., 107.
Marinus, 45.
Martialius, 48.
Meckel, 57.
Menon, 22.
Michael the Scot, 81.
Michelangelo, 90, 121.
Mondino, 74 ff., *et passim.*
Montagnana, 95, 121.
Montanus, 105.
Morgagni, 115.
Müller, 18, 21.
Muscio, 44.

Nikon, 47.
Numisianus, 46.

Paauw, 160, 166.
Paracelsus, 97.
Paré, 134.
Pausanias, 9.
Pecquet, 140.
Pelops, 46.
Philistion, 9.
Piccolomini, 144.
Plater, 84, 133, 158.
Plato, 15, 20.
Pliny, 40.
Pollux, 53, 107, 117.
Polybus, 14, 16.
Primaticcio, 34.
Ptolemy, 28.

Quintus, 46.

Rabelais, 147.
Raphael, 90.
Reil, 115.
Rembrandt, 166.
Remmelin, 128.
Rhazes, 68, *et passim.*
Riolan, 160, 168.
Rondelet, 147 f., 167.
Rufus, 42 ff.
Ruinus, 153, 178.

Sanctorius, 158, 160, 166.
Satyrus, 46.
Salimbene of Parma, 72.
Senac, 101.
Servetus, 140, 142, 178.
Severus, Alexander, Emperor, 37.
Sharpey, 185.
Signorelli, 90.
Sixtus IV, Pope, 86, 121.
Socrates, 15.
Soranus, 44 f.
Spigelius, 57, 115, 161 ff., 185.
Stephen of Antioch, 68.
Swammerdam, 32.
Sylvius, 57, 107–9, 117, *et passim* throughout.

Theophrastus, 22.
Tertullian, 34.
Thaddeus of Florence, 72, *et passim.*
Theodoric, Emperor, 37.
Theodoric of Borgognoni, 71.
Tulpius, 166.

Udall, 171.

Valsalva, 115.
Varolio, 143 f.
Verocchio, 90.
Vesalius, 111, *et passim* throughout.
Vespasian, Emperor, 37.
Vicary, 170.
Vidius, 34, 144.

Wharton, 89.
William of Saliceto, 71, 72, *et passim*, 170.
Willis, 115.
Winston, 174.
Worm, 160, 166 f.
Wynkyn de Worde, 170.

OTHER WORKS BY THE SAME AUTHOR

1. *The Cures of the Diseases in Forraine Attempts of the English Nation*, London, 1598, reproduced in Facsimile with Introduction and Notes. Oxford : Clarendon Press, 1915.

2. *Studies in the History and Method of Science, First Series.* Oxford : Clarendon Press, 1917 (out of print).

3. *Studies in the History and Method of Science, Second Series.* Oxford : Clarendon Press, 1921.

4. *Greek Biology and Greek Medicine.* Oxford : Clarendon Press, 1920.

5. *Greek Science and Modern Science : a Comparison and a Contrast.* London University Press, 1920.

6. *The Discovery of the Circulation of the Blood.* London : G. Bell & Sons, Ltd., 1922.

7. With Professor Henry E. Sigerist, *Essays on the History of Medicine presented to Karl Sudhoff on the occasion of his Seventieth Birthday.* London : Oxford University Press, 1923.

8. With the Hon. Th. Zammit, C.M.G., *Neolithic Representations of the Human Form from the Islands of Malta and Gozo.* The Museum, Valletta, Malta, 1924.

9. With Professor K. Sudhoff. *The Fasciculus Medicinæ of Johannes de Ketham, Alemanus. Facsimile of the First (Venetian) Edition of* 1491 *with Introduction and Notes.* Large folio. London : Oxford University Press, 1924.

10. With Professor K. Sudhoff. *The Earliest Literature on Syphilis.* Milan : 7 Via Brera, Lier & Co., 1925.

11. *The Fasciculo di Medicina, Venice,* 1493, *with Introduction, discussion of Art, Language, Sources and Influence, a Translation of the " Anathomia " of Mondino da Luzzi, an account of Mediæval Anatomy and Physiology and an Atlas of Illustrative Figures.* 2 volumes, folio. Milan : 7 Via Brera, Lier & Co., 1925.

AN INTRODUCTION TO THE STUDY OF EXPERIMENTAL MEDICINE

by Claude Bernard

Here is the only major work of Claude Bernard now available in English. Ninety years ago, this great French physiologist saw that medicine could be a science rather than an art, and set down his observations in AN INTRODUCTION TO THE STUDY OF EXPERIMENTAL MEDICINE.

This classic of medical science records Bernard's far-reaching efforts to transform physiology into an exact science. Here he explains his principles of scientific research, illustrating them by specific case histories from his own work. He examines frankly the roles of chance and error, and even preliminary false conclusions, in leading eventually to scientific truth; and discusses with equal candor the use of hypothesis. Bernard is considered to be one of the fathers of biochemistry; and much of the modern application of mathematics to biology rests upon a foundation set down by him in this book.

Claude Bernard is remembered today for such major contributions to physiology as the discovery of the vasomotor system; the action of curare, carbon monoxide and other poisons; the functions of the pancreas in digestion; and the glycogenic function of the liver. These considerable achievements give authority to his description of a dedicated scientist attacking his problems some 90 years ago. This account, writes Professor I. Bernard Cohen, in a new Foreword, continues to be "as splendid a statement of the basic features of scientific research as has ever been written."

Translated by Henry C. Greene. Introduction by Lawrence J. Henderson. New Foreword by Professor I. Bernard Cohen of Harvard University. xxv + 266pp. 5⅜ x 8.

T400 Paperbound **$1.50**

THE BIOLOGY OF THE AMPHIBIA
by G. Kingsley Noble

This is an unabridged republication of the standard work in English on frogs, toads, newts, salamanders, and caecilians. It is probably the most used book in its subject in university graduate and undergraduate courses. Written by the Curator of Herpetology and Experimental Biology at the American Museum of Natural History, it is a most unusual book in being packed full of data for the specialist, yet also being a brilliant work of exposition, which can be read with profit and delight by the field naturalist or non-specialist. It is "packed with fascinating information, much of it collected in one place for the first time," (QUARTERLY REVIEW OF BIOLOGY).


The author covers thoroughly both living and fossil branches of amphibia. Where possible, main stress is placed upon functionings, physiology, behavior, relation to environment, although anatomy, phylogeny, ontology, embryology, and taxonomy are also treated in detail.


"Nothing comparable to it," C. H. Pope, Curator of Amphibia and Reptiles, Chicago Museum of Natural History. "The only modern treatise in English," ZOO LIFE, London. "No other source for basic information," ANIMAL KINGDOM. "Needed by students beginning to specialize, in order to counteract the tendency to lose sight of the organism as a whole," QUARTERLY REVIEW OF BIOLOGY.


Partial contents. Origin of amphibia. Development and heredity. Mode of life history. Speciation, adaptation. Sex, secondary sex characteristics. Integument. Respiratory, circulatory, digestive systems. Skeleton. Muscular, urogenital, endocrine systems. Sense organs and their function, nervous system. Instinct, intelligence. Ways of amphibia. Relation to environment. Geographical distribution, economic value. Relationships and classification.

Index. 1047 classified bibliographic references. 320 illustrations. 600pp. 5⅜ x 8.

Paperbound **$2.98**


1 A
P
2
3
5
6
B
8
P
L
10
11
12
13
14
15
16
17
18
L
P
19 D
20 E
21


16
17
18
P
L
19 D
20 E
21
22
23
24 F
P
L
25 G
26
27
28
29
30H
31 I
32
34 K



A SHORT HISTORY OF ANATOMY AND PHYSIOLOGY FROM THE GREEKS TO HARVEY (The Evolution of Anatomy)

by Charles Singer

This corrected edition of a classic work on the history of anatomy and physiology is still the most interesting intermediate study of the subject currently available. It traces the evolution of anatomy from prescientific times through the Greek and Roman periods, the Dark Ages and the Renaissance, up to the age of Harvey and the beginning of modern scientific concepts. Primary attention is centered on individuals, movements and periods that definitely advanced anatomical knowledge.

In the first of four chronological sections, the author considers the period before 50 B.C., in Sicily, Ionia, Athens and Alexandria. He covers the work of Plato, Diocles, Aristotle, Theophrastus, Herophilus and Erasistratus, along with the Alexandrians and their experiments in anatomy and human vivisection. In Part 2, later Roman and Greek anatomical writers are discussed, with emphasis falling upon Galen's anatomical philosophy and achievements and his physiological system. Part 3 deals principally with the rise of the universities and the anatomical work of such figures as Mondino, da Vinci, Berengar, Estienne, Linacre, Sylvius and others. The final section is concerned with Vesalius as artist, humanist, naturalist; with a discussion of his *Fabrica;* and with his rivals and followers up to Harvey. A Vesalian Atlas contains nudes, skeletons and muscle tabulae from the *Epitome* and *Fabrica.*

Revision of 1925 edition entitled THE EVOLUTION OF ANATOMY. Index of names. 20 plates, 270 extremely interesting illustrations of medieval, ancient, renaissance, oriental origin. xii + 209pp. 5⅜ x 8.

T389 Paperbound **$1.75**